

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC P.O. BOX 4294 HOUSTON, TX 77210		² OGRID Number 16696	
⁴ API Number 30-025-44933		⁵ Pool Name RED TANK; BONE SPRING	
⁷ Property Code: 321612		⁸ Property Name: TACO CAT 27-34 FEDERAL COM	
		⁶ Pool Code 51683	
		⁹ Well Number: 11H	

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
D	27	22S	32E		260'	NORTH	855'	WEST	LEA

¹¹ Bottom Hole Location FTP: 295' FNL 955' FWL LTP- 132' FSL 1000' FWL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	34	22S	32E		20'	SOUTH	998'	WEST	LEA

¹² Lse Code F	¹³ Producing Method Code: F	¹⁴ Gas Connection Date: TBD	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date
-----------------------------	---	---	-----------------------------------	------------------------------------	-------------------------------------

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
35103	Sunoco Partners Marketing & Terminals LP	O
36785	DCP Operating Company, LP	G

HOBBS OCD
JAN 29 2019
RECEIVED

Test Allowable expires 5-1-2019

IV. Well Completion Data

²¹ Spud Date 07/29/18	²² Ready Date 02/01/2019	²³ TD 9514'V/19732'MD	²⁴ PBSD 9516'V/19665'M	²⁵ Perforations 9445'-19621'MD	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17-1/2"	13-3/8"	867'	800		
9-7/8"	7-5/8"	8810'	2225		
6-3/4"	5-1/2"	19703'	705		

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: *Leslie Reeves*

Printed name:
LESLIE REEVES

Title:
REGULATORY ADVISOR

E-mail Address:
LESLIE REEVES@oxy.com

Date: 1/28/19 Phone: 713-497-2492

OIL CONSERVATION DIVISION

Approved by: *Karen Sharp*
Title: *Staff Mgr*
Approval Date: *2-1-19*

Documents pending BLM approvals will subsequently be reviewed and scanned

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

Carlsbad Field Office
HOBBS

File Serial No.
69376

6. If Indian, Allottee or Tribe Name
7. If Unit or CA/Agreement, Name and/or No.

SUBMIT IN TRIPLICATE - Other instructions on page 2

AUG 16 2018

RECEIVED

8. Well Name and No.
TACO CAT 27-34 FEDERAL COM 11H
9. API Well No.
30-025-44933-00-X1

10. Field and Pool or Exploratory Area
RED TANK-BONÉ SPRING

11. County or Parish, State
LEA COUNTY, NM

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
OXY USA INCORPORATED
Contact: JANA MENDIOLA
E-Mail: janalyn_mendiola@oxy.com

3a. Address
P O BOX 4294
HOUSTON, TX 77210-4294
3b. Phone No. (include area code)
Ph: 432-685-5936
Fx: 432-685-5742

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Sec 27 T22S R32E NWNW 260FNL 855FWL
32.369205 N Lat, 103.668343 W Lon

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Drilling Operations
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

Spud 17-1/2" hole 7/29/18, drill to 876' 7/31/18. RIH & set 13-3/8" 54.5# J-55 csg @ 867', pump 15BFW spacer then cmt w/ 800sx (200bbl) Class C w/ additives 14.8ppg 1.35 yield, full returns throughout job, circ 195sx (47bbl) cmt to surface, WOC. 7/31/18 RD & release rig.



HOBBS OCD

JAN 29 2019

RECEIVED

14. I hereby certify that the foregoing is true and correct.
Electronic Submission #430844 verified by the BLM Well Information System
For OXY USA INCORPORATED, sent to the Hobbs
Committed to AFMSS for processing by PRISCILLA PEREZ on 08/13/2018 (18PP1670SE)

Name (Printed/Typed) **DAVID STEWART** Title **SR. REGULATORY ADVISOR**

Signature (Electronic Submission) Date **08/13/2018**

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

ACCEPTED FOR RECORD

Approved By _____ Title _____ Date _____

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office **AUG 14 2018** /s/ **Jonathon Shepard**

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

BUREAU OF LAND MANAGEMENT
CARLSBAD FIELD OFFICE

(Instructions on page 2) **** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

5. Lease Serial No.
NMNM069376

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2

7. If Unit or CA/Agreement, Name and/or No.

1. Type of Well
 Oil Well Gas Well Other

8. Well Name and No.
TACO CAT 27-34 FEDERAL COM 11H

2. Name of Operator
OXY USA INCORPORATED
Contact: LESLIE REEVES
E-Mail: LESLIE_REEVES@OXY.COM

9. API Well No.
30-025-44933-00-X1

3a. Address
P O BOX 4294
HOUSTON, TX 77210-4294

3b. Phone No. (include area code)
Ph: 713-497-2492

10. Field and Pool or Exploratory Area
RED TANK-BONE SPRING

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Sec 27 T22S R32E NWNW 260FNL 855FWL
32.369205 N Lat, 103.668343 W Lon

11. County or Parish, State
LEA COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Drilling Operations	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

11/8/18 Skid from Taco Cat 27-34 Fed Com 21H to Taco Cat 27-34 Fed Com 11H. Test BOP @ 250psi low 5000psi high. Test 13-3/8" csg to 1500psi for 30 minutes, good test. RIH & drill new formation to 886', perform FIT to EMW=21ppg, 526psi, good test. 11/11/18 Drill 9-7/8" hole to 8825', 11/12/18. RIH & set 7-5/8" 26.4# L-80 BTC csg @ 8810', pump 40bbls mudpush spacer then cmt w/ 860sx (542bbls) PPC w/ additives 9ppg 3.54 yield followed by 165sx (48bbls) class H w/ additives 13.2ppg 1.65 yield, partial returns. Pump 2nd stage with DV tool @ 5033', pump 40 bbls spacer then cmt w/ 1200sx (400bbls) PPC cement w/ additives 12.9ppg 1.87 yield, circ 20bbls spacer to surface, est. TOC @ 204'. BLM was contacted 11/14/18. RD cementer, ND BOPs, RD RR 11/15/18.

HOBBS OCD
JAN 29 2019
RECEIVED

14. I hereby certify that the foregoing is true and correct.

**Electronic Submission #447287 verified by the BLM Well Information System
For OXY USA INCORPORATED, sent to the Hobbs
Committed to AFMSS for processing by PRISCILLA PEREZ on 12/13/2018 (19PP0602SE)**

Name (Printed/Typed) DAVID STEWART

Title SR. REGULATORY ADVISOR

Signature (Electronic Submission)

Date 12/11/2018

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By **ACCEPTED**

JONATHON SHEPARD
Title PETROELUM ENGINEER

Date 12/13/201

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Hobbs

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Form 3160-5
(August 2007)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

HOEES OCD

Do not use this form for proposals to drill or to re-enter an abandoned well.
Use Form 3160-3 (APD) for such proposals.

JAN 29 2019

Bold* fields are required.

RECEIVED

Section 1 - Completed by Operator

1. BLM Office* Hobbs, NM	2. Well Type* OIL
3. Submission Type* <input type="radio"/> Notice of Intent <input checked="" type="radio"/> Subsequent Report	4. Action* Drilling Operations
Operating Company Information	
5. Company Name* OXY USA INC.	
6. Address* P.O. BOX 4294 HOUSTON TX 77210	7. Phone Number* 713-497-2492

Administrative Contact Information

8. Contact Name* LESLIE _ REEVES	9. Title* REGULATORY ADVISOR
10. Address* P.O. BOX 4294 HOUSTON TX 77210	11. Phone Number* 713-497-2492 _ 12. Mobile Number 281-733-0824
13. E-mail* LESLIE_REEVES@OXY.COM	14. Fax Number _____

Technical Contact Information

Check here if Technical Contact is the same as Administrative Contact.

15. Contact Name* DAVID _ STEWART	16. Title* SR. REGULATORY ADVISOR
17. Address* P.O. BOX 50250 MIDLAND TX 79710	18. Phone Number* 432-685-5717 _ 19. Mobile Number _____
20. E-mail* david_stewart@oxy.com	21. Fax Number _____

Documents pending BLM approvals will
subsequently be reviewed and scanned

Lease and Agreement

22. Lease Serial Number*	_____
---------------------------------	-------

NMNM069376

24. If Unit or CA/Agreement, Name and/or Number

25. Field and Pool, or Exploratory Area*

RED TANK-BONE SPRING

County and State for Well

26. County or Parish, State*

LEA NM

Associated Well Information

27. Specify well using one of the following methods:

a) Well Name, Well Number, API Number, Section, Township, Range, Qtr/Qtr, N/S Footage, E/W Footage

b) Well Name, Well Number, API Number, Latitude, Longitude, Metes & Bounds description

Well Name*

TACO CAT 27-34 FEDERAL COM

Well Number*

11H

API Number

30-025-44933

Section

27

Township

22S

Range

32E

Meridian

Qtr/Qtr

NWNW

N/S Footage

260 FNL

E/W Footage

855 FWL

Latitude

32.369205

Longitude

103.668343

Metes and Bounds

28. Describe Proposed or Completed Operation

Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all markers and zones. Attach the Bond under which the work will be performed or provide the Bond Number on file pertinent with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomplate in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

11/25/18 MIRU, test BOP 250psi low/5000psi high, good test. Test 7-5/8" casing to 3600psi for 30 minutes, good test. RIH & drill new formation to 8835', perform FIT to EMW=12.9ppg 1562psi, good test. Drill 6-3/4" hole to TD 19732'MD/9514'TVD, 12/4/18. RIH with logs. RIH and set 5-1/2" 20# P-110 DQX csg @ 19703', pump 50bbls mudpush spacer then cmt w/ 705sx(206bbls) Class H cement w/ additives 13.2ppg 1.64 yield, no cement to surface, est. TOC @ 5800'. ND BOP, install wellhead cap, RD and RR 12/8/18.

I hereby certify that the foregoing is true and correct.

29. Name*

LESLIE _ REEVES

30. Title

REGULATORY ADVISOR

31. Date* (MM/DD/YYYY)01/02/2019 **32. Signature***

You have the ability to sign this form only if a SmartCard or digital certificate has been issued to you.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Section 2 - System Receipt Confirmation

33. Transaction

449486

34. Date Sent

01/07/2019

35. Processing Office

Hobbs, NM

Section 3 - Internal Review #1 Status

36. Review Category**37. Date Completed****38. Reviewer Name****39. Comments**

Section 4 - Internal Review #2 Status

40. Review Category**41. Date Completed****42. Reviewer Name****43. Comments**

Section 5 - Internal Review #3 Status

44. Review Category**45. Date Completed****46. Reviewer Name****47. Comments**

Section 6 - Internal Review #4 Status

48. Review Category**49. Date Completed****50. Reviewer Name****51. Comments**

Section 7 - Final Approval Status

52. Disposition	53. Date Completed	54. Reviewer Name	55. Reviewer Title
-----------------	--------------------	-------------------	--------------------

56. Comments

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard local area, or regional procedures and practices, either are shown below will be issued by, or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 27 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 28 - Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well and date well site conditioned for final inspection looking to approval of the abandonment.

NOTICE

The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

This information is being collected to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT

Public reporting burden for this form is estimated to average 25 minutes per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0135), Bureau Information Collection Clearance Officer, (WO-630), Mail Stop 401 LS, 1849 C St., N.W., LS, Washington D.C. 20240

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

5. Lease Serial No.
NMNM069376

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2

7. If Unit or CA/Agreement, Name and/or No.

1. Type of Well
 Oil Well Gas Well Other

8. Well Name and No.
TACO CAT 27-34 FEDERAL COM 11H

2. Name of Operator
OXY USA INC. Contact: LESLIE T REVES
E-Mail: LESLIE_REEVES@OXY.COM

9. API Well No.
30-025-44933

3a. Address
P.O. BOX 4294
HOUSTON, TX 77210

3b. Phone No. (include area code)
Ph: 713-497-2492

10. Field and Pool or Exploratory Area
RED TANK BONE SPRING

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Sec 27 T22S R32E NWNW 260FNL 855FWL
32.369206 N Lat, 103.668344 W Lon

11. County or Parish, State
LEA COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Hydraulic Fracture
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

RUPU 12/28/18. Test BOP to 250 psi low/9800 psi high, good test. Test csg to 9800 psi for 30 min, good test. RIH and perf at 19621-19470, 19418-19269, 19217-19069, 19017-18868, 18816-18668, 18467-18616, 18415-18267, 18215-18066, 18014-17866, 17814-17665, 17613-17465, 17413-17264, 17212-17064, 17012-16863, 19455-19308, 16611-16462, 16410-16262, 16210-16061, 16009-15861, 15809-15665, 15608-15460, 15408-15263, 15204-15059, 15007-14858, 14806-14658, 14457-14606, 14405-14257, 14205-14056, 14004-13856, 13804-13653, 13603-13455, 13403-13259, 13202-13054, 13002-12856, 12801-12653, 12601-12456, 12253-12252, 12200-12052, 11997-11851, 11799-11650, 11602-11450, 11398-11249, 11198-11049, 10997-10848, 10796-10648, 10596-10447, 10395-10252, 10195-10046, 9994-9846, 9790-9645 and 9597-9445. Total 1224 holes. Frac in 51 stages with 227819 bbls slick water, 1223 bbls 7.5% acid with 25451809 lbs sand. 1/24/19 RD Schlumberger, RIH and clean out for flowback and to test well for potential.

HOBBS OCD
JAN 29 2019
RECEIVED

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #452251 verified by the BLM Well Information System
For OXY USA INC., sent to the Hobbs

Name (Printed/Typed) DAVID STEWART

Title SR. REGULATORY ADVISOR

Signature (Electronic Submission)

Date 01/29/2019

THIS SPACE FOR FEDERAL OR STATE APPROVAL

Approved By _____

Title _____

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office _____

Documents pending BLM approvals will
subsequently be reviewed and scanned

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.