

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

**HOBBS OCD**  
**MAR 21 2019**  
**RECEIVED**

State of New Mexico  
Energy Minerals and Natural Resources  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-129  
Revised August 1, 2011

Submit one copy to appropriate  
District Office

NFO Permit No. \_\_\_\_\_  
(For Division Use Only)

**APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12**  
(See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

A. Applicant EOG Resources,  
whose address is PO Box 2267, Midland, Texas 79702,  
hereby requests an exception to Rule 19.15.18.12 for 90 days or until

MARCH 21-JUNE 21, Yr 2019, for the following described tank battery (or LACT):

Name of Lease TUMBLING DICE 2 SC 1H Name of Pool \_\_\_\_\_

Location of Battery: Unit Letter M Section 02 Township 25S Range 34E

Number of wells producing into battery 1

B. Based upon oil production of \_\_\_\_\_ barrels per day, the estimated \* volume  
of gas to be flared is \_\_\_\_\_ MCF; Value \_\_\_\_\_ per day.

C. Name and location of nearest gas gathering facility:  
TUMBLING DICE 2 SC 1H FL 60387025

D. Distance \_\_\_\_\_ Estimated cost of connection \_\_\_\_\_

E. This exception is requested for the following reasons: All gas will be metered and recorded prior to Flaring.  
TUMBLING DICE 2 SC 1H 3002541459

**OPERATOR**

I hereby certify that the rules and regulations of the Oil Conservation  
Division have been complied with and that the information given above  
is true and complete to the best of my knowledge and belief.

Signature K Agee

Printed Name  
& Title Kristina Agee- Sr. Regulatory Administrator

E-mail Address Kristina\_Agee@eogresources.com

Date 03/18/2019 Telephone No. 432-686-6996

**OIL CONSERVATION DIVISION**

Approved Until 6/21/2019

By [Signature]  
Title Petroleum Engineer

Date 03/21/19

\* Gas-Oil ratio test may be required to verify estimated gas volume.