

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1281
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources
OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised July 18, 2013

HOBS OCD
APR 15 2019
RECEIVED

WELL API NO. 30-025-34879
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Shell State
8. Well Number 4
9. OGRID Number 16696
10. Pool name or Wildcat Red Tank Delaware, West

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well Other

2. Name of Operator
OXY USA Inc.

3. Address of Operator
P.O. Box 50250 Midland, TX 79710

4. Well Location
 Unit Letter E : 1650 feet from the North line and 660 feet from the West line
 Section 36 Township 22S Range 32E NMPM County Log

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3749'

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

J.p.m.
PNR

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See Attached

Spud Date: Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Sr. Regulatory Advisor DATE 4/6/19

Type or print name David Stewart E-mail address: david_stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 4-24-19
 Conditions of Approval (if any):

Attachment C-103 - OXY USA Inc.

Shell State #4 - 30-025-34879

Date	Remarks
3/28/19	MIRU PU. ND WH, NU BOP. RIH & tag sand @ 1100', circ sand off, rel RBP & POOH.
4/1/19	RIH w/ tbg to 8263', no tag on CIBP @ 8050', PUH, SION.
4/2/19	RIH & set CIBP @ 8050', POOH. RIH w/ tbg & tag CIBP @ 8050', pump 10# MLF, hole would not load, Notify NMOCD, rec appr to spot cmt plug on CIBP. M&P 25sx CL C cmt, PUH, WOC.
4/3/19	RIH & tag cmt @ 7388', notify NMOCD. RU rev pump, start circ 10# BW, well started circ @ 60bbl, pumped 120bbl, well quit circ, pump add'l 30bbl, could not get circ or load well. POOH w/ tbg found cmt outside last 7 jts., SION.
4/4/19	RU tbg testers, RIH w/ bit, csg scraper and tbg, test tbg, no holes. RIH & set pkr @ 6642', pump 13bbl to load hole, test to 800# for 15min, held good. Rel pkr, POOH.
4/5/19	RIH w/ tbg to 7386', M&P 25sx CL C cmt w/ 2% CaCl ₂ , PUH, WOC. RIH & tag cmt @ 6913', notified NMOCD. M&P 10# MLF, PUH to 6545', M&P 45sx CL C cmt w/ 2% CaCl ₂ , PUH, WOC.
4/6/19	RIH & tag cmt 6231', notify NMOCD, want an add'l 25sx cmt. M&P 25sx CL C cmt w/ 2% CaCl ₂ @ 6231', PUH, WOC. RIH & tag cmt @ 6012'. Circ hole w/ 10# MLF, POOH. RIH & perf @ 4725', attempt to EIR, pressure up to 650#, notify NMOCD, appr spot cmt plug. RIH to 4794', M&P 25sx CL C cmt w/ 2% CaCl ₂ , PUH, WOC.
4/7/19	RIH & tag cmt @ 4614', tried to notify NMOCD, no return call. M&P 5sx CL C cmt from 4614-4538'. M&P 10# MLF, POOH. RIH & perf @ 2750', EIR w/ circ to surf on intermediate csg, notified NMOCD, SION.
4/8/19	RIH & set pkr @ 2555', load & test csg to 5003, tested good. EIR, M&P 319sx CL C cmt, circ cmt to surface on surf & intermediate annulus, sqz to 680#, SION.
4/9/19	Test tbg to 500# for 15min, held good. rel pkr, pooh. RIH w/ tbg & tag cmt @ 2742'. Notified NMOCD, appr spotting add'l cmt plug & surf plug. M&P 25sx CL C cmt from 2742-2393'. POOH, ND BOP, M&P 25sx CL C cmt @ 379', circ cmt to surf. POOH, top off csg, RDPU.