

HOBBS OCC
MAY 22 2019
RECEIVED

Legacy Reserves

Lea County, NM (NAD83)

Lea

Lea Unit #100H

STK 01 Wellbore

Design: STK 01 Wellbore

Daily Survey Report

07 November, 2018



Company: Legacy Reserves
Project: Lea County, NM (NAD83)
Site: Lea
Well: Lea Unit #100H
Wellbore: STK 01 Wellbore
Design: STK 01 Wellbore

Local Co-ordinate Reference: Well Lea Unit #100H
TVD Reference: RKB @ 3683.0usft
MD Reference: RKB @ 3683.0usft
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: EDM 5000.1 Single User Db

Project	Lea County, NM (NAD83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	Lea		
Site Position:		Northing:	567,587.00 usft
From:	Map	Easting:	787,256.10 usft
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16"
		Latitude:	32° 33' 27.391 N
		Longitude:	103° 30' 9.733 W
		Grid Convergence:	0.45 °

Well	Lea Unit #100H		
Well Position	+N/-S	0.0 usft	Northing: 580,948.89 usft
	+E/-W	0.0 usft	Easting: 789,317.00 usft
Position Uncertainty	0.0 usft	Wellhead Elevation:	3,683.0 usft
		Latitude:	32° 35' 40.204 N
		Longitude:	103° 31' 41.308 W
		Ground Level:	3,665.0 usft

Wellbore	STK 01 Wellbore		
Magnetics	Model Name	Sample Date	Declination
	IGRF2015	10/25/2018	(°)
			6.81
			Dip Angle (°)
			60.39
			Field Strength (nT)
			48,020.53828166

Design	STK 01 Wellbore		
Audit Notes:			
Version:	1.0	Phase:	ACTUAL
Vertical Section:	Depth From (TVD)	+N/-S	Tie On Depth:
	(usft)	(usft)	10,633.0
	0.0	0.0	
		+E/-W	Direction
		(usft)	(°)
		0.0	182.69

Survey Program	Date 11/7/2018		
From	To	Survey (Wellbore)	Tool Name
(usft)	(usft)		
80.0	10,633.0	As Drilled (Original Wellbore)	MWD+HDGM
10,769.0	18,405.5	STK As Drilled (STK 01 Wellbore)	MWD
			Description
			OWSG MWD + HDGM
			MWD - Standard

Survey								
MD	Inc	Azi (azimuth)	TVD	V. Sec	N/S	E/W	DLeg	
(usft)	(°)	(°)	(usft)	(usft)	(usft)	(usft)	(°/100usft)	
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	
80.0	0.22	329.89	80.0	-0.1	0.1	-0.1	0.28	
165.0	0.32	310.86	165.0	-0.4	0.4	-0.3	0.16	
343.0	0.51	309.86	343.0	-1.2	1.3	-1.3	0.11	
522.0	0.59	295.61	522.0	-2.0	2.2	-2.8	0.09	
613.0	0.60	294.03	613.0	-2.4	2.6	-3.6	0.02	
712.0	0.60	284.39	712.0	-2.7	2.9	-4.6	0.10	
807.0	0.76	273.02	807.0	-2.8	3.1	-5.7	0.22	
900.0	1.17	264.80	900.0	-2.7	3.0	-7.3	0.46	
995.0	1.65	262.73	994.9	-2.3	2.7	-9.6	0.51	
1,089.0	2.49	260.40	1,088.9	-1.6	2.2	-12.9	0.90	

Company: Legacy Reserves
 Project: Lea County, NM (NAD83)
 Site: Lea
 Well: Lea Unit #100H
 Wellbore: STK 01 Wellbore
 Design: STK 01 Wellbore

Local Co-ordinate Reference:
 TVD Reference:
 MD Reference:
 North Reference:
 Survey Calculation Method:
 Database:

Well Lea Unit #100H
 RKB @ 3683.0usft
 RKB @ 3683.0usft
 Grid
 Minimum Curvature
 EDM 5000.1 Single User Db

Survey

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	V. Sec (usft)	N/S (usft)	E/W (usft)	DLeg ("/100usft)
1,184.0	2.91	259.47	1,183.8	-0.6	1.5	-17.4	0.44
1,278.0	3.66	259.71	1,277.6	0.6	0.5	-22.7	0.80
1,372.0	4.22	255.38	1,371.4	2.3	-0.9	-29.0	0.67
1,467.0	4.63	253.82	1,466.1	4.6	-2.9	-36.0	0.45
1,561.0	4.99	251.91	1,559.8	7.2	-5.2	-43.5	0.42
1,655.0	5.39	255.63	1,653.4	10.0	-7.6	-51.7	0.56
1,750.0	4.52	255.15	1,748.0	12.4	-9.6	-59.6	0.92
1,844.0	3.87	251.05	1,841.8	14.7	-11.6	-66.2	0.76
1,938.0	6.16	248.96	1,935.4	17.9	-14.5	-73.9	2.44
2,033.0	9.36	247.94	2,029.5	23.2	-19.2	-85.9	3.37
2,127.0	11.81	244.46	2,121.9	30.9	-26.2	-101.6	2.69
2,221.0	11.90	243.78	2,213.9	40.2	-34.6	-119.0	0.18
2,316.0	11.79	244.48	2,306.9	49.5	-43.1	-136.5	0.19
2,410.0	11.57	244.33	2,398.9	58.5	-51.4	-153.7	0.24
2,505.0	11.43	243.61	2,492.0	67.6	-59.7	-170.7	0.21
2,599.0	11.48	244.99	2,584.2	76.5	-67.8	-187.5	0.30
2,693.0	11.40	246.22	2,676.3	85.0	-75.5	-204.5	0.27
2,787.0	11.81	249.82	2,768.4	92.9	-82.5	-222.1	0.89
2,882.0	11.63	249.46	2,861.4	100.4	-89.3	-240.1	0.20
2,976.0	11.24	249.48	2,953.5	107.8	-95.8	-257.6	0.41
3,071.0	11.22	250.38	3,046.7	114.9	-102.1	-275.0	0.19
3,165.0	11.18	250.77	3,138.9	121.8	-108.2	-292.2	0.09
3,260.0	10.68	251.28	3,232.2	128.5	-114.1	-309.2	0.54
3,354.0	9.86	250.01	3,324.7	134.7	-119.6	-325.0	0.90
3,449.0	9.96	249.47	3,418.3	141.1	-125.3	-340.4	0.14
3,543.0	9.33	248.04	3,510.9	147.5	-131.0	-355.1	0.72
3,637.0	8.60	250.82	3,603.8	153.3	-136.1	-368.8	0.90
3,732.0	6.87	249.84	3,697.9	158.1	-140.4	-380.8	1.83
3,826.0	5.20	251.06	3,791.4	161.9	-143.7	-390.1	1.78
3,920.0	3.70	253.76	3,885.1	164.5	-146.0	-397.1	1.61
4,015.0	2.38	245.53	3,980.0	166.3	-147.7	-401.8	1.46
4,109.0	1.45	217.31	4,073.9	168.2	-149.4	-404.3	1.38
4,203.0	1.42	206.68	4,167.9	170.3	-151.4	-405.5	0.28
4,297.0	1.48	209.29	4,261.9	172.4	-153.5	-406.7	0.09
4,391.0	1.14	185.56	4,355.8	174.4	-155.5	-407.3	0.67
4,486.0	1.05	180.68	4,450.8	176.2	-157.3	-407.4	0.14
4,581.0	1.05	187.76	4,545.8	178.0	-159.0	-407.6	0.14
4,675.0	1.21	195.53	4,639.8	179.8	-160.8	-407.9	0.24
4,769.0	1.34	199.22	4,733.8	181.8	-162.8	-408.6	0.16
4,863.0	1.14	197.57	4,827.7	183.8	-164.8	-409.2	0.22
4,958.0	1.19	192.10	4,922.7	185.7	-166.6	-409.7	0.13
5,052.0	0.97	185.00	5,016.7	187.4	-168.4	-410.0	0.27
5,147.0	0.87	176.56	5,111.7	188.9	-169.9	-410.0	0.18
5,241.0	0.70	175.33	5,205.7	190.2	-171.2	-409.9	0.18

Company: Legacy Reserves
Project: Lea County, NM (NAD83)
Site: Lea
Well: Lea Unit #100H
Wellbore: STK 01 Wellbore
Design: STK 01 Wellbore

Local Co-ordinate Reference:
TVD Reference:
MD Reference:
North Reference:
Survey Calculation Method:
Database:

Well Lea Unit #100H
 RKB @ 3683.0usft
 RKB @ 3683.0usft
 Grid
 Minimum Curvature
 EDM 5000.1 Single User Db

Survey

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	V. Sec (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)
5,335.0	0.75	175.17	5,299.7	191.4	-172.4	-409.8	0.05
5,430.0	0.61	175.95	5,394.7	192.5	-173.5	-409.7	0.15
5,524.0	0.59	181.51	5,488.7	193.5	-174.5	-409.7	0.07
5,585.0	0.52	179.50	5,549.7	194.1	-175.1	-409.7	0.12
5,672.0	0.40	163.30	5,636.7	194.8	-175.7	-409.6	0.20
5,767.0	0.50	162.60	5,731.7	195.5	-176.5	-409.4	0.11
5,861.0	0.40	173.80	5,825.7	196.2	-177.2	-409.3	0.14
5,956.0	0.40	9.10	5,920.7	196.2	-177.2	-409.2	0.83
6,050.0	0.60	9.50	6,014.6	195.4	-176.4	-409.0	0.21
6,144.0	0.80	14.60	6,108.6	194.2	-175.2	-408.8	0.22
6,238.0	1.00	7.20	6,202.6	192.8	-173.8	-408.5	0.25
6,331.0	1.00	359.80	6,295.6	191.2	-172.2	-408.4	0.14
6,425.0	1.00	1.00	6,389.6	189.5	-170.5	-408.4	0.02
6,519.0	0.90	352.10	6,483.6	188.0	-169.0	-408.5	0.19
6,613.0	1.00	355.80	6,577.6	186.4	-167.4	-408.7	0.12
6,707.0	0.90	354.70	6,671.6	184.9	-165.9	-408.8	0.11
6,800.0	1.00	357.50	6,764.5	183.4	-164.4	-408.9	0.12
6,893.0	0.70	356.30	6,857.5	182.0	-163.0	-409.0	0.32
6,986.0	0.70	10.00	6,950.5	180.9	-161.8	-408.9	0.18
7,079.0	0.60	29.00	7,043.5	179.9	-160.9	-408.6	0.25
7,173.0	0.60	27.70	7,137.5	179.0	-160.0	-408.1	0.01
7,266.0	0.70	29.00	7,230.5	178.0	-159.1	-407.6	0.11
7,359.0	0.60	27.40	7,323.5	177.1	-158.1	-407.1	0.11
7,453.0	0.60	35.80	7,417.5	176.2	-157.3	-406.6	0.09
7,546.0	0.60	49.70	7,510.5	175.5	-156.6	-405.9	0.16
7,640.0	0.50	75.70	7,604.5	175.0	-156.2	-405.1	0.28
7,734.0	0.60	86.30	7,698.5	174.8	-156.0	-404.3	0.15
7,827.0	0.40	3.80	7,791.5	174.5	-155.7	-403.8	0.73
7,921.0	0.40	350.80	7,885.5	173.8	-155.0	-403.8	0.10
8,016.0	0.50	323.40	7,980.5	173.2	-154.4	-404.1	0.25
8,109.0	0.40	330.10	8,073.5	172.6	-153.8	-404.5	0.12
8,203.0	0.70	21.10	8,167.5	171.8	-152.9	-404.4	0.58
8,296.0	0.70	26.70	8,260.5	170.7	-151.9	-404.0	0.07
8,389.0	1.00	333.30	8,353.5	169.5	-150.7	-404.1	0.87
8,482.0	1.00	328.30	8,446.4	168.1	-149.3	-404.9	0.09
8,576.0	0.80	314.60	8,540.4	167.0	-148.1	-405.8	0.31
8,670.0	1.10	300.40	8,634.4	166.1	-147.2	-407.0	0.40
8,763.0	0.80	287.20	8,727.4	165.5	-146.5	-408.4	0.40
8,857.0	0.40	271.60	8,821.4	165.4	-146.3	-409.4	0.46
8,950.0	0.10	143.40	8,914.4	165.5	-146.4	-409.6	0.50
9,043.0	1.00	165.60	9,007.4	166.3	-147.2	-409.4	0.98
9,137.0	1.30	163.60	9,101.4	168.1	-149.1	-408.9	0.32
9,231.0	0.60	167.10	9,195.4	169.6	-150.6	-408.5	0.75
9,324.0	0.90	146.70	9,288.3	170.6	-151.7	-408.0	0.43
9,417.0	0.50	273.10	9,381.3	171.2	-152.2	-408.0	1.36

Company: Legacy Reserves
Project: Lea County, NM (NAD83)
Site: Lea
Well: Lea Unit #100H
Wellbore: STK 01 Wellbore
Design: STK 01 Wellbore

Local Co-ordinate Reference:
TVD Reference:
MD Reference:
North Reference:
Survey Calculation Method:
Database:

Well Lea Unit #100H
 RKB @ 3683.0usft
 RKB @ 3683.0usft
 Grid
 Minimum Curvature
 EDM 5000.1 Single User Db

Survey

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	V. Sec (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)
9,511.0	0.70	248.00	9,475.3	171.5	-152.4	-408.9	0.35
9,604.0	0.90	233.40	9,568.3	172.2	-153.1	-410.0	0.31
9,697.0	0.70	292.10	9,661.3	172.4	-153.3	-411.1	0.86
9,790.0	0.30	318.10	9,754.3	172.1	-152.9	-411.8	0.48
9,883.0	0.40	146.60	9,847.3	172.2	-153.0	-411.8	0.75
9,976.0	0.80	125.50	9,940.3	172.8	-153.6	-411.1	0.48
10,070.0	0.80	75.20	10,034.3	172.9	-153.9	-409.9	0.72
10,163.0	0.50	85.40	10,127.3	172.7	-153.7	-408.9	0.34
10,257.0	0.40	64.00	10,221.3	172.5	-153.5	-408.2	0.21
10,351.0	0.10	156.40	10,315.3	172.4	-153.4	-407.9	0.44
10,445.0	0.80	158.90	10,409.3	173.1	-154.1	-407.6	0.74
10,539.0	1.50	166.60	10,503.3	174.8	-155.9	-407.1	0.76
10,633.0	4.70	185.40	10,597.1	179.9	-160.9	-407.2	3.53
10,769.0	20.75	191.10	10,729.4	209.5	-190.3	-412.4	11.82
10,817.0	31.61	185.07	10,772.4	230.5	-211.3	-415.1	23.27
10,863.0	43.30	186.52	10,808.8	258.4	-239.0	-418.0	25.48
10,957.0	53.05	188.41	10,871.5	328.1	-308.4	-427.2	10.48
11,052.0	52.14	188.26	10,929.2	403.2	-383.1	-438.1	0.97
11,146.0	54.16	187.57	10,985.5	478.1	-457.6	-448.5	2.23
11,208.0	55.83	184.44	11,021.1	528.8	-508.1	-453.8	4.93
11,241.0	56.68	181.41	11,039.4	556.2	-535.5	-455.1	8.06
11,334.0	63.20	177.70	11,086.0	636.5	-615.9	-454.4	7.81
11,391.0	70.21	175.00	11,108.5	688.5	-668.1	-451.1	13.04
11,429.0	75.00	175.79	11,119.9	724.5	-704.2	-448.2	12.76
11,524.0	79.56	178.76	11,140.8	816.7	-796.8	-443.8	5.69
11,618.0	83.52	180.67	11,154.6	909.5	-889.7	-443.3	4.67
11,682.0	89.62	180.70	11,158.5	973.3	-953.6	-444.1	9.53
11,712.0	89.93	180.84	11,158.6	1,003.3	-983.6	-444.5	1.13
11,806.0	89.14	180.39	11,159.4	1,097.3	-1,077.5	-445.5	0.97
11,882.0	89.62	179.37	11,160.2	1,173.2	-1,153.5	-445.3	1.48
11,977.0	89.90	178.34	11,160.6	1,268.0	-1,248.5	-443.4	1.12
12,070.0	89.90	179.61	11,160.7	1,360.8	-1,341.5	-441.8	1.37
12,164.0	90.00	180.06	11,160.8	1,454.6	-1,435.5	-441.5	0.49
12,352.0	89.90	181.58	11,161.0	1,642.5	-1,623.5	-444.2	0.81
12,446.0	89.79	181.02	11,161.2	1,736.5	-1,717.4	-446.3	0.61
12,541.0	90.14	181.60	11,161.3	1,831.5	-1,812.4	-448.5	0.71
12,634.0	89.76	181.15	11,161.4	1,924.5	-1,905.4	-450.7	0.63
12,728.0	89.97	181.17	11,161.6	2,018.4	-1,999.4	-452.6	0.22
12,821.0	89.90	180.96	11,161.7	2,111.4	-2,092.4	-454.4	0.24
12,914.0	89.86	181.32	11,161.9	2,204.3	-2,185.3	-456.2	0.39
13,008.0	89.79	181.08	11,162.2	2,298.3	-2,279.3	-458.2	0.27
13,101.0	90.07	180.82	11,162.3	2,391.3	-2,372.3	-459.7	0.41
13,194.0	89.76	181.69	11,162.4	2,484.2	-2,465.3	-461.8	0.99
13,288.0	89.83	180.56	11,162.8	2,578.2	-2,559.3	-463.6	1.20

Company: Legacy Reserves
Project: Lea County, NM (NAD83)
Site: Lea
Well: Lea Unit #100H
Wellbore: STK 01 Wellbore
Design: STK 01 Wellbore

Local Co-ordinate Reference:
TVD Reference:
MD Reference:
North Reference:
Survey Calculation Method:
Database:

Well Lea Unit #100H
 RKB @ 3683.0usft
 RKB @ 3683.0usft
 Grid
 Minimum Curvature
 EDM 5000.1 Single User Db

Survey

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	V. Sec (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)
13,382.0	89.79	180.30	11,163.1	2,672.1	-2,653.3	-464.3	0.28
13,475.0	89.97	179.95	11,163.3	2,765.0	-2,746.3	-464.5	0.42
13,569.0	89.76	179.44	11,163.5	2,858.9	-2,840.3	-464.0	0.59
13,663.0	89.93	179.69	11,163.8	2,952.8	-2,934.3	-463.3	0.32
13,756.0	89.62	178.60	11,164.1	3,045.6	-3,027.2	-461.9	1.22
13,848.0	89.31	178.27	11,165.0	3,137.3	-3,119.2	-459.4	0.49
13,941.0	89.97	178.41	11,165.6	3,230.1	-3,212.2	-456.7	0.73
14,035.0	89.42	179.54	11,166.1	3,323.9	-3,306.1	-455.0	1.34
14,129.0	90.45	180.01	11,166.2	3,417.7	-3,400.1	-454.7	1.20
14,222.0	90.34	179.89	11,165.5	3,510.6	-3,493.1	-454.6	0.18
14,316.0	89.73	178.59	11,165.5	3,604.5	-3,587.1	-453.3	1.53
14,409.0	89.86	179.71	11,165.8	3,697.3	-3,680.1	-452.0	1.21
14,502.0	90.00	179.23	11,165.9	3,790.1	-3,773.1	-451.1	0.54
14,596.0	90.17	179.69	11,165.8	3,884.0	-3,867.1	-450.2	0.52
14,688.0	89.55	179.56	11,166.0	3,975.8	-3,959.1	-449.6	0.69
14,782.0	89.93	179.32	11,166.4	4,069.7	-4,053.1	-448.7	0.48
14,875.0	89.59	179.40	11,166.8	4,162.5	-4,146.1	-447.7	0.38
14,969.0	89.48	178.83	11,167.6	4,256.3	-4,240.1	-446.2	0.62
15,062.0	89.31	179.08	11,168.6	4,349.1	-4,333.1	-444.5	0.33
15,156.0	89.45	179.00	11,169.6	4,442.9	-4,427.0	-442.9	0.17
15,249.0	89.52	179.60	11,170.4	4,535.8	-4,520.0	-441.8	0.65
15,343.0	89.59	179.88	11,171.1	4,629.7	-4,614.0	-441.4	0.31
15,435.0	89.66	179.55	11,171.7	4,721.5	-4,706.0	-440.9	0.37
15,529.0	89.35	178.99	11,172.6	4,815.4	-4,800.0	-439.7	0.68
15,622.0	89.24	178.59	11,173.7	4,908.1	-4,893.0	-437.7	0.45
15,715.0	89.35	178.82	11,174.9	5,000.9	-4,985.9	-435.6	0.27
15,810.0	89.31	178.13	11,176.0	5,095.6	-5,080.9	-433.1	0.73
15,903.0	89.11	178.80	11,177.2	5,188.4	-5,173.9	-430.6	0.75
15,998.0	89.42	181.40	11,178.5	5,283.3	-5,268.8	-430.8	2.76
16,092.0	89.35	181.03	11,179.5	5,377.2	-5,362.8	-432.8	0.40
16,186.0	88.93	179.66	11,180.9	5,471.1	-5,456.8	-433.4	1.52
16,281.0	89.66	181.26	11,182.1	5,566.1	-5,551.8	-434.1	1.85
16,375.0	89.00	180.65	11,183.2	5,660.0	-5,645.8	-435.7	0.96
16,469.0	89.35	180.96	11,184.5	5,753.9	-5,739.8	-437.0	0.50
16,562.0	89.52	181.42	11,185.6	5,866.9	-5,852.7	-439.3	0.43
16,676.0	89.59	180.71	11,186.3	5,960.9	-5,946.7	-441.1	0.76
16,768.0	89.59	180.47	11,187.0	6,052.8	-6,038.7	-442.0	0.26
16,862.0	89.59	179.26	11,187.7	6,146.7	-6,132.7	-441.8	1.29
16,955.0	89.55	177.93	11,188.4	6,239.4	-6,225.7	-439.5	1.43
17,049.0	89.52	178.13	11,189.1	6,333.1	-6,319.6	-436.3	0.22
17,142.0	89.59	178.06	11,189.9	6,425.8	-6,412.5	-433.2	0.11
17,236.0	89.69	178.89	11,190.5	6,519.6	-6,506.5	-430.7	0.89
17,329.0	89.62	178.09	11,191.0	6,612.3	-6,599.5	-428.3	0.86
17,422.0	89.52	178.13	11,191.7	6,705.0	-6,692.4	-425.2	0.12

Company: Legacy Reserves
Project: Lea County, NM (NAD83)
Site: Lea
Well: Lea Unit #100H
Wellbore: STK 01 Wellbore
Design: STK 01 Wellbore

Local Co-ordinate Reference:
TVD Reference:
MD Reference:
North Reference:
Survey Calculation Method:
Database:

Well Lea Unit #100H
RKB @ 3683.0usft
RKB @ 3683.0usft
Grid
Minimum Curvature
EDM 5000.1 Single User Db

Survey

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	V. Sec (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)
17,608.0	89.55	179.38	11,193.2	6,890.6	-6,878.4	-421.2	0.67
17,702.0	89.62	179.61	11,193.9	6,984.4	-6,972.4	-420.3	0.26
17,795.0	89.62	179.57	11,194.5	7,077.3	-7,065.4	-419.7	0.04
17,890.0	89.52	179.95	11,195.2	7,172.1	-7,160.4	-419.3	0.41
18,077.0	89.48	178.88	11,196.9	7,358.8	-7,347.3	-417.4	0.57
18,172.0	89.66	179.86	11,197.6	7,453.7	-7,442.3	-416.3	1.05
18,266.0	89.55	179.37	11,198.2	7,547.5	-7,536.3	-415.7	0.53
18,361.0	89.59	179.74	11,198.9	7,642.4	-7,631.3	-414.9	0.39
18,405.5	89.59	179.74	11,199.3	7,686.8	-7,675.8	-414.7	0.00

Checked By: _____ Approved By: _____ Date: _____