

District I

1625 N. French Dr., Hobbs, NM 88240

District II 811 S. First St., Artesia, NM 88210

District III 1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division

1220 South St. Francis Dr.
Santa Fe, NM 87505

HOBBS OCD

JUN 18 2019

RECEIVED

Form C-104

Revised August 1, 2011

Submit a copy to appropriate District Office

AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address EOG RESOURCES INC PO BOX 2267 MIDLAND, TX 79702		² OGRID Number 7377
		³ Reason for Filing Code/ Effective Date NW 05/08/2019
⁴ API Number 30 - 025-45623	⁵ Pool Name BOBCAT DRAW; UPPER WOLFCAMP	⁶ Pool Code 98094
⁷ Property Code 38481	CABALLO 23 FEDERAL	⁹ Well Number 711H

II. ¹⁰ Surface Location

UL or lot no. P	Section 23	Township 25S	Range 33E	Lot Idn	Feet from the 300'	North/South SOUTH	Feet from the 606'	East/West line EAST	County LEA
--------------------	---------------	-----------------	--------------	---------	-----------------------	----------------------	-----------------------	------------------------	---------------

¹¹ Bottom Hole Location

UL or lot no. I	Section 14	Township 25S	Range 33E	Lot Idn	Feet from the 2519'	North/South SOUTH	Feet from the 320'	East/West line EAST	County LEA
¹² Lse Code S	¹³ Producing Method Code FLOWING		¹⁴ Gas Connection Date		¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date		

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
372812	EOGRM	OIL
151618	ENTERPRISE FIELD SERVICES	GAS
298751	REGENCY FIELD SRVICES, LLC	GAS
36785	DCP MIDSTREAM	GAS

IV. Well Completion Data

²¹ Spud Date 02/17/2019	²² Ready Date 05/08/2019	²³ TD 20,014'	²⁴ PBTD 19,976'	²⁵ Perforations 12,840-19,976'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
12 1/4"		9 5/8"		1,250'	690 SXS CL C/CIRC
8 3/4"		7 5/8"		11,784'	1707 SXS CL C/ 69' ECHO
6 3/4"		5 1/2"		19,993'	825 SXS CL H/TOC 5050' CBL

V. Well Test Data

³¹ Date New Oil 05/08/2019	³² Gas Delivery Date 05/08/2019	³³ Test Date 05/17/2019	³⁴ Test Length 24HRS	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 2811
³⁷ Choke Size 48	³⁸ Oil 4340 BOPD	³⁹ Water 5807 BWPD	⁴⁰ Gas 5585 MCFPD	⁴¹ Test Method	

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Kay Maddox</i> Printed name: Kay Maddox Title: Regulatory Analyst E-mail Address: Kay_Maddox@eogresources.com Date: 06/11/2019	OIL CONSERVATION DIVISION	
	Approved by: <i>Karen Sharp</i>	Title: <i>Dist Mgr</i>
	Approval Date: <i>6-18-19</i>	
	Phone: 432-686-3658	

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

HOBBS OCD
JUN 13 2019
RECEIVED

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. NMNM108503
2. Name of Operator EOG RESOURCES, INC Contact: KAY MADDOX E-Mail: kay_maddox@eogresources.com		6. If Indian, Allottee or Tribe Name
3a. Address PO BOX 2267 ATTENTION; KAY MADDOX MIDLAND, TX 79702	3b. Phone No. (include area code) Ph: 432-686-3658	7. If Unit or CA/Agreement, Name and/or No.
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 23 T25S R33E Mer NMP SESE 300FSL 606FEL 32.109593 N Lat, 103.536555 W Lon		8. Well Name and No. CABALLO 23 FEDERAL 711H
		9. API Well No. 30-025-45623
		10. Field and Pool or Exploratory Area BOBCAT DRAW; UPPER WOLFCA
		11. County or Parish, State LEA COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Production Start-up
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

03/03/2019 RIG RELEASED
03/23/2019 MIRU PREP TO FRAC, TEST VOID 5000 PSI, SEALS & FLANGES TO 8500 PSI
04/25/2019 BEGIN PERF & FRAC
05/03/2019 FINISH 24 STAGES PERF & FRAC 12,840 - 19,976', 1428 3 1/8" SHOTS FRAC W/18,276,500
LBS PROPPANT, 275,970 BBLs LOAD FLUID
05/06/2019 DRILLED OUT PLUGS AND CLEAN OUT WELLBORE
05/08/2019 OPENED WELL TO FLOWBACK
DATE OF FIRST PRODUCTION

14. I hereby certify that the foregoing is true and correct. Electronic Submission #468559 verified by the BLM Well Information System For EOG RESOURCES, INC, sent to the Hobbs	
Name (Printed/Typed) KAY MADDOX	Title REGULATORY SPECIALIST
Signature (Electronic Submission)	Date 06/11/2019

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By _____	Title _____	Date _____
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office _____

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ****

Bureau of Land Management

Hobbs Field Office

414 W. Taylor

Hobbs, New Mexico

505.393.3612

WATER PRODUCTION & DISPOSAL INFORMATION

Well: CABALLO 23 FEDERAL #705H 30-025-45584
CABALLO 23 FEDERAL #706H 30-025-45585
CABALLO 23 FEDERAL #709H 30-025-45588
CABALLO 23 FEDERAL #710H 30-025-45589
CABALLO 23 FEDERAL #711H 30-025-45623
Sec 23 T25S, R33E
LEA COUNTY, NEW MEXICO

1. Name of formations producing water on lease: **WOLFCAMP**
2. Amount of water produced from all formations in barrels per day **5000-6000 BWPD**
3. How water is stored on lease **Tanks: 4- 400 bbl tanks**
4. How water is moved to disposal facility **Pipeline/Trucked**
5. Disposal Facility:
 - a. Facility Operators name **EOG RESOURCES INC**
 - b. Name of facility or well name & number
 - c. Water goes to EOG Water Gathering System, then to Lomas Rojas
Reuse pit to be recycled – some water disposed at
BLACK BEAR 36 STATE #5
30-025-40585
H-36-25S-33E
Permit no SWD 1359
 - d. Type of facility or wells **SWD**

HOBBS OCD

JUN 18 2019

Form 3160-4
(August 2007)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: July 31, 2010

RECEIVED

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

5. Lease Serial No.
NMNM108503

6. If Indian, Allottee or Tribe Name

7. Unit or CA Agreement Name and No.

8. Lease Name and Well No.
CABALLO 23 FEDERAL 711H

9. API Well No.
30-025-45623

10. Field and Pool, or Exploratory
BOBCAT DRAW;UPR WOLFCAMP

11. Sec., T., R., M., or Block and Survey
or Area Sec 23 T25S R33E Mer NMP

12. County or Parish
LEA

13. State
NM

17. Elevations (DF, KB, RT, GL)*
3345 GL

22. Was well cored? No Yes (Submit analysis)
Was DST run? No Yes (Submit analysis)
Directional Survey? No Yes (Submit analysis)

1a. Type of Well Oil Well Gas Well Dry Other

b. Type of Completion New Well Work Over Deepen Plug Back Diff. Resvr.
Other _____

2. Name of Operator
EOG RESOURCES, INC

Contact: KAY MADDOX
E-Mail: KAY_MADDOX@EOGRESOURCES.COM

3. Address PO BOX 2267
MIDLAND, TX 79702

3a. Phone No. (include area code)
Ph: 432-686-3658

4. Location of Well (Report location clearly and in accordance with Federal requirements)*
Sec 23 T25S R33E Mer NMP
At surface SESE 300FSL 606FEL 32.109593 N Lat, 103.536555 W Lon
Sec 23 T25S R33E Mer NMP
At top prod interval reported below SESE 634FSL 314FEL 32.110510 N Lat, 103.535614 W Lon
Sec 14 T25S R33E Mer NMP
At total depth NESE 2519FSL 320FEL 32.130212 N Lat, 103.535640 W Lon

14. Date Spudded
02/17/2019

15. Date T.D. Reached
03/02/2019

16. Date Completed
 D & A Ready to Prod.
05/08/2019

18. Total Depth: MD 20014
TVD 12481

19. Plug Back T.D.: MD 19976
TVD 12481

20. Depth Bridge Plug Set: MD
TVD

21. Type Electric & Other Mechanical Logs Run (Submit copy of each)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sks. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
12.250	9.625 J55	40.0		1250		690		0	
8.750	7.625 HCP110	29.7		11784		1707		69	
6.750	5.500 ICYP110	20.0		19993		825		5050	

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)

25. Producing Intervals			26. Perforation Record			
Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) WOLFCAMP	12840	19976	12840 TO 19976	3.250	1428	OPEN
B)						
C)						
D)						

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
12840 TO 19976	18,276,500 LBS PROPPANT;275,970 BBLs LOAD FLUID

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
05/08/2019	05/17/2019	24	▶	4340.0	5585.0	5807.0	41.0		FLOWS FROM WELL
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
48	SI	2811.0	▶				1287	POW	

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			▶						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
	SI		▶						

(See Instructions and spaces for additional data on reverse side)
ELECTRONIC SUBMISSION #468646 VERIFIED BY THE BLM WELL INFORMATION SYSTEM
** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
			→						

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
			→						

29. Disposition of Gas(Sold, used for fuel, vented, etc.)
SOLD

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof. Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth
RUSTLER	1079		BARREN	RUSTLER	1079
T/SALT	1395		BARREN	T/SALT	1395
B/SALT	4691		BARREN	B/SALT	4691
BRUSHY CANYON	7611		OIL & GAS	BRUSHY CANYON	7611
1ST BONE SPRING SAND	10135		OIL & GAS	1ST BONE SPRING SAND	10135
2ND BONE SPRING SAND	10693		OIL & GAS	2ND BONE SPRING SAND	10693
3RD BONE SPRING SAND	11864		OIL & GAS	3RD BONE SPRING SAND	11864
WOLFCAMP	12319		OIL & GAS	WOLFCAMP	12319

32. Additional remarks (include plugging procedure):
PLEASE REFERENCE ATTACHMENTS

33. Circle enclosed attachments:

- | | | | |
|---|--------------------|---------------|-----------------------|
| 1. Electrical/Mechanical Logs (1 full set req'd.) | 2. Geologic Report | 3. DST Report | 4. Directional Survey |
| 5. Sundry Notice for plugging and cement verification | 6. Core Analysis | 7 Other: | |

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions):

Electronic Submission #468646 Verified by the BLM Well Information System.
For EOG RESOURCES, INC, sent to the Hobbs

Name (please print) KAY MADDOX Title REGULATORY SPECIALIST

Signature _____ (Electronic Submission) Date 06/11/2019

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** ORIGINAL ** ORIGINAL ****