SUNDRY	PARTMENT OF THE IN UREAU OF LAND MANAG		OCD Hol	bs	OMB No Expires: Ja	APPROVED O. 1004-0137 anuary 31, 2018
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals HOBBS OF					5. Lease Serial No. NMNM0392082A	
Do not use thi abandoned wei	is form for proposals to c II. Use form 3160-3 (APD	drill or to re-)) for such pl	roposals.		6. If Indian, Allottee o	or Tribe Name
	TRIPLICATE - Other instr				7. If Unit or CA/Agree	ement, Name and/or 1
1. Type of Well Soli Well 🗖 Gas Well 🗍 Oth	per		Tipoo	0 2019	8. Well Name and No. UNION FEDERAI	
2. Name of Operator Contact: NATALIE I DEVON ENERGY PRODUCTION CON Analie beavers@dvn.c			EAVE RSEU (CEAR	 API Well No. 30-025-24007-0 	00-S1
P O BOX 250 ARTESIA, NM 88201		3b. Phone No. Ph: 405-552	(include area code) 2-3573		10. Field and Pool or Exploratory Area JENNINGS	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 4 T26S R32E NWNE 660FNL 1980FEL			11. County or Parish, St LEA COUNTY, N			
12. CHECK THE AN	PPROPRIATE BOX(ES)	TO INDICA	TE NATURE O	F NOTICE, I	REPORT, OR OTI	HER DATA
TYPE OF SUBMISSION			TYPE OF	ACTION		
□ Notice of Intent	 Acidize Alter Casing 	Deep	en aulic Fracturing	Producti Reclama	on (Start/Resume) tion	□ Water Shut-0 □ Well Integrit
Subsequent Report	Casing Repair	D New	Construction	🗖 Recomp	ete	Other
Final Abandonment Notice	Change Plans Convert to Injection	Plug	and Abandon Back	Tempora Water D	rily Abandon	
2. 05/01/19 <u>Set 4 1/2" CIB</u> <u>Circ 70 bbl MLE, Spot 25 s</u> 3. 05/02/19 <u>Perf/sqz 50 sx</u> @_1255'_Perf/sqz 40 sx cla	sx_class_"c"_cmt_@_450 class_"c"_cmt_@_1470'-	0'-4140. 1270'. 4 1/2	" x 8 5/8". Ta			TION PROCEDUR TTACHED
Circ 70 bbl MLF. Spot 25 s 3. 05/02/19 Perf/sgz 50 sx	<u>sx_class_</u> "c"_cmt_@_4500 _class_"c"_cmt_@_1470- ass_"c"_cmt_@_951'-796' _class_"c"_cmt_@_130'-si _ment, cut wellhead, anc	0'-4140. - <u>1270'</u> . 4 1/2 ' <u></u> 4 1/2" x 8	" x 8 5/8". Ta 5/8". <u>Tag</u> TOC	T <u>OC</u> @	RE	
Circ 70 bbl MLE. Spot 25 s 3. 05/02/19 Perf/sqz 50 sx @ 1255'. Perf/sqz 40 sx cla 727' 4. 05/06/19 Perf/circ 35 sx cmt @ surf. RD P&A equip dry hole plate. P&A comple	sx_class_"c" cmt @ 4500 class "c" cmt @ 1470- ass_"c" cmt @ 951-796 class "c" cmt @ 130'-s ment, cut wellhead, and ted.	0'-4140 <u>1270'</u> 4 1/2 4 1/2" x 8 urf <u>4</u> 1/2" > chors and cle	" x 8 5/8". Tag 5/8". <u>Tag</u> TOC 8 5/8". Verify saned location,	installed	RE DU	TTACHED CLAMATI E <u>II-6-19</u>
Circ 70 bbl MLF. Spot 25 s 3. 05/02/19 Perf/sqz 50 sx 9. 1255'. Perf/sqz 40 sx cla 727' 4. 05/06/19 Perf/circ 35 sx crnt @ surf. RD P&A equip dry hole plate. P&A comple 14. 1 hereby certify that the foregoing is Com	sx_class_"c"_cmt_@_450 <u>class "c"_cmt_@_1470-</u> ass_"c"_cmt_@_951-796 <u>class "c"_cmt_@_951-796</u> <u>class "c"_cmt_@_130'-s</u> <u>oment, cut wellhead, anc</u> ted. strue and correct. Electronic Submission #4 For DEVON ENERG nmitted to AFMSS for proce	0'-4140 <u>1270'</u> 4 1/2 4 1/2" x 8 urf <u>4</u> 1/2" > chors and cle	" x 8 5/8". Tag 5/8". <u>Tag</u> TOC <u>8 5/8". Verify</u> saned location, log the BLM We ON COM LP, set SCILLA PEREZ o	I Information to the Hop n 05/09/2015	RE DU DU SGEBJED FO	TTACHED CLAMATI E <u>II-6-19</u>
Circ 70 bbl MLF. Spot 25 s 3. 05/02/19 Perf/sqz 50 sx @ 1255'Perf/sqz 40 sx cla 727' 4. 05/06/19 Perf/circ 35 sx crnt @ surf. RD P&A equip dry hole plate. P&A comple 14. 1 hereby certify that the foregoing is Com	sx_class_"c" cmt @ 4500 class "c" cmt @ 1470- ass_"c" cmt @ 951-796 class "c" cmt @ 130'-s ment, cut wellhead, and ted.	0'-4140 <u>1270'</u> 4 1/2 4 1/2" x 8 urf <u>4</u> 1/2" > chors and cle	" x 8 5/8". Tag 5/8". <u>Tag</u> TOC <u>8 5/8". Verify</u> saned location, log the BLM We ON COM LP, set SCILLA PEREZ o	I Information to the Hop n 05/09/2015	RE DU DU SGEBJED FO	CLAMATI E_11-6-19
Circ 70 bbl MLF. Spot 25 s 3. 05/02/19 Perf/sqz 50 sx @ 1255'. Perf/sqz 40 sx cla 727' 4. 05/06/19 Perf/circ 35 sx crnt @ surf. RD P&A equip dry hole plate. P&A comple 14. 1 hereby certify that the foregoing is Com	sx_class_"c"_cmt_@_450 <u>class "c"_cmt_@_1470-</u> ass_"c"_cmt_@_951'-796' <u>class "c"_cmt_@_951'-796'</u> <u>class "c"_cmt_@_130'-s</u> ment, cut wellhead, and ted. strue and correct. Electronic Submission #4 For DEVON ENERG mmitted to AFMSS for proce L BEAVERS	0'-4140 <u>1270'</u> 4 1/2 4 1/2" x 8 urf <u>4</u> 1/2" > chors and cle	" x 8 5/8". Tag 5/8". <u>Tag</u> TOC <u>8 5/8". Verify</u> saned location, log the BLM We ON COM LP, set SCILLA PEREZ o	Installed	RE DU DU SGEBJED FO	TTACHED CLAMATI E <u>II-6-19</u>
Circ 70 bbl MLE. Spot 25 s 3. 05/02/19 Perf/sqz 50 sx @_1255'Perf/sqz 40 sx cla 727' 4. 05/06/19 Perf/circ 35 sx crnt @_surf. RD P&A equip dry hole plate. P&A comple 14. 1 hereby certify that the foregoing is Com Name (Printed/Typed) NATALIE	sx_class_"c"_cmt_@_450 <u>class "c"_cmt_@_1470-</u> ass_"c"_cmt_@_951'-796' <u>class "c"_cmt_@_951'-796'</u> <u>class "c"_cmt_@_130'-s</u> ment, cut wellhead, and ted. strue and correct. Electronic Submission #4 For DEVON ENERG mmitted to AFMSS for proce L BEAVERS	0'-4140. 1270. 4 1/2 4 1/2" x E urf. 4 1/2" > thors and cle 464743 verifie GY PRODUCT passing by PRI	x 8 5/8". Tag 5/8". Tag TOO 8 5/8". Verify saned location, by the BLM We ON COM LP, ser SCILLA PEREZ o Title PRODU Date 05/09/2	Installed	RE DU System SGERETED FO HINOLOGIST MAY 10	TACHED CLAMATI E_11-6-19 R RECORD
Circ 70 bbl MLF. Spot 25 s 3. 05/02/19 Perf/sqz 50 sx @_1255'Perf/sqz 40 sx cla 7/27' 4. 05/06/19 Perf/circ 35 sx cmt @_surf, RD P&A equip dry hole plate. P&A comple 14. 1 hereby certify that the foregoing is Com Name (Printed/Typed) NATALIE Signature (Electronic S	sx_class_"c"_cmt_@_450 <u>class "c"_cmt_@_1470-</u> ass_"c"_cmt_@_951'-796' <u>class "c"_cmt_@_130'-s</u> ment, cut wellhead, and ted. strue and correct. Electronic Submission #4 For DEVON ENERG mmitted to AFMSS for proce <u>L BEAVERS</u> Submission)	0'-4140. 1270. 4 1/2 4 1/2" x E urf. 4 1/2" > thors and cle 464743 verifie GY PRODUCT passing by PRI	" x 8 5/8". Tag 5/8". Tag TOO 8 5/8". Verify aned location, by the BLM We ON COM LP, set CILLA PEREZ o Title PRODU Date 05/09/2 L OR STATE	Installed	RE DU DU Scersted FC HIPOLOGIST MAY 10	CLAMATI CLAMATI E_11-6-19 R RECORD 2019 LIE MANADEMENT LD OFFICE
Circ 70 bbl MLE. Spot 25 s 3. 05/02/19 Perf/sqz 50 sx @ 1255'Perf/sqz 40 sx cla 727' 4. 05/06/19 Perf/circ 35 sx crnt @ surf. RD P&A equip dry hole plate. P&A comple 14. 1 hereby certify that the foregoing is Com Name (Printed/Typed) NATALIE	sx_class_"c"_cmt @ 4500 class "c"_cmt @ 1470- ass_"c"_cmt @ 951'-796' class "c"_cmt @ 951'-796' class "c"_cmt @ 130'-si oment, cut wellhead, and ted. s true and correct. Electronic Submission #4 For DEVON ENERG nmitted to AFMSS for proce L BEAVERS Submission) THIS SPACE FO d. Approval of this notice does a mitable title to those rights in the	0'-4140. 1270. 4 1/2 4 1/2" x E 1/2" x E 1	x 8 5/8". Tag 5/8". Tag TOO 8 5/8". Verify saned location, by the BLM We ON COM LP, ser SCILLA PEREZ o Title PRODU Date 05/09/2	Installed	RE DU System SGERSTED FO HIDLOGIST MAY 10 SE DWGHIMLEN BUREAU OF LANES	TTACHED CLAMATI E_11-6-19 R RECORD
Circ 70 bbl MLE_Spot_25 s 3. 05/02/19 Perf/sqz 50 sx @ 1255'_Perf/sqz 40 sx cla 727' 44 05/06/19 Perf/circ 35 sx cmt @ surf, RD P&A equip dry hole plate. P&A comple 14. 1 hereby certify that the foregoing is Com Name (Printed/Typed) NATALIE Signature (Electronic S 	sx class "c" cmt @ 4500 class "c" cmt @ 1470- ass "c" cmt @ 951'-796' class "c" cmt @ 951'-796' class "c" cmt @ 130'-si oment, cut wellhead, and ted. s true and correct. Electronic Submission #4 For DEVON ENERG nmitted to AFMSS for proce L BEAVERS Submission) THIS SPACE FO d. Approval of this notice does a uitable title to those rights in the act operations thereon. U.S.C. Section 1212, make it a co	0'-4140. 1270' 4 1/2' x E 1/2' 4 1/2'' x E 1/2'' x E	" x 8 5/8". Tag 5/8". Tag TOO 8 5/8". Verify aned location, by the BLM We ON COM LP, set CILLA PEREZ o Title PRODU Date 05/09/2 LOR STATE Title	II Information installed II Information it to the Holi OS/09/2015 JCTION EC 019 OFFICE US	RE DU DU SUSTED FO HIPOLOGIST MAY 1 0 SE DWICH IN AN BUREAU OF LANEA CARLSBAD FIE	TACHED CLAMATI E_11-6-19 DR RECORD 2019 LIE MANAPEMENT LD OFFICE Date

620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blin.gov/mn



In Reply Refer To: 1310

Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure) Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- 1 The Application for Permit to Drill or Reenter (APD. Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1
- 2. For wells and/or access roads not having an approved plan, or an madequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months of well abandonment.
- 3 The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4 Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you

equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7 At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech 575-234-5909 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Crystal Weaver Environmental Protection Specialist 575-234-5943

Melissa Homi Environmental Protection Specialist 575-234-5951

Kelsey Wade Environmental Protection Specialist 575-234-5996

Trishia Bad Bear Hobbs Field Station Natural Resource Specialist 575-393-3612