SUN	UNITED STATES DEPARTMENT OF THE II BUREAU OF LAND MANA IDRY NOTICES AND REPO	NTERIOR GEMENT Opera RTS ON WELLS		FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018 5. Lease Serial No. NMNM63757	
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.				6. If Indian, Allottee or Tribe Name	
SUBM	IIT IN TRIPLICATE - Other inst	tructions on page 2		7. If Unit or CA/Agree	ement, Name and/or No.
			8. Well Name and No. LOTOS C FEDERAL 903		
2. Name of Operator CHEVRON USA INCOF	hevron.com		9. API Well No. 30-015-30043-00-S1		
3a. Address 6301 DEAUVILLE BLVD MIDLAND, TX 79706		3b. Phone No. (include area code) Ph: 432-687-7786		10. Field and Pool or Exploratory Area SAND DUNES	
4. Location of Well (Footage,	1)		11. County or Parish, State		
Sec 9 T24S R31E SEN	E 1980FNL /60FEL 🖌			EDDY COUNTY	r, NM
12. CHECK T	HE APPROPRIATE BOX(ES)	TO INDICATE NATURE O	F NOTICE, I	REPORT, OR OTH	IER DATA
TYPE OF SUBMISSION	N	TYPE OF	FACTION		
Notice of Intent		Deepen	-	on (Start/Resume)	Water Shut-Off
Subsequent Report	Alter Casing	Hydraulic Fracturing	Reclamat		Well Integrity
	Casing Repair Dice Change Plans	New Construction Plug and Abandon	C Recomple		Other
Final Abandonment No	Convert to Injection		U Vater Di	rily Abandon sposal	
testing has been completed. I determined that the site is rea	involved operations. If the operation re Final Abandonment Notices must be fi ady for final inspection.	led only after all requirements, includ	ing reclamation,	have been completed a	and the operator has
6/1/2019: MIRU 6/4/2019: <u>Set CIBP @ 6</u>	ndoned this well as follows: 8100', pressure test 5 <u>,5" casing</u> 5 MLF, spot 25 sx CL H cement	to 1000 p <u>si for</u> 10 minutes - g @ 8100'-7901'. spot 25 sx CL	ood. C cement @		AMATION PROCEDU Attached
6/1/2019: MIRU 6/4/2019: <u>Set CIBP @ 6</u> 6/5/2019: <u>Spot 156 bbls</u> 6560'-6316' 6/6/2019: <u>Perf @ 4390'</u> <u>TOC @ 3926', perf @ 9</u> 6/7/2019: Tao TOC @ 9		<u>@ 8100'-7901'</u> , spo <u>t 25 sx CL</u> 50 sx CL C cement @ 4440-3 970'-624', displace TOC to 86 CL C cement @ 925'-surface, s	<u>C cement @</u> 39 <u>46' W</u> OC, 1 50' aueeze 130 :	<sup>tag</sup> RE(	MATION PROCEDU ATTACHED
6/1/2019: MIRU 6/4/2019: <u>Set CIBP @ 6</u> 6/5/2019: <u>Spot 156 bbls</u> 6560'-6316' 6/6/2019: <u>Perf @ 4390'</u> <u>TOC @ 3926', perf @ 9</u> <u>6/7/2019</u> Tao TOC @ 9 cement through perfs, c RDMO	B100', pressure test 5.5" casing <u>s MLE</u> , spot 25 sx CL H cement <u>unable to pump into perf, spot</u> 20', spot 35 sx CL C cement @ 225', perf @ 700', spot 110 sx C circulating cement to surface ou egoing is true and correct. Electronic Submission # For CHEVRON	@ 8100'-7901', spo <u>t 25 sx CL</u> 50 sx CL C cement @ 4440'-3 970'-624', displace TOC to 86 2L C cement @ 925'-surface, s t 8.625" casing. Verify cement 4468426 verified by the BLM Wel USA INCORPORATED, sent to t	<u>C cement @</u> <u>3946', W</u> OC, <u>1</u> <u>9946', WOC, <u>1</u> <u>9946', WOC, <u>1</u> <u></u></u></u>	tag REC sx CL C DUI	ATTACHED
6/1/2019: MIRU 6/4/2019: Set CIBP @ f 6/5/2019: Spot 156 bbls 6/6/2019: Perf @ 4390' TOC @ 3926', perf @ 9 6/7/2019: Tag TOC @ S cement through perfs, c RDMO	B100', pressure test 5.5" casing <u>s MLE</u> , spot 25 sx CL H cement <u>unable to pump into perf, spot</u> 20', spot 35 sx CL C cement @ 225', perf @ 700', spot 110 sx C circulating cement to surface ou egoing is true and correct. Electronic Submission # For CHEVRON	<u>@ 8100'-7901'</u> , spo <u>t 25 sx CL</u> <u>50 sx CL C cement @ 4440'-3</u> <u>970'-624'</u> , displace TOC to 86 <u>CL C cement @ 925'-surface, s</u> t 8.625" casing. Verify cement 4468426 verified by the BLM Wel USA INCORPORATED, sent to t assing by PRISCILLA PEREZ on	<u>C cement @</u> <u>8946' W</u> OC, 1 <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u>	tag RE( sx CL C DUI ZZZ System 9DLM0317SE)	ATTACHED
6/1/2019: MIRU 6/4/2019: Set CIBP @ f 6/5/2019: Spot 156 bbls 6/6/2019: Perf @ 4390' TOC @ 3926', perf @ 9 6/7/2019: Tag TOC @ S cement through perfs, c RDMO	B100', pressure test 5.5" casing s MLE, spot 25 sx CL H cement unable to pump into perf, spot 20', spot 35 sx CL C.cement @ 225', perf @ 700', spot 110 sx C circulating cement to surface ou egoing is true and correct. Electronic Submission # For CHEVRON I Committed to AFMSS for proce	<u>@ 8100'-7901'</u> , spo <u>t 25 sx CL</u> <u>50 sx CL C cement @ 4440'-3</u> <u>970'-624'</u> , displace TOC to 86 <u>CL C cement @ 925'-surface, s</u> t 8.625" casing. Verify cement 4468426 verified by the BLM Wel USA INCORPORATED, sent to t assing by PRISCILLA PEREZ on	<u>C cement @</u> <u>8946' W</u> OC, 1 <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u> <u>900</u>	tag REC sx CL C DUI	ATTACHED
6/1/2019: MIRU 6/4/2019: Set CIBP @ f 6/5/2019: Spot 156 bbls 6/6/2019: Perf @ 4390' TOC @ 3926', perf @ 9 6/7/2019: Tao TOC @ S cement through perfs, c RDMO	B100', pressure test 5.5" casing <u>MLF</u> , spot 25 sx CL H cement <u>unable to pump into perf, spot</u> 20', spot 35 sx CL C.cement @ 925', perf @ 700', spot 110 sx C circulating cement to surface ou Electronic Submission # For CHEVRON I Committed to AFMSS for proce CK GLANN ctronic Submission)	<u>6 8 100'-7901'</u> , spo <u>t 25 sx CL</u> <u>50 sx CL C</u> cement @ <u>4440'-3</u> <u>970'-624'</u> , displace TOC to 86 <u>CL C cement @ 925'-surface, s</u> t 8.625" casing. Verify cement <u>4468426 verified by the BLM Wel</u> USA INCORPORATED, sent to t <u>assing by PRISCILLA PEREZ on</u> <u>Title P&amp;A EN</u> <u>Date 06/11/20</u>	C cement @ 3946', WOC, 1 30' queeze 130 : 1 @ surface. 1 Information he Carlsbad 06/11/2019 (1 IGINEERDER ACC 019	tag REC sx CL C DUI System 9DLM0317SE)	ATTACHED
6/1/2019: MIRU 6/4/2019: Set CIBP @ f 6/5/2019: Spot 156 bbls 6/6/2019: Perf @ 4390' TOC @ 3926', perf @ 9 6/7/2019: Tao TOC @ S cement through perfs, c RDMO	B100', pressure test 5.5" casing <u>MLF</u> , spot 25 sx CL H cement <u>unable to pump into perf, spot</u> 20', spot 35 sx CL C.cement @ 925', perf @ 700', spot 110 sx C circulating cement to surface ou Electronic Submission # For CHEVRON I Committed to AFMSS for proce CK GLANN ctronic Submission)	<u>@ 8100'-7901'</u> , spo <u>t 25 sx CL</u> <u>50 sx CL C</u> cement @ <u>4440'-3</u> <u>970'-624'</u> , displace TOC to 86 <u>CL C cement @ 925'-surface, s</u> t 8.625" casing. Verify cement <u>468426 verified by the BLM Wel</u> USA INCORPORATED, sent to t essing by PRISCILLA PEREZ on <u>Title P&amp;A EN</u>	C cement @ 3946', WOC, 1 30' queeze 130 : 1 @ surface. 1 Information he Carlsbad 06/11/2019 (1 IGINEERDER ACC 019	tag REC sx CL C DUI System 9DLM0317SE)	ATTACHED
6/1/2019: MIRU 6/4/2019: Set CIBP @ F 6/5/2019: Spot 156 bbls 6560'-6316' 6/6/2019: Perf @ 4390' TOC @ 3926', perf @ 9 6/7/2019] Tag TOC @ S cement through perfs, c RDMO 14. I hereby certify that the fore Name (Printed/Typed) NIC Signature (Elec	B100', pressure test 5.5" casing <u>MLF</u> , spot 25 sx CL H cement <u>unable to pump into perf, spot</u> 20', spot 35 sx CL C.cement @ 925', perf @ 700', spot 110 sx C circulating cement to surface ou Electronic Submission # For CHEVRON I Committed to AFMSS for proce CK GLANN ctronic Submission)	<u>6 8 100'-7901'</u> , spo <u>t 25 sx CL</u> <u>50 sx CL C</u> cement @ <u>4440'-3</u> <u>970'-624'</u> , displace TOC to 86 <u>CL C cement @ 925'-surface, s</u> t 8.625" casing. Verify cement <u>4468426 verified by the BLM Wel</u> USA INCORPORATED, sent to t <u>assing by PRISCILLA PEREZ on</u> <u>Title P&amp;A EN</u> <u>Date 06/11/20</u>	C cement @ 946' WOC, 1 90' 90eze 130 : 1 @ surface. 1 Information he Carlsbad 06/11/2019 (1 IGINEEROPR ACC 019 0FFICE US	tag REC sx CL C DUI System 9DLM0317SE) EPTED FUR E JUN 1 3 2	ATTACHED
6/1/2019: MIRU 6/4/2019: Set CIBP @ F 6/5/2019: Spot 156 bbls 6560'-6316' 6/6/2019: Perf @ 4390' TOC @ 3926', perf @ 9 6/7/2019] Tag TOC @ S cement through perfs, c RDMO 14. I hereby certify that the fore Name (Printed/Typed) NIC Signature (Elec Approved By	B100', pressure test 5.5" casing <u>MLE</u> , spot 25 sx CL H cement <u>unable to pump into perf, spot</u> 20', spot 35 sx CL C cement (20', spot 15 sx CL C cement (20', spot 35 sx CL C cement (20', spot 110 sx C 225', perf (20', 700', spot 110 sx C 25', perf (20', spot 110 sx C 26', spot 1	<u>(a) 8100'-7901'</u> , spo <u>t 25 sx CL</u> <u>50 sx CL C</u> cement (a) 4440'-3 <u>970'-624'</u> , displace TOC to 86 <u>(c) C cement (a) 925'-surface, s</u> t 8.625" casing. Verify cement <u>verify cement (a) 925'-surface, s</u> t 8.625" casing. Verify cement <u>verify cement (a) 925'-surface, s</u> t 8.625" casing. Verify cement <u>verify cement (a) 925'-surface, s</u> <u>verify cement (a) 925'-su</u>	C cement @ 946' WOC, 1 90' 90eze 130 : 1 @ surface. 1 Information he Carlsbad 06/11/2019 (1 IGINEEROPR ACC 019 0FFICE US	tag REC sx CL C DUI System 9DLM0317SE) E JUN 1 3 2	ATTACHED

## Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interm" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure). Strip and remove calche, contour the location to blend with the surrounding landscape re-distribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval as to how you propose to provide adequate restoration of the pit area

- The Application for Permit to Drill or Reenter (APD Form 3)60-3). Surface Use Fian of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oi) and Gas operators must plan for reclamation, both interim and final up front in the APD process as per Onshore Oi) and Gas Order No. 1
- For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filling the Well Completion or Recompletion Report and Log (Form 3:60-4). For final reclamation, the appropriate time for submittal would be when filling the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3:60-5). Interim reclamation is to be completed within 6 months of well, completion, and final reclamation, is to be completed within 6 months of well abandonment.
- 3 The operator must file a Subsequent Report Plug and Adaptionment (Form 5160-1) following the subgging of a weat
- Previous instituction labories ting for a BL, Careerialis no insteam the coation and providence minited anisation requirements of you have an approved Conface Use Plan of Coeration and Plan approved Confact, 1910 to 10 are frequency proceed on the requestion as yet approved APC 1910;

- 5 The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7 At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further hability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech 575-234-5909 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialisi 575-234-6230

Crystel Weaver Environmentel Protection Specialist 575-234-5943

Melissa Horn Environmental Protection Specialisi 575-234-5951

Keisey Wade Evinterimental Protection Specialist 275-254-3996

Trishiz Bad Bezr, Hoobs Field Station Natural Resource Specialist 575-592-2612 · -- ++ y