

Submit 1 Copy To Appropriate District  
Office  
District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised July 18, 2013

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO.	3002503531
5. Indicate Type of Lease	STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	Phillips C State
8. Well Number	2
9. OGRID Number	141402
10. Pool name or Wildcat	San Simon Yates North
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-10) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☐

2. Name of Operator  
Fulfer Oil & Cattle Co, LLC

3. Address of Operator  
101 E Panther Ave., PO Box 1224, Jal, NM 88252

4. Well Location  
Unit Letter H : 1650 feet from the North line and 660 feet from the East line  
Section 32 Township 21 S Range 35 E NMPM County Lea

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Removed gas engine , installed electric motor
2. Pulled rods and pump and reinstalled
3. Loaded tubing, pump up ok, installed flowline
4. Return to production, by well test. See well schematic
5. 24 HR test, 1 bbl oi, 3 bbl water, gas tstm.

Spud Date:

5/15/58

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Mike Dennis TITLE Production Supervisor DATE 6/24/2019

Type or print name Mike Dennis E-mail address: mdennis3082q@gmail.com PHONE: 432-940-1890

**For State Use Only**

APPROVED BY: Kerry Foster TITLE Compliance Officer A DATE 7-18-19

Conditions of Approval (if any)

FINDER'S OFFICE	
Footage:	UL H, SEC 32, T21S, R35E
Section:	
Block:	
Township:	
Survey:	
County:	
Lat:	
Long:	
Elevations:	
GL:	
KB:	
KB Calc:	
ck w/log?	

[illegible][illegible]

Rod Detail (top to bottom)			
Rods	Description	Footage	Depth
1	1-1/4"X16 POLISH ROD		16.00
1	16'OF 7/8 GRADE D PONY RODS		16.00
24	7/8" GRADE D SUCKER RODS		600.00
129	3/4" GRADE D SUCKER RODS		3,225.00
1	2X1-1/2"X12 RWBC PUMP		12.00
	TOTAL DEPTH		3,869.00
			0.00
			0.00
			0.00
			0.00

Updated:	By:
	MIKE DENNIS

PBTD	3.942
TD	

API No.: 30-025-03531  
Spud Date: 5/15/1958

Hole Size:	11 inches	
Surface Casing:	8-5/8" OD 24#	
Set @	265 ft	
Cement Lead:	200 sx	
	ppg	c/sk
Cement Tail:		
TOC:	Surface	Circulated

FLINTCOAT: -- Casing Tally

Est TOC:	ft	CBL	Wire Line
----------	----	-----	-----------

Short Joint: -- Wire Line

Short Joint: -- Wire Line

3820-54 PERFS

3870-96 PERFS

3910-28 PERFS

Hole Size:	7-7/8"	inches
Prod. Csg:	5-1/2"	OD 14#
Set @:	3,942 ft	
Cmt: Lead:	400 sx	Poz C
Lead Info:	ppg	cf/sk
Tail:	sx	Poz H
Tail Info:	ppg	cf/sk