Form 3160-5 (June 2015)

## **UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

BUREAU OF LAND MANAGEMENT
SUNDRY NOTICES AND REPORTS ON WELLS OCD
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals 2 2019

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

5. Lease Serial No. NMNM27506

<ol><li>If Indian</li></ol>	Allottee o	or Tribe Name
-----------------------------	------------	---------------

SUBMIT IN TRIPLICATE - Other instructions on page 2 RECEIVED					7. If Unit or CA/Agree	ment, Name and/or No.	
1. Type of Well  ☑ Oil Well ☐ Gas Well ☐ Other					8. Well Name and No. SD EA 29 32 FED COM P10 17H		
2. Name of Operator Contact: LAURA BECERRA CHEVRON USA INCORPORATED E-Mail: LBECERRA@CHEVRON.COM					9. API Well No. 30-025-44485-00-X1		
3a. Address 6301 DEAUVILLE BLVD MIDLAND, TX 79706	(include area code) 7-7655		10. Field and Pool or Exploratory Area WC025G09S263327G UP WOLFCAMP				
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)					11. County or Parish, State		
Sec 29 T26S R33E NWNW 120FNL 2605FWL 32.021431 N Lat, 103.594398 W Lon					LEA COUNTY, NM		
12. CHECK THE AI	PPROPRIATE BOX(ES)	TO INDICA	ΓE NATURE O	F NOTICE,	REPORT, OR OTH	ER DATA	
TYPE OF SUBMISSION			ACTION				
□ Notice of Intent	☐ Acidize	☐ Dee	pen Production (Start/Resume)		on (Start/Resume)	☐ Water Shut-Off	
_	☐ Alter Casing	☐ Hyd	raulic Fracturing	□ Reclamation		■ Well Integrity	
Subsequent Report	ent Report		Construction	☐ Recomplete		Other	
☐ Final Abandonment Notice	☐ Change Plans	Plug	and Abandon	□ Temporarily Abandon		Drilling Operations	
	Convert to Injection	Plug	Back	■ Water Disposal			
following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.  2/3/19-2/18/19 - Drill 12-1/4" intermediate hole to 11,610'.  2/19/19 - Notified Kristi Pruitt @ BLM of intent to run & cement casing. Ran 9-5/8" 43.50#, HCL-80  LTC casing to 11,600'; DV tool @ 4,923', float collar @ 11,554', float shoe @ 11,598'.  2/20/19 - Cemented in place w/Lead: 1,884sx, Class C, Yld: 2.37cuft/sk, Dens: 11.90#/gal & Tail: 201sx, Class C, Yld: 1.34cuft/sk, Dens: 14.80#/gal, 47 bbls cmt to surface. TOC @ ~4,919'. WOC per BLM requirements.  3/9/19 - Notified Stephen Bailey @ BLM of intent to test BOPE. Full BOPE test to 250 psi low/7,500 psi high.							
14. I hereby certify that the foregoing is true and correct.  Electronic Submission #472583 verified by the BLM Well Information System  For CHEVRON USA INCORPORATED, sent to the Hobbs  Committed to AFMSS for processing by PRISCILLA PEREZ on 07/09/2019 (19PP2475SE)							
Name (Printed/Typed) LAURA BECERRA			Title REGULATORY SPECIALIST				
Signature (Electronic Submission)			Date 07/09/2019				
	THIS SPACE FO	R FEDERA	L OR STATE	OFFICE US	SE		
Approved By ACCEPTED				N SHEPARD UM ENGINEER Date 07/10/201			
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			Office Hobbs				
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent				willfully to ma	ke to any department or a	agency of the United	

(Instructions on page 2) \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\*

## Additional data for EC transaction #472583 that would not fit on the form

## 32. Additional remarks, continued

3/10/19 - Test 9-5/8" casing to 4,065 psi for 30 min, good test. Drilled 8-1/2" prod hole.

3/21/19 - Reached TD @ 19,780'.

Notified Kristi Pruitt @ BLM of intent to run & cement prod csg.

3/22/19 - Ran 5-1/2" 20#, P-110 TXP-BTC casing to 19,770', float collar @ 19,724', float shoe @ 19,767'.

3/25/19 - Cemented in place w/Lead: 478sx, Class H, Yld: 1.19cuft/sk, Dens: 15.60#/gal & Tail: 203sx, Class H, Yld: 1.90cuft/sk, Dens: 16.00#/gal, TOC @  $\sim\!\!4,957'$ . WOC per BLM requirements.

- Released rig

## , Revisions to Operator-Submitted EC Data for Sundry Notice #472583

**Operator Submitted** 

**BLM Revised (AFMSS)** 

Sundry Type:

DRG

SR

NMNM27506

DRG SR

NMNM27506

Agreement:

Lease:

Operator:

CHEVRON USA INC 6301 DEAUVILLE BLVD. MIDLAND, TX 79706 Ph: 432-687-7655

Admin Contact:

LAURA BECERRA REGULATORY SPECIALIST E-Mail: LBECERRA@CHEVRON.COM

Ph: 432-687-7655

Tech Contact:

LAURA BECERRA REGULATORY SPECIALIST E-Mail: LBECERRA@CHEVRON.COM

Ph: 432-687-7655

Location: State: County:

NM LEA

Field/Pool:

SANDERS TANK; UPR WOLFCAMP

Well/Facility:

SD EA 29 32 FED COM P10 17H Sec 29 T26S R33E Mer NMP NENW 120FNL 2605FWL

CHEVRON USA INCORPORATED 6301 DEAUVILLE BLVD MIDLAND, TX 79706 Ph: 432.687.7100 Fx: 432-687-7221

LAURA BECERRA REGULATORY SPECIALIST E-Mail: LBECERRA@CHEVRON.COM

Ph: 432-687-7655

LAURA BECERRA REGULATORY SPECIALIST E-Mail: LBECERRA@CHEVRON.COM

Ph: 432-687-7655

NM LEA

WC025G09S263327G UP WOLFCAMP

SD EA 29 32 FED COM P10 17H Sec 29 T26S R33E NWNW 120FNL 2605FWL 32.021431 N Lat, 103.594398 W Lon