

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.
30-025-43040

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

North Hobbs G/SA Unit

8. Well Number 679

9. OGRID Number

157984

10. Pool name or Wildcat

Hobbs; (G/SA)

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☐ Injector ☐

2. Name of Operator
Occidental Permian LTD

3. Address of Operator
PO Box 4294 Houston, TX 77210

4. Well Location

Unit Letter H : 2157 feet from the N line and 637 feet from the E line
Section 24 Township 18S Range 37E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3669' GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☒ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

10/22/18: MIRU x NDWH x NUBOP. POOH 139 jts 2 7/8" tbg x injection pkr. RIH 6 1/8" bit x tagged @4743'. 10/23/18: POOH bit x RIH 7" cibp @4630'. RIH 7" cicr @4380'. Tested tbg to 1500 psi, held ok. Got inj rate of 3bpm @600psi. 10/24/18: Pumped 965 sxs Class C cmt x squeezed off to 2500psi, stung out of cicr. 10/25/18 - 10/26/18: POOH retainer stinger x RIH 6 1/8" bit x tagged cicr cmt @4630'. Drilled on cicr @4630' down to 4510'. Circ well clean x pressure tested csg to 500 psi, held. 10/29/18: Shot new perfs 4390'-4496' 4jspf/208holes x RIH 7" cibp @4500' w/ 4' cmt on top. 10/30/18: Ran acid job w/ 4000 gals 15% nefe HCL acid x circ well w/ 10# BW. 10/31/18: RIH 7" pkr @4340' x 137 jts 2 7/8" tbg @4332'. Ran MIT Chart *** Chart Attached***. RD x NDBOP x NUWH.

Spud Date:

10/22/2018

Rig Release Date:

10/31/2018

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

April Hood

TITLE Regulatory Specialist

DATE 05/06/2019

Type or print name

E-mail address: April_Hood@Oxy.com

PHONE: 713-366-5771

For State Use Only

APPROVED BY:

TITLE

DATE

Conditions of Approval (if any):

Wellbore Diagram : NHSAU 679-24



