

Submit 1 Copy To Appropriate District  
Office  
District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised July 18, 2013

HOBBS OGD

OIL CONSERVATION DIVISION

AUG 19 2019

1220 South St. Francis Dr.  
Santa Fe, NM 87505

RECEIVED

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-35920
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator OXY USA WTP Limited Partnership		6. State Oil & Gas Lease No.
3. Address of Operator P.O. Box 50250 Midland, TX 79710		7. Lease Name or Unit Agreement Name Fred Turner Jr. B
4. Well Location Unit Letter <u>K</u> : <u>2110</u> feet from the <u>South</u> line and <u>2090</u> feet from the <u>West</u> line Section <u>17</u> Township <u>20S</u> Range <u>30E</u> NMPM County <u>Lea</u>		8. Well Number <u>2</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <u>3560</u>		9. OGRID Number 192463
		10. Pool name or Wildcat Skaggs Grouping

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐  
CLOSED-LOOP SYSTEM ☐  
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐  
OTHER: Recompletion ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See Attached

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

David Stewart

TITLE

Sr. Regulatory Advisor

DATE

8/12/19

Type or print name

David Stewart

E-mail address:

david\_stewart@oxy.com

PHONE:

432-685-5717

For State Use Only

APPROVED BY:

[Signature]

TITLE

20

DATE

8/20/2019

Conditions of Approval (if any):

Attachment C-103

OXY USA Inc. – Fred Turner Jr. B #2 – 30-025-35920

5/30-6/6/19

MIRU PU, POOH w/ rods & pump. NDWH, NU BOP, rel TAC, POOH, scan & LD tbg. RIH w/ bit & scraper to 6800', no restrictions, POOH. RIH & set CIBP @ 6779', M&P 25sx CL C cmt, PUH, WOC. RIH & tag cmt @ 6650'. Notified NMOCD, POOH. RIH & set CIBP @ 6339', M&P 25sx CL C cmt, PUH, WOC. RIH & tag cmt @ 6132', notified NMOCD, POOH. RIH & set CIBP @ 5816', M&P 25sx CL C cmt w/ 1% CaCl<sub>2</sub>, PUH, WOC. RIH & tag cmt @ 5633', notified NMOCD. Circ hole w/ 10# BW + 2% KCl, POOH. ND BOP, NU WH. RU chart recorder pressure test csg to 900# for 30min, good test. NDPU.

6/10-6/12/19

NU & test frac stack, RIH & log from 5200-3500'. RIH & perf @ 6SPF @ 4080-4090', EIR & pump 60648g SW/LG/XL Frac w/ 102000# sand, SD. RIH & set CP @ 3760', POOH. RIH & perf 6SPF @ 3710-3738', Dump 9g 15% HCl acid, EIR & pump 30408g SW/LG/XL Frac w/ 21000# sand.

6/24-6/27/19

RUPU, NDWH, NU BOP. RIH w/ bit & tag up @ 3725', CO & drill plug @ 3755', CO to PBTD @ 5633', POOH. RIH w/ 2-7/8" tbg to 3306'. NDBOP, NU WH, RIH w/ rods & pump. RDPU, Turn over to production.

**OXY USA WTP LP - Current**  
**Fred Turner Jr. B #2**  
**API No. 30-025-35920**

11" hole @ 1506'  
8-5/8" csg @ 1506'  
w/ 650sx-TOC-Surf-Circ

**Perfs @ 3710-3738'****Perfs @ 4080-4090'**

7-7/8" hole @ 7250'  
5-1/2" csg @ 7250'  
w/ 1680sx-TOC-Surf-Circ

**CIBP @ 5816' w/ 25sx cmt to 5633' Tagged**

**CIBP @ 6339' w/ 25sx cmt to 6132' Tagged**

**CIBP @ 6779' w/ 25sx cmt to 6650' Tagged**

**Blinebry Perfs @ 5866-6063'**

**Tubb Perfs @ 6389-6683'**

Drinkard Perfs @ 6829-6916'  
Abo Perfs @ 7004-7232'

**PB-7239'**

**TD-7250'**