UNITED STATES DEPARTMENT OF THE INTEGER Shad Field Office FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018 5 Lease Serial No.

SUNDRY NOTICES AND REPORTS ON WEQCD Hobbs Do not use this form for proposals to drill or to re-enter an

5. Lease Serial No. NMNM01747

If Indian, Allottee or Tribe Na	me
---	----

	II. Use form 3160-3 (AP		00,	o. Il muian, Anouce	or Tribe Name
SUBMIT IN 1	TRIPLICATE - Other Inst	tructions on page	2019	891006455B	ement, Name and/or No.
Type of Well Oil Well	ner	D. PATRICK DARDEN, PElegacylp.com 3b. Phone No. (include area code) Ph: 432-689-5200 Ext: 523	CNE	Well Name and No. LEA UNIT 29	
2. Name of Operator LEGACY RESERVES OPERA	Contact: ATING LÆ-Mail: pdarden@	D. PATRICK DARDEN, PElegacylp.com	ČE.	9. API Well No. 30-025-39077-0	00-S1
3a. Address 303 W WALL SUITE 1600 MIDLAND, TX 79702		3b. Phone No. (include area code) Ph: 432-689-5200 Ext: 5237		10. Field and Pool or Exploratory Area LEA	
4. Location of Well (Footage, Sec., T.	, R., M., or Survey Description)		11. County or Parish,	State
Sec 24 T20S R34E NENW 1310FNL 1948FWL			LEA COUNTY		NM
12. CHECK THE AF	PROPRIATE BOX(ES)	TO INDICATE NATURE OF	F NOTICE,	REPORT, OR OTI	HER DATA
TYPE OF SUBMISSION	TYPE OF ACTION				
Notice of Intent	☐ Acidize	□ Deepen	☐ Production (Start/Resume)		☐ Water Shut-Off
Notice of Intent	☐ Alter Casing	☐ Hydraulic Fracturing	ring Reclamation		■ Well Integrity
☐ Subsequent Report	□ Casing Repair	■ New Construction	Recomplete		□ Other
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon		
_	☐ Convert to Injection	☐ Plug Back	☐ Water D	Disposal	,
13. Describe Proposed or Completed Ope If the proposal is to deepen directiona Attach the Bond under which the wor following completion of the involved testing has been completed. Final Ab determined that the site is ready for fi	Illy or recomplete horizontally, k will be performed or provide operations. If the operation re- andonment Notices must be fil	give subsurface locations and measur the Bond No. on file with BLM/BIA sults in a multiple completion or reco	red and true ve . Required sub mpletion in a r	rtical depths of all pertinosequent reports must be new interval, a Form 316	nent markers and zones. filed within 30 days 50-4 must be filed once
Legacy Reserves will be recorn Carbonate zones. Legacy's pl			Bone Sprin	g	

Rig up pulling unit early July 2019.
Set CIBP @ ~12,810' w/50' cmt on top.
Perforate, acidize & tst Bone Spring Carbonate zones from ~9,750'-10,800'.
Return well to production in Bone Spring Carbonate zones.

Current & proposed wellbore diagrams attached.

SUBJECT TO LIKE APPROVAL BY BLM

14. I hereby certify that the	te foregoing is true and correct. Electronic Submission #471047 verifie For LEGACY RESERVES OPE Committed to AFMSS for processing by PRI	RATING	LP, sent to the Hobbs				
Name (Printed/Typed)	D. PATRICK DARDEN, PE	Title	SENIIOR ENGINEERING ADVISOR				
Signature	(Electronic Submission)	Date	06/27/2019	· · · · · · · · · · · · · · · · · · ·			
THIS SPACE FOR FEDERAL OR STATE OFFICE USE							
/s/ Jonathon Shepard		Title	Petroleum Engineer	UL 0 3 2019			
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			Carlsbad Field Office				
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212 make it a crime for any person knowingly and willfully to make to any department or agency of the United							

States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2) *** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** FOR RECORD ONLY X7 NMOCD 8-27-19




Lea Federal Unit #29

LOCATION: See Below for SHL & BHL

FIELD: Lea Penn

GL: 3670'

LATEST UPDATE: 03/20/2014



PROPOSED WB GNOTTON



PBTD 13,329'

Lea Federal Unit #29

LOCATION: See Below for SHL & BHL

FIELD: Lea Penn

COUNTY: Lea

STATE: New Mexico

GL: 3670'

KB: 3688'


SPUD DATE: 02/08/07

LATEST UPDATE: 03/20/2014

BY: MAL

API No: 30-025-39077

SHL: 1310' FNL & 1948' FWL, Sec 24, T 20-S, R 34-E



BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Conditions of Approval for Permanent Abandonment of a Production Zone

- 1. <u>Notification:</u> Contact the appropriate BLM office at least 24 hours prior to the commencing of any plug back operations. For wells in Eddy County, call 575-361-2822. For wells in Lea County, call 575-393-3612
- 2. <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any plugging operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,100 feet, a 3M system for a well not deeper than 13,600 feet, or a 5M system for a well not deeper than 22,700 feet (all depths are for measured well depth).
- 3. <u>Mud Requirement:</u> Mud shall be placed between all plugs. Minimum consistency of plugging mud shall be obtained by mixing at the rate of 25 sacks (50 pounds each) of gel per 100 barrels of brine water. Minimum nine (9) pounds per gallon.
- 4. <u>Cement Requirement</u>: Sufficient cement shall be used to bring any required plug to the approved depth and length. Any given cement volumes on the proposed plugging procedure are merely estimates and are not final. Unless specific approval is received, no plug except the surface plug shall be less than 25 sacks of cement. Any plug that requires a tag will have a minimum WOC time of 4 hours. In lieu of a cement plug across perforations in a cased hole (not for any other plugs), a bridge plug set within 50 feet to 100 feet above the perforations shall be capped with 25 sacks of cement (or 35 feet with a bailer). Before pumping cement on top of CIBP, a tag will be required to verify depth. Based on depth, a tag of the cement may be deemed necessary. Unless otherwise specified in the approved procedure, the cement plug shall consist of either Neat Class "C", for up to 7,500 feet of depth or Neat Class "H", for deeper than 7,500 feet plugs.
- 5. <u>Subsequent Plug back Reporting:</u> Within 30 days after plug back work is completed, file a Subsequent Report (Form 3160-5) to BLM. The report should give in detail the manner in which the plug back work was carried out, the extent (by depths) of cement plugs placed, and the size and location (by depths) of casing left in the well. <u>Show date work was completed.</u> If plugging back to a new zone submit a Completion Report (Form 3160-4) with the Subsequent Report.
- 6. <u>Trash</u>: All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.
- 7. If well location is within the Timing Limitation Stipulation Area for Lesser Prairie-Chicken: From March 1st through June 15th annually, abandonment activities will be allowed except between the hours from 3:00 am and 9:00 am. Normal vehicle use on existing roads will not be restricted.