

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-24912
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name BELL; 17 USTATE WEST
8. Well Number 1
9. OGRID Number 14049
10. Pool name or Wildcat HUME; QUEEN, WEST
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4240' GL

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
MARBOB ENERGY CORPORATION

3. Address of Operator
PO BOX 227, ARTESIA, NM 88211-0227

4. Well Location
Unit Letter G : 1980 feet from the NORTH line and 1980 feet from the EAST line
Section 17 Township 16S Range 33E NMPM County LEA

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____

Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐	ALTERING CASING ☐
PULL OR ALTER CASING ☐	COMMENCE DRILLING OPNS. ☐
PLUG AND ABANDON ☒	P AND A ☐
CHANGE PLANS ☐	CASING/CEMENT JOB ☐
MULTIPLE COMPL ☐	OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

MARBOB ENERGY CORPORATION PROPOSES TO PLUG & ABANDON THE ABOVE REFERENCED WELL AS FOLLOWS:

- SPOT 75 SX "C" + 2% CACL2 @ 521' - 350'. TAG PLUG. (COVER TIEBACK THROUGH 13 3/8" SHOE).
- SPOT 20 SX "C" + 2% CACL2 @ 60' TO SURFACE.
- INSTALL DRYHOLE MARKER & CLEAN LOCATION.

CLASS "C" + 2% CACL2 - 14.8 PPG - 1.32 CFPS

(SEE ATTACHED SCHEMATICS)

THE OIL CONSERVATION DIVISION MUST
BE NOTIFIED 24 HOURS PRIOR TO THE
BEGINNING OF PLUGGING OPERATIONS.

RECEIVED VERBAL APPROVAL FROM GARY WINK ON 5/10/06.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOC guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Diana J. Briggs TITLE PRODUCTION ANALYST DATE 5/11/06

Type or print name DIANA J. BRIGGS E-mail address: PRODUCTION@MARBOB.COM Telephone No. (505) 748-3303

For State Use Only


APPROVED BY: Gary W. Wink TITLE OCD FIELD REPRESENTATIVE II/STAFF MANAGER DATE MAY 15 2006

Conditions of Approval (if any):

Bell 17 St. 1
 1980' FEL, 1980' FNL
 G-17-165-33e
 Lea, NM
 (30-025-24912)

42-382 100 SHEETS EYE-EASE® 5 SQUARE
 42-389 200 SHEETS EYE-EASE® 5 SQUARE
 42-392 100 RECYCLED WHITE 5 SQUARE
 42-395 200 RECYCLED WHITE 5 SQUARE
 Made in U.S.A.

National Brand



Note: We thought we tied in to 8 5/8" @ 521' but we didn't. We went outside the original 8 5/8" when we drilled out cement at the bottom of the new 8 5/8" run from 521' to surface.

Proposed P&A Procedure

1. Spot 755x "C" + 2% CaCl₂ 521' to 350'. Tag plug. (Cover tieback through 13 3/8" shoe)
2. Spot 205x "C" + 2% CaCl₂ 60' to surface.
3. Dryhole marker & clean location.

Class "C" + 2% CaCl₂ 14.8 ppg, 1.32 cpgs

AFTER

11200-58' (23) Seaman
 11340-66' Penn
 5 1/2" / 17.20 / K55, N80 @ 11505' 400 "C"

13692'

42-382	100 SHEETS EYE-EASE®	5 SQUARE
42-389	200 SHEETS EYE-EASE®	5 SQUARE
42-392	100 RECYCLED WHITE	5 SQUARE
42-399	200 RECYCLED WHITE	5 SQUARE

Made in U.S.A.

AN **INTERNATIONAL** **BRAND**

