		(	DCD Hobbs				
Form 3160-5 (June 2015) UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT					FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018		
SUNDRY NOTICES AND REPORTS ON WELLSO					5. Lease Serial No. NMNM123530		
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter and abandoned well. Use form 3160-3 (APD) for such proposals. SUBMIT IN TRIPLICATE - Other instructions of page 2 SUBMIT IN TRIPLICATE - Other instructions of page 2 1. Type of Well Other 2. Name of Operator Contact: MAYTEX REVES					6. If Indian, Allottee or Tribe Name		
SUBMIT IN TRIPLICATE - Other instructions on page 2 2019					7. If Unit or CA/Agreement, Name and/or No.		
1. Type of Well         B Oil Well         Gas Well         Other         2. Name of Operator         Contact:         MAYTEX REVES					8. Well Name and No. BASEBALL CAP FEDERAL COM 702H		
2. Name of Operator COG OPERATING LLC	EYES		9. API Well No. 30-025-45788-00-X1				
3a. Address ONE CONCHO CENTER 60 MIDLAND, TX 79701-4287	o. (include area code) 18-6945		10. Field and Pool or Exploratory Area WILDCAT;WOLFCAMP				
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)					11. County or Parish, State		
Sec 25 T24S R34E SESE 430FSL 1140FEL 32.182236 N Lat, 103.418869 W Lon					LEA COUNTY, NM		
12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA							
TYPE OF SUBMISSION	TYPE OF ACTION						
Notice of Intent	Acidize	🖸 Dee	pen	Product	ion (Start/Resume)	UWater Shut-Off	
_	Alter Casing		Iraulic Fracturing	Reclamation		Well Integrity	
Subsequent Report			w Construction	Recomplete		Other	
Final Abandonment Notice			g and Abandon g Back	n			
<ul> <li>determined that the site is ready for final inspection.</li> <li>COG Operating respectfully requests approval for the following changes to the originally approved APD.</li> <li>COG has re-spaced the wells on this pad and respectfully requests permission to P&amp;A the pre-set surface hole on the Baseball Cap Fed Com 702H. The 13-3/8 is set at 1313? and had cement circulated to surface (please reference the attached well bore diagram).</li> <li>COG proposes to plug the hole completely with cement to surface with two plugs. The plugs will be with open ended pipe. The bottom plug would be from the approximate current PBTD at 1271? to 650?; 450 sacks of Class C with 1% CaCl2. WOC 6 hours and tag. Then from the top of that plug to surface the rest of the hole would be plugged with 450 sacks of Class C neat. The wellhead would then be cut off and a marker would be put on in accordance with current BLM plugging rules.</li> </ul>							
14. I hereby certify that the foregoing is true and correct.							
Electronic Submission #481472 verified by the BLM Well Information System For COG OPERATING LLC, sent to the Hobbs							
Committed to AFMSS for processing by DEBORAH M Name(Printed/Typed) MAYTE X REYES Title				on 09/03/2019	ORY ANALYST		
	THE SENIOR	( NEGOLA I		·····			
Signature (Electronic Submission)			Date 09/03/20		<u></u>		
THIS SPACE FOR FEDERAL OR STATE OFFICE USE							
Approved By	Title SH	T		9-4-19 Date			
Conditions of approval, if any, are attached certify that the applicant holds legal or equivalent which would entitle the applicant to condu	Office CFC	9					
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any first, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.							
(Instructions on page 2) ** BLM REVISED ** U							

## Additional data for EC transaction #481472 that would not fit on the form

## 32. Additional remarks, continued

Additionally, in order to maintain the rig schedule and operate as efficiently and economically as possible, COG requests permission to move Scandrill Quest to the next pad and utilize the same pre-set rig that drilled this surface hole to P&A it.?

Well bore diagram attached.

سل ا



.

. . .