

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1060 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Devon Energy Production Company, L.P. 333 West Sheridan, Oklahoma City, OK 73102		² OGRID Number 6137
³ Reason for Filing Code/ Effective Date NW / 8/17/19		
⁴ API Number 30-025-45453	⁵ Pool Name WC-025 G-06 S253201M; UPPER BONE SPRING	⁶ Pool Code 97784
⁷ Property Code	⁸ Property Name Bell Lake 19-18 State Com	⁹ Well Number 10H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	19	24S	33E		481	South	1152	East	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	18	24S	33E		130	North	2196	East	LEA

¹² Lsc Code	¹³ Producing Method Code	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date
S	F	8/17/19			

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
92591	Western Refining Company, L.P. 6500 Trowbridge Drive El Paso, TX 79905	Oil
371960	Lucid Energy Delaware, LLC 3100 McKinnon St., Ste. 800, Dallas, TX 75201	Gas

HOBBS OCD
OCT 08 2019
RECEIVED

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBDT	²⁵ Perforations	²⁶ DHC, MC
2/21/19	8/17/19	19,490'	19,474'	9700' - 19,465'	
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5	13.375	1209'	1060 sx cmt; Circ 502 sx		
12.25	9.625	5127.6'	1705sx CIH; Circ 902.6 sx		
8 3/4 & 8 1/2	5.5	19,478'	2695sx cmt; Circ 0		
	Tubing: 2.875	9060'			

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
8/17/19	8/17/19	9/17/19	24 hrs	711 psi	104 psi
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas	⁴¹ Test Method	
	920.5 bbl	919 bbl	1649.5 mcf		

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: *Rebecca Deal*
Printed name: Rebecca Deal
Title: Regulatory Analyst
E-mail Address: Rebecca.Deal@devn.com
Date: 9/23/2019 Phone: 405-228-8429

OIL CONSERVATION DIVISION
Approved by: *[Signature]*
Title: L.M.
Approval Date: 10/8/2019

Submit To Appropriate District Office
Two Copies
District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-105
Revised April 3, 2017
1. WELL API NO. 30-025-45453
2. Type of Lease
 STATE FEE FED/INDIAN
3. State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

4. Reason for filing:
 COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only)
 C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)
5. Lease Name or Unit Agreement Name
Bell Lake 19-18 State Com
6. Well Number:
10H

HOBBS OCD

7. Type of Completion:
 NEW WELL WORKOVER DEEPENING PLUGBACK DIFFERENT RESERVOIR OTHER

8. Name of Operator
Devon Energy Production Company, L.P.
9. OGRID
6137

OCT 08 2019

10. Address of Operator
333 West Sheridan Avenue, Oklahoma City, OK 73102
11. Pool name or Wildcat
WC-025 G-06 S253201M NEW BONE SPRING

RECEIVED

12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	P	19	24S	33E		481	South	1152	East	Lea
BH:	B	18	24S	33E		130	North	2196	East	Lea

13. Date Spudded 2/21/2019
14. Date T.D. Reached 3/9/2019
15. Date Rig Released 3/12/2019
16. Date Completed (Ready to Produce) 8/17/2019
17. Elevations (DF and RKB, RT, GR, etc.) 3539.9' GL
18. Total Measured Depth of Well 19,490' MD/9339' TVD
19. Plug Back Measured Depth 19,474'
20. Was Directional Survey Made? Yes
21. Type Electric and Other Logs Run CBL

22. Producing Interval(s), of this completion - Top, Bottom, Name
9700'-19,465', Upper Bone Spring

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13 3/8	54.5	1209'	17.5	1060 sx cmt; circ 502 sx	
9.625	40	5127.6'	12.25	1705sx CIH; circ 902.6 sx	
5.5	17	19,474'	8.75 & 8.5	2695sx cmt; circ 0	TOC @ 4200'

24. LINER RECORD					25. TUBING RECORD		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2.875 L-80	9060'	

26. Perforation record (interval, size, and number)
9700'-19,465', total 1245 holes
27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.
DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED
9700'-19,465' Acidize and frac in 40 stages. See detailed summary attached

28. PRODUCTION

Date First 8/17/19
Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing
Well Status (Prod. or Shut-in) Producing
Date of Test 9/17/19
Hours Tested 24
Choke Size
Prod'n For Test Period
Oil - Bbl 920.5
Gas - MCF 1649.5
Water - Bbl. 919
Gas - Oil Ratio
Flow Tubing Press. 711 psi
Casing Pressure 104 psi
Calculated 24-Hour Rate
Oil - Bbl.
Gas - MCF
Water - Bbl.
Oil Gravity - API - (Corr.)

29. Disposition of Gas (Sold, used for fuel, vented, etc.) sold
30. Test Witnessed By

31. List Attachments
Directional Survey, Logs

32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.
33. Rig Release Date: 3/12/2019

34. If an on-site burial was used at the well, report the exact location of the on-site burial:
Latitude Longitude NAD83

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief
Signature *Rebecca Deal*
Printed Name Rebecca Deal Title Regulatory Analyst Date 9/23/2019
E-mail Address rebecca.deal@dn.com

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T.	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to..... No. 3, from.....to.....
 No. 2, from.....to..... No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
			Rustler - 1144 T/Salt - 1465 B/Salt - 5065 Delaware - 5065 Bone Spring - 8987				