

Submit One Copy To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised November 3, 2011

WELL API NO. 30-025-32623
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name State A
8. Well Number 009
9. OGRID Number 4323
10. Pool name or Wildcat Vacuum Drinkard

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well: ☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Chevron USA Inc.

3. Address of Operator

6301 Deauville Blvd., Midland, TX 79706

4. Well Location:

Unit Letter H : 2310 feet from the NORTH line and 510 feet from the EAST line

Section 31 Township 17-S Range 35-E NMPM County LEA

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3,976' GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ P AND A ☐

CASING/CEMENT JOB ☐

OTHER: ☐

☒ Location is ready for OCD inspection after P&A

- ☒ All pits have been remediated in compliance with OCD rules and the terms of the Operator's pit permit and closure plan.
- ☒ Rat hole and cellar have been filled and leveled. Cathodic protection holes have been properly abandoned.
- ☒ A steel marker at least 4" in diameter and at least 4' above ground level has been set in concrete. It shows the

**OPERATOR NAME, LEASE NAME, WELL NUMBER, API NUMBER, QUARTER/QUARTER LOCATION OR
UNIT LETTER, SECTION, TOWNSHIP, AND RANGE. ALL INFORMATION HAS BEEN WELDED OR
PERMANENTLY STAMPED ON THE MARKER'S SURFACE.**

- ☒ The location has been leveled as nearly as possible to original ground contour and has been cleared of all junk, trash, flow lines and other production equipment.
- ☒ Anchors, dead men, tie downs and risers have been cut off at least two feet below ground level.
- ☒ If this is a one-well lease or last remaining well on lease, the battery and pit location(s) have been remediated in compliance with OCD rules and the terms of the Operator's pit permit and closure plan. All flow lines, production equipment and junk have been removed from lease and well location.
- ☒ All metal bolts and other materials have been removed. Portable bases have been removed. (Poured onsite concrete bases do not have to be removed.)
- ☒ All other environmental concerns have been addressed as per OCD rules.
- ☒ Pipelines and flow lines have been abandoned in accordance with 19.15.35.10 NMAC. All fluids have been removed from non-retrieved flow lines and pipelines.
- ☒ If this is a one-well lease or last remaining well on lease: all electrical service poles and lines have been removed from lease and well location, except for utility's distribution infrastructure.

When all work has been completed, return this form to the appropriate District office to schedule an inspection.

SIGNATURE Katherine Papageorge TITLE Decommissioning Project Manager DATE 10.11.19

TYPE OR PRINT NAME Katherine Papageorge E-MAIL: Katherine.Papageorge@chevron.com PHONE: 832-854-5291
For State Use Only

APPROVED BY: Kerry Foster TITLE C.O.A DATE 10-18-19

Fortner, Kerry, EMNRD

From: ManuelQuiroz@lcecnecnet.com
Sent: Friday, October 11, 2019 1:57 PM
To: Papageorge, Katherine P
Cc: Wagoner, Bryce [Cenergy International Services LLC]
Subject: [**EXTERNAL**] RE: RE: LCE Equipment - NMOCD Out of Compliance Locations
Attachments: pic32391.gif

I have checked and all those poles listed do belong to LCEC.

Thanks,
Manny Quiroz
Supervisor of Staking
Lea County Electric Cooperative. Inc.
(Embedded image moved to file: pic32391.gif)
Email: mquiroz@lcecnecnet.com | Office 575.396.3631 Toll free: 800.510.5232 | Direct 575.396.9611

From: "Papageorge, Katherine P" <Katherine.Papageorge@chevron.com>
To: "ManuelQuiroz@lcecnecnet.com" <ManuelQuiroz@lcecnecnet.com>
Cc: "Wagoner, Bryce [Cenergy International Services LLC]" <EWIR@chevron.com>
Date: 10/11/2019 10:54 AM
Subject: RE: RE: LCE Equipment - NMOCD Out of Compliance Locations

Thanks for the update Manny. Can you let me know if there are any poles we have noted that LCEC does NOT own? I want to be certain to confirm ownership for the paperwork I'm sending into the state.

Thank you for all your help on this!

Katherine

-----Original Message-----

From: ManuelQuiroz@lcecnecnet.com <ManuelQuiroz@lcecnecnet.com>
Sent: Wednesday, October 9, 2019 11:51 AM
To: Papageorge, Katherine P <Katherine.Papageorge@chevron.com>
Cc: Wagoner, Bryce [Cenergy International Services LLC] <EWIR@chevron.com>
Subject: [**EXTERNAL**] RE: LCE Equipment - NMOCD Out of Compliance Locations

Katherine,
This previous request from you all was received back in May 21, of this year.
LCEC has removed the majority of those lines. We still have a few more to remove, our Line Department is currently trying to finish.
There are two news request that are fixing to be sent to our Line Department to be worked.

One is: Chambers Strawn SWD [This location is most urgent]
32.9315,-103.3808 Power Pole, Slack line pole, cross arms, transformers, and lines crossing HWY 82 need removed Pole Numbers 058919, 058920, remove crossarm off pole 070952

Second one: WEST LOVINGTON UNIT #068 30-025-30960 32.8529,-103.3982 9 power poles feeding the WLU #68, WLU#69 30-025-30961 and WLU #89 30-025-31454 will need to be removed. 007325, 007324, 007321, 005390, 005376, 007322, 007318, 005383, 005379, 005378.

We understand the importance of these retirements being completed.

Thanks,
Manny Quiroz
Supervisor of Staking
Lea County Electric Cooperative. Inc.
(Embedded image moved to file: pic04302.gif)
Email: mquiroz@lcecnecnet.com | Office 575.396.3631 Toll free: 800.510.5232 | Direct 575.396.9611

From:"Papageorge, Katherine P" <Katherine.Papageorge@chevron.com>
To:"ManuelQuiroz@lcecnecnet.com" <ManuelQuiroz@lcecnecnet.com> Cc:"Wagoner, Bryce [Cenergy International Services LLC]"
<EWIR@chevron.com>
Date:10/02/2019 08:30 AM
Subject:RE: LCE Equipment - NMOCD Out of Compliance Locations

Good morning Manny,

Bryce went out and got the information below on all the sites in question.
Please let us know if you have any questions on the information he has compiled.

Chambers Strawn SWD [This location is most urgent] 32.9315,-103.3808 Power Pole, Slack line pole, cross arms, transformers, and lines crossing HWY 82 need removed Pole Numbers 058919, 058920, remove crossarm off pole 070952

WEST LOVINGTON UNIT #040 30-025-03904 32.85480,-103.3960 Slack Line pole and lines need to be removed pole number 046051

LOVINGTON PADDOCK UNIT #026 30-025-05374 32.8772,-103.2881 1 Slack line pole and lines need to be removed 033588, meter # 71630

L. SAN ANDRES UNIT #069 30-025-31363 32.8784,-103.3030 Needs 2-3 Overhead power poles removed. May need to leave a pole in place with a guy wire as a support pole. 034601, 034413, 034410

LOVINGTON PADDOCK UNIT #086 30-025-31066 32.88140,-103.29480 1 Power pole 2 slack line poles and crossarm from tie in pole need to be removed. 034184, 034185, 034186

LOVINGTON PADDOCK UNIT #103 30-025-31310 32.8858,-103.3028 1 Slack Line Pole 2 Overhead power poles and crossarm from tie in pole need to be removed. 046057, 046056, crossarm off pole # 046054

WEST LOVINGTON UNIT #068 30-025-30960 32.8529,-103.3982 9 power poles feeding the WLU #68, WLU#69 30-025-30961 and WLU #89 30-025-31454 will need to be removed. 007325, 007324, 007321, 005390, 005376, 007322, 007318, 005383, 005379, 005378.

LOVINGTON PADDOCK UNIT #102 30-025-31309 32.8850,-103.3075 1 Slack Line and 3 Overhead power poles need to be removed. 034242, 030240, missing tag, 034238

NEW MEXICO R STATE NCT-3 #025 30-025-31930 32.7751,-103.5076 Crossarm and Transformers removed need to be removed. Power Pole remaining can stay in place will remain as a guy pole for existing line.

Vacuum Glorietta West Unit #75 30-025-30969 32.7924,-103.3726 Two (2) Over head power poles and lines need to be removed. No OPL pole numbers.

State A 009 30-025-32623 Transformer and cross arm removed from pole number 032238 and remove slack line pole number 032237

Thank you,

Katherine

Katherine Papageorge

Project Manager

(Embedded image moved to file: pic08375.jpg) cid:image001.png@01CAB532.6F16ADF0Chevron Environmental Management Company

1500 Louisiana Street, #38086
Houston, TX 77002

Office: (832) 854-5291
Work Mobile: (832) 312-2794
Personal Mobile: (713) 857-6472

-----Original Message-----

From: ManuelQuiroz@lcecnecnet.com <ManuelQuiroz@lcecnecnet.com>
Sent: Monday, September 30, 2019 12:49 PM
To: Papageorge, Katherine P <Katherine.Papageorge@chevron.com>
Cc: Wagoner, Bryce [Cenergy International Services LLC] <EWIR@chevron.com>
Subject: [**EXTERNAL**] RE: Re: Fw: LCE Equipment - NMOCD Out of Compliance Locations

Katherine,
Pole tags would be better. Lat. and Long is sometimes off.
We can wait until you all have all the information, then we will go out to verify all locations.
Thanks,

Manny Quiroz
Supervisor of Staking

Lea County Electric Cooperative. Inc.

(Embedded image moved to file: pic28145.gif)

Email: mquiroz@lcecnecnet.com | Office 575.396.3631 Toll free: 800.510.5232 | Direct 575.396.9611

From: "Papageorge, Katherine P" <Katherine.Papageorge@chevron.com>

To: "ManuelQuiroz@lcecnecnet.com" <ManuelQuiroz@lcecnecnet.com>

Cc: "Wagoner, Bryce [Cenergy International Services LLC]"
<EWIR@chevron.com>

Date: 09/30/2019 10:55 AM

Subject: RE: Re: Fw: LCE Equipment - NMOCD Out of Compliance
Locations

Hey Manny,

Thanks for the feedback, makes sense on the pole tags. Could you guys work with coordinates in Lat, Long? Or do we need to get someone on your team or ours to run by and grab the pole tags? Bryce is pretty well tied up with stuff this week, so if one of your guys could run by if I get you all the coordinates, it would be a huge help. Let us know what works.

Thanks,

Katherine

Katherine Papageorge

Project Manager

Chevron Environmental Management Company

1500 Louisiana Street, #38086

Houston, TX 77002

Office: (832) 854-5291

Work Mobile: (832) 312-2794

Personal Mobile: (713) 857-6472

-----Original Message-----

From: ManuelQuiroz@lcecnecnet.com <ManuelQuiroz@lcecnecnet.com>

Sent: Monday, September 30, 2019 10:44 AM

To: Papageorge, Katherine P <Katherine.Papageorge@chevron.com>

Cc: Wagoner, Bryce [Cenergy International Services LLC] <EWIR@chevron.com>

Subject: **[**EXTERNAL**]** Re: Fw: LCE Equipment - NMOCD Out of Compliance Locations

Katherine,

LCEC will be more than happy to assist you all on those wells listed.

Unfortunately we have no idea where this wells are located. We work with meter numbers and/or with pole tags. (Pole tags work the best).

We will need that information in order to check those locations out.

Thanks,

Manny Quiroz

Supervisor of Staking

Lea County Electric Cooperative. Inc.

(Embedded image moved to file: pic11478.gif)

Email: mquiroz@lcecnecnet.com | Office 575.396.3631 Toll free: 800.510.5232 | Direct 575.396.9611

From:Eduardo Ray Rivera/LCEC

To:Manuel Quiroz/LCEC@LCEC

Date:09/30/2019 08:19 AM

Subject:Fw: LCE Equipment - NMOCD Out of Compliance Locations

----- Forwarded by Eduardo Ray Rivera/LCEC on 09/30/2019 08:19 AM -----

From:"Papageorge, Katherine P" <Katherine.Papageorge@chevron.com>

To:"erivera@lcecnecnet.com" <erivera@lcecnecnet.com> Cc:"Wagoner, Bryce [Cenergy International Services LLC]" <EWIR@chevron.com>

Date:09/27/2019 11:37 PM

Subject:LCE Equipment - NMOCD Out of Compliance Locations

Good evening,

The following locations are denoted in our records as having OPLs and/or electrical equipment from Lea County Electric. In order for Chevron to submit regulatory compliance paperwork following our final site reclamation on these locations, we require confirmation from someone at LCE on 1. LCE's ownership of the equipment remaining on location and 2. LCE's intention to remove this equipment at a future date. That confirmation can be as simple as an email reply to this with "confirmed LCE's and LCE intends to remove"

next to each site listed, or any other necessary comments on the status of these locations. If you have questions about these sites or if some of the equipment is not LCE's please let myself and Bryce, in copy, know and we will discuss further. Please pass this along to anyone else in LCE as needed to receive this confirmation of responsibility.

WEST LOVINGTON UNIT #040 30-025-03904

LOVINGTON PADDOCK UNIT #026 30-025-05374

L. SAN ANDRES UNIT #069 30-025-31363

L. SAN ANDRES UNIT #064 30-025-31027

L. SAN ANDRES UNIT #072 30-025-31366

LOVINGTON SAN ANDRES UNIT #086 30-025-31552 LOVINGTON PADDOCK UNIT #086 30-025-31066 LOVINGTON PADDOCK UNIT #103 30-025-31310 LOVINGTON PADDOCK UNIT #087 30-025-31108 WEST LOVINGTON UNIT #068 30-025-30960

LOVINGTON DEEP STATE #002 30-025-30044

LOVINGTON PADDOCK UNIT #102 30-025-31309 LOVINGTON PADDOCK UNIT #119 30-025-31311 LOVINGTON SAN ANDRES UNIT #068 30-025-31031 NEW MEXICO R STATE NCT-3 #025 30-025-31930 Crossarm and Transformers removed. Power Pole remaining can stay in place will remain as a guy pole for existing line.

WEST LOVINGTON UNIT #009 30-025-03889

Vacuum Glorietta West Unit #75 30-025-30969 Two (2) Over head power poles and lines need removed.

Chambers Strawn SWD Power Pole, Slack line pole, cross arms, transformers, and lines crossing HWY 82 need removed.

Thank you,
Katherine

Katherine Papageorge

Project Manager

(Embedded image moved to file: pic29358.jpg) cid:image001.png@01CAB532.6F16ADF0Chevron Environmental
Management Company

1500 Louisiana Street, #38086
Houston, TX 77002

Office: (832) 854-5291

Work Mobile: (832) 312-2794

Personal Mobile: (713) 857-6472