' DI	160-5 DIS) UNITED STATES DEPARTMENT OF THE INTERIOR			FORM APPROVED ( OMB NO. 1004-0137		
			5. Lease Seri	Expires: January 31, 2018 5. Lease Serial No.		
DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter the abandoned well. Use form 3160-3 (APD) for such proposes. SUBMIT IN TRIPLICATE - Other instructions on page 2NO I. Type of Well				NMNM118722 6. If Indian, Allottee or Tribe Name		
				CA/Agreement, Name and/or No.		
SUBMIT IN	TRIPLICATE - Other ins	tructions on page 200	7. If Unit or 8. Well Name SD 14 23			
				FED P19 15H		
2. Name of Operator Contact: LAURA BECERRA CHEVRON USA INCORPORATED E-Mail: LBECERRA@CHEVRON.COM				9. API Well No. 30-025-45705-00-X1		
3a. Address 6301 DEAUVILLE BLVD MIDLAND, TX 79706		3b. Phone No. (include area code) Ph: 432-687-7655		10. Field and Pool or Exploratory Area WC025G08S263205N-UP WOLFCAM		
4. Location of Well (Footage, Sec., 2	T., R., M., or Survey Description	)	11. County o	r Parish, State		
Sec 14 T26S R32E NWNE 45 32.049053 N Lat, 103.641853			LEA CO	LEA COUNTY, NM		
12. CHECK THE A	PPROPRIATE BOX(ES)	TO INDICATE NATURE O	F NOTICE, REPORT, C	DR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF	ACTION	· · · · · · · · · · · · · · · · · · ·		
Notice of Intent	Acidize	Deepen	Production (Start/Res	ume) 🔲 Water Shut-Off		
Subsequent Report	Alter Casing	Hydraulic Fracturing	Reclamation	Well Integrity		
	Casing Repair	New Construction	Recomplete	Other Surface Disturbance		
Final Abandonment Notice	Change Plans	Plug and Abandon Plug Back	Temporarily Abandor Water Disposal	1		
testing has been completed. Final A determined that the site is ready for t	d operations. If the operation re bandonment Notices must be fil	sults in a multiple completion or reco led only after all requirements, includ	mpletion in a new interval, a l			
testing has been completed. Final A determined that the site is ready for f Salado Draw Pad 19 Chevron USA Inc respectfully entrance of Salado Draw Pad Justification: The Chevron Co during well completions and ic emergency requiring evacuati	d operations. If the operation re bandonment Notices must be fil final inspection. requests authorization to 19. mpletions team recently of dentified as a gap the lack ion, the single access roa	sults in a multiple completion or reco led only after all requirements, includ add a 20' x 59.88' access roa completed a review of their saf of 2-access roads. In the eve d restricts traffic and limits the	mpletion in a new interval, a l ng reclamation, have been co d to the ety procedures nt of an pace in	Form 3160-4 must be filed once		
testing has been completed. Final A determined that the site is ready for f Salado Draw Pad 19 Chevron USA Inc respectfully entrance of Salado Draw Pad Justification: The Chevron Co during well completions and ic emergency requiring evacuati which the evacuation can occ	d operations. If the operation re bandonment Notices must be fil final inspection. Trequests authorization to 19. Impletions team recently of dentified as a gap the lack ion, the single access road ur. The 2nd access road d will be reclaimed after th	sults in a multiple completion or reco led only after all requirements, includ add a 20' x 59.88' access roa completed a review of their saf of 2-access roads. In the eve d restricts traffic and limits the allows for egress in the event of the Pad's wells have been com	mpletion in a new interval, a ling reclamation, have been con d to the ety procedures nt of an pace in of an emergency	Form 3160-4 must be filed once		
testing has been completed. Final A determined that the site is ready for the Salado Draw Pad 19 Chevron USA Inc respectfully entrance of Salado Draw Pad Justification: The Chevron Co during well completions and is emergency requiring evacuation which the evacuation can occ for the Completions Team and A certified surface plat is attact	d operations. If the operation re bandonment Notices must be fil final inspection. Trequests authorization to 19. Impletions team recently of dentified as a gap the lack ion, the single access road ur. The 2nd access road d will be reclaimed after the ched to this request.	sults in a multiple completion or reco led only after all requirements, includ add a 20' x 59.88' access roa completed a review of their saf of 2-access roads. In the eve d restricts traffic and limits the allows for egress in the event of the Pad's wells have been com	mpletion in a new interval, a I ing reclamation, have been con d to the ety procedures nt of an pace in of an emergency oleted.	Form 3160-4 must be filed once mpleted and the operator has		
testing has been completed. Final A determined that the site is ready for the Salado Draw Pad 19 Chevron USA Inc respectfully entrance of Salado Draw Pad Justification: The Chevron Co during well completions and is emergency requiring evacuation which the evacuation can occ for the Completions Team and A certified surface plat is attact	d operations. If the operation re bandonment Notices must be fil final inspection. Trequests authorization to 19. Impletions team recently of dentified as a gap the lack ion, the single access road ur. The 2nd access road ur. The 2nd access road d will be reclaimed after the ched to this request. Electronic Submission # For CHEVRON mmitted to AFMSS for proc	sults in a multiple completion or reco led only after all requirements, includ add a 20' x 59.88' access roa completed a review of their saf ( of 2-access roads. In the event d restricts traffic and limits the allows for egress in the event of the Pad's wells have been comp add to a swells have been comp add to a swells have been comp add to a swell the state of the state of the Pad's wells have been comp add to a swell the state of the state and the state of the state of the state and the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the stat	mpletion in a new interval, a I ing reclamation, have been con d to the ety procedures nt of an pace in of an emergency oleted.	Form 3160-4 must be filed once mpleted and the operator has		
testing has been completed. Final A determined that the site is ready for f Salado Draw Pad 19 Chevron USA Inc respectfully entrance of Salado Draw Pad Justification: The Chevron Co during well completions and ic emergency requiring evacuati which the evacuation can occ for the Completions Team and A certified surface plat is attact	d operations. If the operation re bandonment Notices must be fil final inspection. Trequests authorization to 19. Impletions team recently of dentified as a gap the lack ion, the single access road iur. The 2nd access roa	sults in a multiple completion or reco led only after all requirements, includ add a 20' x 59.88' access roa completed a review of their saf ( of 2-access roads. In the event d restricts traffic and limits the allows for egress in the event of the Pad's wells have been comp add to a swells have been comp add to a swells have been comp add to a swell the state of the state of the Pad's wells have been comp add to a swell the state of the state and the state of the state of the state and the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the stat	mpletion in a new interval, a I ng reclamation, have been con d to the ety procedures nt of an pace in of an emergency oleted. <b>30/// 7</b>	Form 3160-4 must be filed once mpleted and the operator has		
testing has been completed. Final A determined that the site is ready for the Salado Draw Pad 19 Chevron USA Inc respectfully entrance of Salado Draw Pad Justification: The Chevron Co during well completions and is emergency requiring evacuati which the evacuation can occ for the Completions Team and A certified surface plat is attact 14. I hereby certify that the foregoing is Name (Printed/Typed) LAURA B	d operations. If the operation re bandonment Notices must be fil final inspection. Trequests authorization to 19. Impletions team recently of dentified as a gap the lack ion, the single access road duril be reclaimed after the ched to this request. Electronic Submission # For CHEVRON nmitted to AFMSS for proc ECERRA	sults in a multiple completion or reco led only after all requirements, includ add a 20' x 59.88' access roa completed a review of their saf ( of 2-access roads. In the even d restricts traffic and limits the allows for egress in the event of the Pad's wells have been comp add to a swells have been comp add to a swell the back of the second the Pad's wells have been comp add to a state of the second the Pad's wells have been comp add to a state of the second the pad's wells have been comp add to a state of the second the pad's wells have been comp add the second to a state of the second the pad's wells have been comp add to a state of the second to a state of the second test of the second to a state of the second to a state of the second to a state of the second to a state of the second to a state add the second to a state of the seco	mpletion in a new interval, a I ing reclamation, have been con d to the ety procedures nt of an pace in of an emergency bleted. <b>? 0 / 1 7</b>	Form 3160-4 must be filed once mpleted and the operator has		
testing has been completed. Final A determined that the site is ready for f Salado Draw Pad 19 Chevron USA Inc respectfully entrance of Salado Draw Pad Justification: The Chevron Co during well completions and ic emergency requiring evacuati which the evacuation can occ for the Completions Team and A certified surface plat is attact 14. I hereby certify that the foregoing is Com Name (Printed/Typed) LAURA B Signature (Electronic S	d operations. If the operation re bandonment Notices must be fil final inspection. Trequests authorization to 19. Impletions team recently of dentified as a gap the lack ion, the single access road i.ur. The 2nd access road i.	sults in a multiple completion or reco led only after all requirements, includ add a 20' x 59.88' access roa completed a review of their saf (of 2-access roads. In the event d restricts traffic and limits the allows for egress in the event of the Pad's wells have been comp add to a swells have been comp absence of the state of the state (see Pad's wells have been comp add to a state of the state (see Pad's wells have been comp add to a state of the state (see Pad's wells have been comp add to a state of the state (see Pad's wells have been comp add to a state of the state (see Pad's wells have been comp add to a state of the state (see Pad's wells have been comp add to a state of the state (see Pad's wells have been comp add to a state of the state (see Pad's wells have been comp add to a state of the state (see Pad's wells have been comp add to a state of the state (see Pad's wells have been comp add to a state of the state (see Pad's wells have been comp add to a state of the state (see Pad's wells have been comp add to a state of the state (see Pad's wells have been comp add to a state of the state (see Pad's wells have been comp add to a state of the state (see Pad's wells have been comp add to a state of the state (see Pad's wells have been comp add to a state of the state of the state (see Pad's wells have been comp add to a state of the state of the state (see Pad's wells have been comp add to a state of the state of the state (see Pad's wells have been comp add to a state of the state of the state of the state (see Pad's wells have been comp add to a state of the state of the state of the state (see Pad's wells have been comp add to a state of the state of th	mpletion in a new interval, a I ing reclamation, have been con d to the ety procedures nt of an pace in of an emergency bleted. <b>? 0 / 1 7</b>	Form 3160-4 must be filed once mpleted and the operator has		
testing has been completed. Final A determined that the site is ready for f Salado Draw Pad 19 Chevron USA Inc respectfully entrance of Salado Draw Pad Justification: The Chevron Co during well completions and ic emergency requiring evacuati which the evacuation can occ for the Completions Team and A certified surface plat is attact 14. I hereby certify that the foregoing is Com Name ( <i>Printed/Typed</i> ) LAURA B Signature (Electronic S Approved By onditions of approval, If any, are attache ertify that the applicant holds legal or equiric	d operations. If the operation re bandonment Notices must be fil final inspection. requests authorization to 19. oppletions team recently of dentified as a gap the lack ion, the single access road of will be reclaimed after the ched to this request. s true and correct. Electronic Submission # For CHEVRON mitted to AFMSS for proc ECERRA Submission) THIS SPACE FO	sults in a multiple completion or reco led only after all requirements, includ a add a 20' x 59.88' access roa completed a review of their saf ( of 2-access roads. In the event d restricts traffic and limits the allows for egress in the event of the Pad's wells have been comp allows for egress in the event of the Pad's wells have been comp allows for egress in the event of the Pad's wells have been comp allows for egress in the event of the Pad's wells have been comp allows for egress in the event of the Pad's wells have been comp allows for egress in the event of the Pad's wells have been comp allows for egress in the event of the Pad's wells have been comp allows for egress in the event of the Pad's wells have been comp allows for egress in the event of the Pad's wells have been comp allows for egress in the event of the Pad's wells have been comp allows for egress in the event of the Pad's wells have been comp allows for egress in the event of the Pad's wells have been comp allows for egress in the event of the Pad's wells have been comp allows for egress in the event of the Pad's wells have been comp allows for egress in the event of the Pad's wells have been comp allows for egress in the event of the Pad's wells have been comp allows for egress in the event of the Pad's wells have been comp allows for egress in the event of the Pad's wells have been comp allows for egress in the event of the Pad's wells have been comp allows for egress in the event of the Pad's wells have been comp allows for egress in the event of the Pad's wells have been comp allows for egress in the event of the Pad's wells have been comp allows for egress in the event of the Pad's wells have been comp allows for egress in the event of the Pad's wells have been comp allows for egress in the event of the Pad's wells have been comp allows for egress in the event of the Pad's wells have been comp allows for egress in the event of the Pad's wells have been comp allows for egress in the event of the Pad's wells have been comp allows for egr	mpletion in a new interval, a I ing reclamation, have been con d to the ety procedures nt of an pace in of an emergency oleted.	Form 3160-4 must be filed once mpleted and the operator has $\frac{1}{1} \int_{\partial M} \frac{\partial M}{\partial x} = \frac{1}{2} \int_{\partial M} \frac{\partial M}{\partial x} = 1$		
testing has been completed. Final A determined that the site is ready for f Salado Draw Pad 19 Chevron USA Inc respectfully entrance of Salado Draw Pad Justification: The Chevron Co during well completions and ic emergency requiring evacuati which the evacuation can occ for the Completions Team and A certified surface plat is attact 14. I hereby certify that the foregoing is Com Name ( <i>Printed/Typed</i> ) LAURA B Signature (Electronic is Approved By onditions of approval, If any, are attache ertify that the applicant holds legal or equilibrium	d operations. If the operation re bandonment Notices must be fil final inspection. requests authorization to 19. mpletions team recently of dentified as a gap the lack ion, the single access road of will be reclaimed after the ched to this request. s true and correct. Electronic Submission # For CHEVRON mitted to AFMSS for proc ECERRA Submission) THIS SPACE FO	sults in a multiple completion or reco led only after all requirements, includ a add a 20' x 59.88' access roa completed a review of their saft of 2-access roads. In the even d restricts traffic and limits the allows for egress in the event of the Pad's wells have been completed at restricts traffic and limits the allows for egress in the event of the Pad's wells have been completed usa INCORPORATED, sent to essing by JUANA MEDRANO or Title REGUL Date 10/01/20 CR FEDERAL OR STATE ( Title Medical Complete Completed a review of their saft office Completed a review of their saft of the review of their saft office Completed a review of the review of their saft of the review of the revi	mpletion in a new interval, a I ing reclamation, have been con d to the ety procedures nt of an pace in of an emergency oleted.	Form 3160-4 must be filed once mpleted and the operator has =)  1 /0 /2014		

## Revisions to Operator-Submitted EC Data for Sundry Notice #485864

5

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DISTURB NOI	DISTURB NOI
Lease:	NMNM118722	NMNM118722
Agreement:		
Operator:	CHEVRON USA INC 6301 DEAUVILLE BLVD MIDLAND, TX 79706 Ph: 432-687-7665	CHEVRON USA INCORPORATED 6301 DEAUVILLE BLVD MIDLAND, TX 79706 Ph: 432.687.7100 Fx: 432-687-7221
Admin Contact:	LAURA BECERRA REGULATORY SPECIALIST E-Mail: LBECERRA@CHEVRON.COM	LAURA BECERRA REGULATORY SPECIALIST E-Mail: LBECERRA@CHEVRON.COM
	Ph: 432-687-7655	Ph: 432-687-7655
Tech Contact:	LAURA BECERRA REGULATORY SPECIALIST E-Mail: LBECERRA@CHEVRON.COM	LAURA BECERRA REGULATORY SPECIALIST E-Mail: LBECERRA@CHEVRON.COM
	Ph: 432-687-7655	Ph: 432-687-7655
Location: State: County:	NM LEA	NM LEA
Field/Pool:	WC025G09S263327G;UP WOLFC	WC025G08S263205N-UP WOLFCAMP
Well/Facility:	SD 14 23 FED P19 15H Sec 14 T26S R32E Mer NMP NWNE 455FNL 1505FEL	SD 14 23 FED P19 15H Sec 14 T26S R32E NWNE 455FNL 1505FEL 32.049053 N Lat, 103.641853 W Lon



DISCLAIMER: At this time, C. H. Fenstermaker & Associates, L.L.C. has not performed nor was asked to perform any type of engineering, hydrological modeling, flood plain, or "No Rise" certification analyses, including but not limited to determining whether the project will impact flood hazards in connection with federal/FEMA, state, and/or local laws, ordinances and regulations. Accordingly, Fenstermaker makes no warranty or representation of any kind as to the foregoing issues, and persons or entities using this information shall do so at their own risk.

## NOTE:

Please be advised, that while reasonable efforts are made to locate and verify pipelines and anomalies using our standard pipeline locating equipment, it is impossible to be 100 % effective. As such, we advise using caution when performing work as there is a possibility that pipelines and other hazards, such as fiber optic cables, PVC pipelines, etc. may exist undetected on site.

## NOTE:

7

Many states maintain information centers that establish links between those who dig (excavators) and those who own and operate underground facilities (operators). It is advisable and in most states, law, for the contractor to contact the center for assistance in locating and marking underground utilities. For guidance, New Mexico One Call - www.nm811.org.

CENTERLINE PROPOSED ACCESS ROAD				
COURSE	BEARING	DISTANCE		
· 1	N 00° 22' 59" W	59.88'		

	FOR THE EXCLUSIVE USE OF CHEVRON U.S.A. INC. I, Robert L. Lastrapes, Professional					
	Surveyor, do hereby state this plat is true and correct to the best of my knowledge.			SURFA	CE USE PLAT	PAGE 2 OF 2
	23006 08/01/2019		PI	ROPOSE SALADC SECTION	DN U.S.A. INC. D ACCESS ROAD DRAW PAD 19 N 14, T26S-R32E TY, NEW MEXICO	
e		2			REVISIONS	
C. H. Fenstermaker & Associates, L.L.C. 135 Regency Sq. Lafayette, LA 70508 Ph 337-237-2300 Ext 337-332-3309	So Conal Stand		# BY:	DATE:	DESCRIPTION:	
www.fenstermaker.com	Robert L. Lastrapes	PROJ. MGR.: VHV DATE: 7/30/2019				
	Registration No. 23006		12176220	DWG\Salac	to Draw Pad 19 Access Road_SUP	dwg