

HOBBS OCD

DEC 13 2019

RECEIVED

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

NMOCD

Hobbs

FORM APPROVED
OMB No. 1004-0137
Expires: July 31, 2010

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

5. Lease Serial No.
NMNM110840

1a. Type of Well ☒ Oil Well ☐ Gas Well ☐ Dry ☐ Other
 b. Type of Completion ☒ New Well ☐ Work Over ☐ Deepen ☐ Plug Back ☐ Diff. Resvr.
 Other _____

6. If Indian, Allottee or Tribe Name

7. Unit or CA Agreement Name and No.

2. Name of Operator
EOG RESOURCES, INC
 Contact: KAY MADDOX
 E-Mail: KAY_MADDOX@EOGRESOURCES.COM

8. Lease Name and Well No.
PHILLY 31 FEDERAL COM 707H

3. Address PO BOX 2267
MIDLAND, TX 79702

3a. Phone No. (include area code)
Ph: 432-686-3658

9. API Well No.
30-025-44764

4. Location of Well (Report location clearly and in accordance with Federal requirements)*
 Sec 31 T26S R34E Mer NMP
 At surface SWNE 290FSL 1755FEL 32.001066 N Lat, 103.506045 W Lon
 Sec 31 T26S R34E Mer NMP
 At top prod interval reported below SENE 281FSL 1300FEL 32.001042 N Lat, 103.504577 W Lon
 Sec 30 T26S R34E Mer NMP
 At total depth NENE 111FNL 1225FEL 32.021366 N Lat, 103.504364 W Lon

10. Field and Pool, or Exploratory
SANDERS TANK; UP WOLFCAMP11. Sec., T., R., M., or Block and Survey
or Area Sec 31 T26S R34E Mer NMP12. County or Parish
LEA13. State
NM

14. Date Spudded
06/20/2019

15. Date T.D. Reached
07/05/2019

16. Date Completed
☐ D & A ☒ Ready to Prod.
09/09/2019

17. Elevations (DF, KB, RT, GL)*
3350 GL

18. Total Depth: MD 20330
TVD 12747

19. Plug Back T.D.: MD 20294
TVD 12747

20. Depth Bridge Plug Set: MD
TVD

21. Type Electric & Other Mechanical Logs Run (Submit copy of each)

22. Was well cored? ☒ No ☐ Yes (Submit analysis)
 Was DST run? ☒ No ☐ Yes (Submit analysis)
 Directional Survey? ☐ No ☒ Yes (Submit analysis)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
12.500	9.625 J55	40.0		987		510		0	
8.750	7.625 HCP-110	29.7		12061		1437		0	
6.750	5.500 ICYP110	20.0		20306		770		6350	

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)

25. Producing Intervals

26. Perforation Record

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) WOLFCAMP	12919	20294	12919 TO 20294	3.250	1440	OPEN
B)						
C)						
D)						

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
12919 TO 20294	18,448.190 LBS PROPPANT; 238.425 BBLs LOAD FLUID

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
09/09/2019	09/13/2019	24	→	3172.0	5670.0	12145.0	43.0		FLOW FROM WELL
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
64	SI	2479.0	→				1787	POW	ACCEPTED FOR RECORD

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
	SI		→						

(See Instructions and spaces for additional data on reverse side)

ELECTRONIC SUBMISSION #486496 VERIFIED BY THE BLM WELL INFORMATION SYSTEM

** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **

Reclamation due: 03/09/2020

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

29. Disposition of Gas(Sold, used for fuel, vented, etc.)
SOLD

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top Meas. Depth
RUSTLER	833		BARREN	RUSTLER	833
T/SALT	1463		BARREN	T/SALT	1463
B/SALT	5102		OIL & GAS	B/SALT	5102
BRUSHY CANYON	7991		OIL & GAS	BRUSHY CANYON	7991
1ST BONE SPRING SAND	10555		OIL & GAS	1ST BONE SPRING SAND	10555
2ND BONE SPRING SAND	11098		OIL & GAS	2ND BONE SPRING SAND	11098
3RD BONE SPRING SAND	12102		OIL & GAS	3RD BONE SPRING SAND	12102
WOLFCAMP	12545		OIL & GAS	WOLFCAMP	12545

32. Additional remarks (include plugging procedure):
PLEASE REFERENCE ATTACHMENTS

33. Circle enclosed attachments:

- | | | | |
|---|--------------------|---------------|-----------------------|
| 1. Electrical/Mechanical Logs (1 full set req'd.) | 2. Geologic Report | 3. DST Report | 4. Directional Survey |
| 5. Sundry Notice for plugging and cement verification | 6. Core Analysis | 7. Other: | |

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions):

Electronic Submission #486496 Verified by the BLM Well Information System.
For EOG RESOURCES, INC, sent to the Hobbs
Committed to AFMSS for processing by JENNIFER SANCHEZ on 11/18/2019 ()

Name (please print) KAY MADDOX

Title REGULATORY SPECIALIST

Signature (Electronic Submission)

Date 10/04/2019

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ****

225 N. French Dr., Hobbs, NM 88240
 Phone: (575) 393-6161 Fax: (575) 393-0720
 District II
 811 S. First St., Artesia, NM 88210
 Phone: (575) 748-1283 Fax: (575) 748-9720
 District III
 1000 Rio Brazos Road, Aztec, NM 87410
 Phone: (505) 334-6178 Fax: (505) 334-6170
 District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505
 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
 Energy, Minerals & Natural Resources
 Department
OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

FORM C-102
 Revised August 1, 2011
 Submit one copy to appropriate
 District Office
☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-44764	² Pool Code 98097	³ Well Name SANDERS TANK; UPPER WOLFCAMP
⁴ Property Code 321381	⁵ Property Name PHILLY 31 FED COM	
⁶ Well Number #707H	⁷ Elevation 3350'	
⁸ OGRID No. 7377	⁹ Operator Name EOG RESOURCES, INC.	


¹⁰Surface Location

UL or lot no.	Section	Township	Range	Lot Ids	Feet from the	North/South line	Feet from the	East/West line	County
G	31	26-S	34-E	-	290'	SOUTH	1755'	EAST	LEA

UL or lot no.	Section	Township	Range	Lot Ids	Feet from the	North/South line	Feet from the	East/West line	County
A	30	26-S	34-E	-	111'	NORTH	1225'	EAST	LEA

¹¹ Dedicated Acres 473.11	¹² Joint or Infill	¹³ Consolidation Code	¹⁴ Order No.
--	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



17 OPERATOR CERTIFICATION


I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or undivided mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a secondary pooling agreement or a compulsory pooling order heretofore entered by the division.

Kay Maddox 10/03/19
 Signature Date
KAY. MADDOX
 Printed Name
 E-mail Address

18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

09/26/2017
 Date of Survey
 Signature of Professional Surveyor
18329
 Certificate Number





EOG Resources - Midland

Lea County, NM (NAD 83 NME)

Philly 31 Fed Corn

#707H

OH

Design: OH

Midland PVA

07 July, 2019



Midland PVA

Company:	EOG Resources - Midland			Local Co-ordinate Reference:	Well #707H
Project:	Lea County, NM (NAD 83 NME)			TVD Reference:	KB @ 25' @ 3375.0usft
Site:	Philly 31 Fed Com.			N/D Reference:	KB @ 25' @ 3375.0usft
Well:	#707H			North Reference:	Grid
Wellbore:	OH			Survey Calculation Method:	Minimum Curvature
Design:	OH			Database:	EDM 5000.14

Project:	Lea County, NM (NAD 83 NME)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site:	Philly 31 Fed Com.				
Site Position:		Northing:	365,084.00 usft	Latitude:	32° 0' 3.819 N
From:	Map	Easting:	794,820.00 usft	Longitude:	103° 30' 58.229 W
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.43 °

Well:	#707H					
Well Position	+N-S	0.0 usft	Northing:	365,109.00 usft	Latitude:	32° 0' 3.843 N
	+E-W	0.0 usft	Easting:	797,788.00 usft	Longitude:	103° 30' 21.762 W
Position Uncertainty	0.0 usft		Wellhead Elevation:	usft	Ground Level:	3,350.0 usft

Wellbore:	OH				
Magnetics	Model Name	Sample Date	Declination	Dip Angle	Field Strength
	IGRF2015	9/19/2017	(°)	(°)	(nT)
			8.88	59.88	47,788.47327739

Design:	OH				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD)	+N-S	+E-W	Direction	
	(usft)	(usft)	(usft)	(°)	
	0.0	0.0	0.0	3.71	

Survey Program	Date 7/7/2019				
From	To	Survey (Wellbore)	Tool Name	Description	
(usft)	(usft)				
147.0	20,330.0	Learn MWD (OH)	MWD	OWSG MWD - Standard	



Midland PVA

Company: EOG Resources - Midland		Local Co-ordinate Reference:				Well #707H	
Project: Lea County, NM (NAD 83 NME)		TVD Reference:				KB = 25' @ 3375.0ush	
Site: Philly 31 Fed Com		MD Reference:				KB = 25' @ 3375.0ush	
Well: #707H		North Reference:				Grid	
Wellbore: OH		Survey Calculation Method:				Minimum Curvature	
Design: OH		Database:				EDM 5000.14	

MD (ush)	Inc (")	Adj (azimuth)	TVD (ush)	N/S (ush)	E/W (ush)	DLeg (°/100ush)	Bu0d (°/100ush)	Turn (°/100ush)	High to Plan (ush)	Right to Plan (ush)
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.0	0.0
147.0	0.40	207.80	147.0	-0.5	-0.2	0.27	0.27	0.00	-0.5	0.0
319.0	0.40	172.40	319.0	-1.6	-0.4	0.14	0.00	-20.84	-1.5	-0.6
493.0	0.50	145.10	493.0	-2.8	0.1	0.13	0.06	-15.89	-2.3	-1.5
582.0	0.60	147.80	582.0	-3.5	0.5	0.12	0.11	3.15	-3.3	-1.4
675.0	0.60	151.30	675.0	-4.4	1.0	0.04	0.00	3.66	-4.3	-1.2
769.0	0.60	138.00	769.0	-5.1	1.6	0.17	0.00	-16.28	-4.8	-2.4
863.0	0.50	182.50	863.0	-5.9	2.1	0.29	-0.11	28.18	-6.2	0.2
940.0	0.40	117.10	940.0	-6.3	2.4	0.47	-0.13	-38.98	-5.0	-4.5
1,039.0	0.70	145.80	1,039.0	-7.0	3.1	0.40	0.30	28.99	-7.5	-1.4
1,134.0	0.80	148.00	1,134.0	-8.0	3.8	0.11	0.11	0.21	-8.8	-1.4
1,228.0	2.60	110.50	1,227.9	-9.3	6.1	2.13	1.91	-37.77	-8.9	-6.6
1,322.0	4.50	105.80	1,321.7	-11.1	11.7	2.04	2.02	-4.89	-11.7	-7.1
1,416.0	6.70	107.00	1,415.3	-13.7	20.5	2.34	2.34	1.17	-15.5	-6.2
1,510.0	7.50	108.70	1,508.6	-17.2	31.5	0.88	0.85	1.81	-18.7	-4.9
1,603.0	7.50	108.70	1,600.8	-21.1	43.0	0.00	0.00	0.00	-21.2	-4.1
1,697.0	7.60	112.80	1,693.9	-25.5	54.6	0.58	0.11	4.38	-23.9	-2.0
1,790.0	7.60	113.20	1,788.1	-30.5	65.8	0.34	0.00	2.58	-26.6	-1.1
1,883.0	7.70	117.70	1,878.3	-36.0	78.9	0.37	0.11	2.69	-29.3	-0.4
1,977.0	7.70	118.40	1,971.5	-42.0	88.0	0.10	0.00	0.74	-32.2	-0.8
2,071.0	7.70	120.70	2,064.8	-48.2	98.9	0.33	0.00	2.45	-35.0	-0.6
2,164.0	8.10	122.30	2,158.7	-54.8	109.8	0.49	0.43	1.72	-38.3	-0.8
2,258.0	8.00	123.00	2,249.8	-61.8	120.9	0.15	-0.11	0.74	-41.8	-2.0
2,352.0	8.20	123.00	2,342.9	-69.2	132.0	0.21	0.21	0.00	-45.4	-3.7
2,445.0	8.50	123.00	2,434.9	-76.5	143.4	0.32	0.32	0.00	-49.3	-5.3
2,538.0	8.10	123.00	2,526.8	-84.3	155.3	0.85	0.65	0.00	-54.0	-6.9
2,632.0	9.20	122.80	2,618.8	-92.4	167.8	0.11	0.11	-0.21	-59.3	-8.8



Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #707H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 25' @ 3375.0usft
Site:	Philly 311 Fed Com	MD Reference:	KB = 25' @ 3375.0usft
Well:	#707H	North Reference:	Grid =
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM 5000.14

MD (usft)	Inc. (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLog (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
2,725.0	7.20	108.40	2,711.8	-88.3	178.8	3.07	-2.15	-15.48	-58.6	-24.2
2,819.0	6.40	102.90	2,805.0	-101.3	160.3	1.10	-0.85	-5.85	-57.5	-28.4
2,912.0	6.30	101.50	2,897.4	-103.5	200.4	0.20	-0.11	-1.51	-57.6	-28.0
3,006.0	7.10	101.40	2,990.8	-105.8	211.1	0.85	0.85	-0.11	-58.9	-28.0
3,100.0	7.20	100.70	3,084.0	-107.9	222.6	0.14	0.11	-0.74	-60.7	-24.7
3,193.0	7.70	98.20	3,176.2	-109.8	234.5	0.84	0.54	-2.69	-62.3	-25.0
3,287.0	7.70	106.60	3,269.4	-112.5	246.8	1.20	0.00	8.94	-68.1	-13.6
3,380.0	8.20	108.50	3,361.5	-118.2	259.1	0.54	0.54	-0.11	-71.3	-12.8
3,474.0	7.50	111.70	3,454.8	-120.4	271.2	1.06	-0.74	5.53	-75.1	-5.2
3,567.0	6.60	104.40	3,548.8	-124.0	282.0	1.36	-0.97	-7.85	-75.7	-13.8
3,660.0	4.80	109.40	3,639.5	-126.8	290.9	2.01	-1.94	5.38	-76.1	-6.2
3,753.0	4.20	111.20	3,732.2	-129.1	297.7	0.68	-0.65	1.54	-73.8	-3.3
3,847.0	4.50	101.00	3,825.9	-131.0	304.8	0.88	0.32	-10.85	-69.6	-14.8
3,940.0	6.80	94.70	3,918.4	-132.2	313.6	2.56	2.47	-6.77	-67.5	-19.6
4,034.0	7.70	93.30	4,011.7	-133.0	325.5	0.98	0.96	-1.49	-69.6	-18.0
4,128.0	7.80	94.20	4,102.9	-133.8	337.8	0.17	0.11	0.98	-73.2	-13.7
4,220.0	6.90	82.20	4,196.1	-134.5	349.8	1.00	-0.96	-2.13	-73.6	-12.9
4,314.0	6.20	105.90	4,289.5	-136.1	360.4	1.82	-0.74	14.57	-77.3	7.9
4,407.0	5.80	104.40	4,382.0	-138.7	369.8	0.46	-0.43	-1.81	-77.6	7.2
4,501.0	5.50	103.10	4,475.5	-140.9	378.7	0.35	-0.32	-1.38	-77.3	7.1
4,594.0	4.90	100.00	4,568.1	-142.6	387.0	0.71	-0.65	-3.33	-78.6	5.0
4,686.0	6.00	93.60	4,659.7	-143.5	395.7	1.36	1.20	-6.96	-76.3	-0.8
4,780.0	7.10	118.10	4,753.1	-146.4	405.8	2.65	1.17	23.94	-71.4	28.8
4,874.0	7.20	118.60	4,846.4	-151.8	416.2	0.39	0.11	2.88	-71.8	32.5
4,968.0	8.80	117.00	4,939.4	-158.0	427.8	1.83	1.81	-2.02	-78.2	28.4
5,061.0	8.60	117.90	5,031.2	-165.0	441.3	1.09	1.08	0.97	-81.3	28.9
5,155.0	7.30	120.70	5,124.1	-171.8	453.5	2.80	-2.77	2.98	-84.1	32.9



Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #707H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB ± 25' @ 3375.0usft
Site:	Philly 31 Fed Com	MD Reference:	KB ± 25' @ 3375.0usft
Well:	#707H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM 5000.14

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	D Leg (ft/100usft)	Build (ft/100usft)	Turn (ft/100usft)	High to Plan (usft)	Right to Plan (usft)
5,249.0	6.10	120.20	6,217.5	-177.4	463.0	1.28	-1.28	-0.53	-85.6	31.0
5,342.0	5.50	121.80	6,310.0	-182.2	471.1	0.67	-0.65	1.83	-84.5	32.2
5,438.0	5.00	119.30	5,403.8	-188.8	478.5	0.59	-0.53	-2.77	-84.6	27.1
5,530.0	4.90	120.50	5,497.3	-190.8	485.5	0.15	-0.11	1.28	-82.4	27.7
5,623.0	7.50	117.40	5,589.7	-185.4	494.3	2.82	2.80	-3.33	-84.1	22.3
5,717.0	4.50	116.70	5,683.2	-199.9	503.0	3.18	-3.19	-0.74	-84.4	20.7
5,810.0	4.50	117.90	5,775.9	-203.3	509.5	0.10	0.00	1.29	-81.6	21.7
5,904.0	4.10	116.10	5,869.6	-208.5	515.8	0.45	-0.43	-1.91	-79.4	18.6
5,997.0	3.70	114.40	5,952.4	-209.2	521.5	0.45	-0.43	-1.83	-78.8	18.0
6,080.0	3.30	119.10	6,055.2	-211.7	526.8	0.53	-0.43	5.05	-71.0	21.4
6,183.0	3.30	116.50	6,148.1	-214.2	531.3	0.16	0.00	-2.80	-67.5	17.5
6,277.0	2.80	116.30	6,242.0	-218.4	535.8	0.53	-0.53	-0.21	-62.8	16.8
6,371.0	1.90	104.90	6,335.9	-217.8	539.4	1.07	-0.98	-12.13	-58.9	5.1
6,464.0	1.70	106.60	6,428.8	-218.8	542.2	0.22	-0.22	1.83	-52.0	8.0
6,558.0	1.50	106.80	6,522.8	-219.4	544.7	0.21	-0.21	0.21	-44.8	9.3
6,652.0	1.20	104.50	6,618.8	-220.0	546.8	0.32	-0.32	-2.45	-37.7	9.0
6,744.0	1.30	103.60	6,708.8	-220.5	548.8	0.11	0.11	-0.98	-30.3	10.0
6,838.0	1.30	88.70	6,802.7	-220.7	550.9	0.38	0.00	-15.85	-25.0	5.7
6,931.0	1.10	88.00	6,895.7	-220.7	552.8	0.22	-0.22	-0.75	-18.4	9.8
7,025.0	1.10	88.00	6,989.7	-220.6	554.8	0.00	0.00	0.00	-13.4	12.7
7,118.0	1.10	75.90	7,082.7	-220.3	558.4	0.25	0.00	-13.01	-14.0	12.0
7,211.0	1.10	83.80	7,175.7	-220.0	558.1	0.16	0.00	8.49	-12.8	14.7
7,309.0	0.40	78.40	7,263.8	-219.7	560.8	0.37	-0.37	-2.34	-16.3	13.5
7,508.0	0.40	117.00	7,550.6	-218.9	561.8	0.14	0.00	20.11	-5.9	21.1
7,773.0	0.50	118.60	7,737.8	-220.8	563.1	0.05	0.05	0.88	-6.8	21.2
7,866.0	0.40	129.30	7,830.6	-221.0	563.7	0.14	-0.11	11.51	-3.4	22.2
7,859.0	0.20	151.20	7,923.6	-221.3	564.0	0.24	-0.22	23.68	4.7	22.0



Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #707H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 25' @ 3375.0usft
Site:	Philly 31 Fed Cam	MD Reference:	KB = 25' @ 3375.0usft
Well:	#707H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM 5000.14

MD (usft)	Inc. (°)	Act (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
8,053.0	0.80	178.80	8,017.6	-222.0	564.1	0.46	0.43	29.36	13.7	17.4
8,142.0	0.80	166.00	8,106.6	-223.0	564.3	0.28	0.22	-14.49	8.4	19.9
8,235.0	0.80	175.70	8,199.6	-224.4	564.5	0.19	0.11	10.43	10.3	18.3
8,328.0	1.00	180.30	8,292.6	-225.8	564.4	0.28	0.11	15.70	13.0	15.3
8,422.0	1.20	172.60	8,386.6	-227.7	564.4	0.42	0.21	-18.83	6.0	18.3
8,515.0	1.10	180.10	8,479.6	-229.8	564.5	0.19	-0.11	8.06	6.5	17.5
8,608.0	1.00	178.20	8,572.5	-231.3	564.5	0.11	-0.11	-2.04	4.2	17.7
8,702.0	1.30	180.50	8,666.5	-233.2	564.5	0.32	0.32	2.45	3.0	17.5
8,795.0	1.10	187.50	8,759.5	-235.1	564.4	0.27	-0.22	7.53	3.2	17.2
8,889.0	1.30	180.00	8,853.5	-237.0	564.1	0.22	0.21	2.68	2.0	17.0
8,982.0	1.40	187.00	8,946.5	-239.2	563.8	0.13	0.11	-3.23	-1.1	17.1
9,075.0	1.40	185.60	9,039.4	-241.4	563.4	0.23	0.00	9.25	-0.8	17.2
9,169.0	1.40	188.20	9,133.4	-243.8	562.7	0.07	0.00	2.77	-2.3	17.3
9,262.0	1.40	204.00	9,228.4	-245.7	561.9	0.15	0.00	6.24	-2.9	17.5
9,356.0	1.70	185.80	9,320.3	-248.1	561.0	0.40	0.32	-8.72	-7.9	16.8
9,449.0	1.80	196.60	9,413.3	-250.7	560.3	0.11	-0.11	0.88	-10.3	16.9
9,542.0	1.50	199.30	9,506.3	-253.1	559.5	0.13	-0.11	2.80	-12.0	17.4
9,636.0	1.30	192.80	9,600.2	-255.3	558.9	0.27	-0.21	-6.91	-18.2	15.8
9,730.0	1.20	181.00	9,694.2	-257.3	558.4	0.11	-0.11	-1.91	-18.7	15.3
9,824.0	0.60	221.80	9,788.2	-258.6	557.9	0.80	-0.64	32.77	-9.8	23.2
9,918.0	0.50	326.00	9,882.2	-258.7	557.4	0.93	-0.11	110.85	24.6	4.1
10,011.0	0.70	339.60	9,975.2	-257.8	556.9	0.26	0.22	14.95	23.9	-1.8
10,105.0	0.70	338.30	10,069.2	-256.7	556.5	0.02	0.00	-1.70	22.8	-1.2
10,200.0	0.60	317.00	10,164.2	-255.8	556.0	0.27	-0.11	-22.42	20.8	7.0
10,293.0	1.60	282.40	10,257.2	-255.2	554.4	1.24	1.08	-37.20	11.3	17.2
10,387.0	2.10	278.00	10,351.1	-254.7	551.4	0.55	0.53	-4.68	6.9	17.9
10,481.0	2.80	259.40	10,443.0	-254.9	547.3	1.20	0.85	-19.79	-3.1	18.6



Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:				Well #707H				
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:				KB = 25' @ 3375.0usft				
Site:	Philly 31 Fed Com	MD Reference:				KB = 25' @ 3375.0usft				
Well:	#707H	North Reference:				Grid				
Wellbore:	OH	Survey Calculation Method:				Minimum Curvature				
Design:	OH	Database:				EDM 5000.14				
Survey										
MD (usft)	Incl (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	D Leg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
10,574.0	3.40	245.70	10,537.8	-256.4	542.5	0.97	0.54	-14.73	-12.5	16.8
10,668.0	2.80	234.80	10,631.7	-258.9	538.1	0.89	-0.64	-11.60	-20.5	13.6
10,781.0	2.80	239.00	10,724.6	-261.4	534.3	0.22	0.00	4.52	-23.9	15.2
10,855.0	3.60	240.90	10,818.5	-264.0	529.8	0.66	0.65	2.02	-28.7	16.1
10,948.0	5.30	252.40	10,911.2	-268.7	523.1	2.06	1.83	12.37	-32.0	22.1
11,041.0	5.30	255.20	11,003.8	-269.1	514.9	0.28	0.00	3.01	-39.5	23.9
11,135.0	4.30	252.90	11,097.5	-271.3	507.3	1.08	-1.06	-2.45	-48.3	22.1
11,229.0	4.20	256.60	11,191.2	-273.1	500.6	0.31	-0.11	3.84	-53.7	25.4
11,322.0	3.60	255.20	11,284.0	-274.6	494.4	0.85	-0.65	-1.51	-60.7	24.0
11,416.0	5.00	257.10	11,377.7	-276.3	487.6	1.50	1.49	2.02	-66.9	26.1
11,510.0	5.50	255.20	11,471.3	-278.4	479.2	0.56	0.53	-2.02	-76.3	23.7
11,604.0	5.30	264.10	11,564.9	-280.0	470.6	0.92	-0.21	9.47	-80.5	36.0
11,697.0	5.20	275.20	11,657.5	-280.0	462.1	1.10	-0.11	11.94	-80.5	51.7
11,791.0	5.00	264.50	11,751.2	-280.0	453.8	1.03	-0.21	-11.38	-97.0	33.0
11,885.0	5.80	264.80	11,844.8	-280.8	445.0	0.85	0.85	0.32	-105.6	35.6
11,978.0	5.80	259.70	11,937.3	-282.1	435.7	0.55	0.00	-5.48	-117.8	25.6
12,018.0	5.40	252.40	11,977.1	-283.0	431.9	2.04	-1.00	-18.25	-123.8	10.1
12,120.0	2.30	317.20	12,078.9	-283.0	425.9	4.78	-3.04	63.53	-47.8	120.8
12,213.0	1.20	357.10	12,171.8	-280.6	424.6	1.70	-1.18	42.50	38.4	124.5
12,307.0	1.10	340.60	12,265.8	-278.8	424.3	0.37	-0.11	-17.55	0.3	130.2
12,400.0	3.60	351.30	12,358.7	-275.1	423.5	2.72	2.69	11.61	33.3	130.1
12,494.0	9.20	12.20	12,452.1	-264.3	424.8	6.58	6.60	22.23	94.4	105.5
12,587.0	25.80	7.70	12,540.3	-238.4	429.2	17.26	17.20	-4.84	101.3	106.1
12,648.0	31.00	6.60	12,594.0	-207.6	432.8	8.57	8.52	-1.80	105.9	104.0
12,680.0	34.60	9.60	12,620.9	-190.4	435.2	12.34	11.25	9.37	113.7	98.6
12,774.0	47.20	9.10	12,691.8	-129.8	445.2	13.41	13.40	-0.53	119.3	88.0
12,815.0	53.50	6.40	12,717.9	-98.6	449.4	16.18	15.37	-8.59	117.3	88.1



Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #707H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 25' @ 3375.0usft
Site:	Philby 31 Fed Com:	MD Reference:	KB = 25' @ 3375.0usft
Well:	#707H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM 5000.14

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	OLeg ("/100usft)	Build ("/100usft)	Turn ("/100usft)	High to Plan (usft)	Right to Plan (usft)
12,887.0	63.20	4.20	12,745.2	-54.5	453.4	19.00	18.65	-4.23	113.4	87.5
12,907.0	72.70	1.30	12,760.2	-17.6	455.2	24.68	23.75	-7.25	108.1	89.2
12,928.0	78.20	359.60	12,765.5	2.8	455.3	27.34	26.19	-8.10	100.6	90.7
12,980.0	87.00	358.20	12,769.6	34.5	454.7	27.84	27.50	-4.37	90.4	92.8
13,054.0	88.50	357.50	12,773.3	128.3	451.2	1.78	1.60	-0.74	88.9	93.3
13,148.0	92.00	0.50	12,772.8	222.3	449.6	4.80	3.72	3.19	58.1	93.4
13,242.0	93.30	0.80	12,768.5	316.2	450.6	1.42	1.38	0.32	53.2	91.5
13,336.0	90.90	4.90	12,765.1	410.0	455.3	5.05	-2.55	4.36	49.8	85.9
13,430.0	91.70	8.00	12,762.9	503.3	465.8	3.41	0.85	3.30	47.6	74.5
13,524.0	91.50	8.00	12,760.3	598.4	478.9	0.21	-0.21	0.00	44.8	60.5
13,617.0	92.50	8.50	12,757.1	688.4	492.3	1.20	1.08	0.54	41.3	48.4
13,710.0	90.60	8.70	12,754.5	780.3	506.2	2.05	-2.04	0.22	38.7	31.6
13,804.0	90.30	4.50	12,753.8	873.6	517.0	4.48	-0.32	-4.47	37.6	20.1
13,897.0	89.50	3.30	12,754.0	966.4	523.3	1.55	-0.86	-1.29	37.6	13.0
13,991.0	89.90	2.70	12,754.5	1,060.3	528.2	0.77	0.43	-0.64	37.9	7.2
14,085.0	88.90	2.00	12,755.4	1,154.2	532.1	1.30	-1.06	-0.74	38.7	2.5
14,179.0	88.20	2.40	12,757.0	1,248.1	535.7	0.53	0.32	0.43	40.1	-1.9
14,273.0	88.80	2.00	12,758.6	1,342.0	539.3	0.60	-0.43	-0.43	41.5	-6.3
14,367.0	91.50	1.20	12,758.4	1,438.0	541.9	3.00	2.87	-0.85	41.1	-9.8
14,459.0	90.70	359.20	12,756.6	1,528.0	542.2	2.34	-0.87	-2.17	39.2	-10.9
14,553.0	87.20	357.80	12,758.3	1,621.9	539.8	4.01	-3.72	-1.49	40.7	-9.3
14,647.0	90.40	358.50	12,760.3	1,716.8	536.7	3.48	3.40	0.74	42.5	-7.1
14,740.0	90.80	358.90	12,759.3	1,808.8	534.8	0.61	0.43	0.43	41.4	-5.6
14,833.0	91.50	359.60	12,757.5	1,901.8	533.4	1.08	0.75	0.75	39.3	-5.5
14,926.0	89.70	357.70	12,756.5	1,994.7	531.2	2.81	-1.94	-2.04	38.2	-4.1
15,020.0	90.10	357.80	12,756.7	2,089.6	527.5	0.44	0.43	0.11	38.1	-1.2
15,114.0	90.00	357.10	12,756.8	2,182.6	523.3	0.75	-0.11	-0.74	37.9	2.1



Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #707H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 25' @ 3375.0usft
Site:	Philly 31 Fed Com	MD Reference:	KB = 25' @ 3375.0usft
Well:	#707H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM 5000.14

Survey											
MD (usft)	Inc (°)	Adj (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)	
15,207.0	89.60	357.30	12,756.8	2,275.4	518.8	0.48	-0.43	0.22	38.0		5.8
15,300.0	91.20	358.90	12,756.3	2,368.4	515.7	2.43	1.72	1.72	37.2		8.1
15,394.0	89.90	1.20	12,755.4	2,462.4	515.8	2.81	-1.38	2.45	36.0		7.1
15,488.0	90.70	1.20	12,754.9	2,556.3	517.8	0.85	0.85	0.00	35.2		4.3
15,581.0	88.50	2.80	12,755.5	2,649.3	520.8	2.80	-2.37	1.51	35.6		0.4
15,674.0	89.10	4.00	12,757.5	2,742.1	528.2	1.64	0.65	1.51	37.3		-5.7
15,767.0	91.00	0.10	12,757.4	2,835.0	529.5	4.68	2.04	-4.19	36.9		-9.9
15,861.0	91.70	1.00	12,755.2	2,928.0	530.4	1.21	0.74	0.98	34.5		-11.8
15,955.0	89.20	358.90	12,754.4	3,023.0	530.3	3.47	-2.66	-2.23	33.4		-12.4
16,049.0	90.90	359.50	12,754.3	3,117.0	529.4	2.10	1.81	1.06	33.1		-12.3
16,143.0	90.00	359.80	12,753.6	3,211.0	529.1	0.68	-0.88	-0.11	32.1		-12.8
16,237.0	91.90	0.50	12,752.0	3,304.9	529.4	2.15	2.02	0.74	30.3		-13.9
16,330.0	88.90	358.80	12,751.4	3,397.9	528.5	3.88	-3.23	-2.15	29.3		-13.9
16,424.0	88.40	359.20	12,752.8	3,491.9	526.7	0.92	0.53	0.74	30.5		-12.9
16,518.0	90.10	359.40	12,753.2	3,585.9	525.5	0.77	0.74	0.21	30.6		-12.6
16,611.0	92.40	0.60	12,751.2	3,678.9	525.5	2.79	2.47	1.29	28.3		-13.4
16,704.0	92.20	358.70	12,747.4	3,771.8	524.9	2.05	-0.22	-2.04	24.3		-13.7
16,797.0	92.30	359.20	12,743.6	3,864.7	523.2	0.55	0.11	0.54	20.4		-12.8
16,890.0	91.30	358.80	12,740.9	3,957.6	520.0	2.79	-1.08	-2.58	17.2		-10.4
16,984.0	87.90	358.80	12,741.5	4,051.4	514.7	3.62	-3.62	0.00	17.6		-8.0
17,077.0	90.00	357.10	12,743.2	4,144.3	509.8	2.28	2.28	0.32	19.1		-1.8
17,171.0	88.10	358.00	12,744.6	4,238.2	505.8	2.24	-2.02	0.88	20.4		1.3
17,265.0	93.00	358.80	12,743.9	4,332.1	503.2	5.30	5.21	0.96	19.3		3.0
17,358.0	90.10	358.80	12,741.4	4,425.0	501.5	3.12	-3.12	0.00	16.6		-4.0
17,452.0	91.10	359.60	12,740.4	4,519.0	500.2	1.30	1.06	0.74	15.4		-4.4
17,546.0	91.30	359.10	12,738.4	4,613.0	499.2	0.57	0.21	-0.53	13.3		4.6
17,640.0	88.60	358.70	12,738.5	4,707.0	497.4	2.90	-2.87	-0.43	13.1		5.6



Midland PVA

Company:	EGG Resources - Midland	Local Co-ordinate Reference:	Well #707H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 25' @ 3375.0usd
Site:	Philly 31 Fed Com	MD Reference:	KB = 25' @ 3375.0usd
Well:	#707H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM 5000.14

Survey										
MD (usd)	Inc (")	Asl (azimuth) (")	TVD (usd)	N/S (usd)	E/W (usd)	DLeg (ft100usd)	Budd (ft100usd)	Turn (ft100usd)	High to Plan (usd)	Right to Plan (usd)
17,734.0	88.60	359.50	12,742.4	4,800.8	495.1	2.14	-2.13	-0.21	16.9	7.0
17,827.0	86.90	359.20	12,747.7	4,893.7	493.2	0.82	0.32	0.75	21.9	8.1
17,920.0	91.20	1.20	12,748.3	4,988.8	493.5	5.10	4.62	2.15	23.3	8.9
18,014.0	89.20	359.90	12,748.9	5,080.8	494.4	2.54	-2.13	-1.38	22.8	5.2
18,108.0	89.30	0.10	12,750.2	5,174.8	494.4	0.24	0.11	0.21	23.8	4.3
18,202.0	91.30	1.50	12,749.7	5,268.8	495.7	2.60	2.13	1.49	23.1	2.2
18,295.0	90.30	1.00	12,748.4	5,361.8	497.8	1.20	-1.08	-0.54	21.6	-0.7
18,389.0	80.70	2.00	12,747.5	5,455.5	500.2	1.15	0.43	1.06	20.6	-4.0
18,482.0	88.60	0.60	12,747.9	5,548.5	502.3	2.45	-1.94	-1.51	20.7	-8.9
18,576.0	91.30	1.90	12,747.7	5,642.5	504.4	2.90	2.55	1.38	20.3	-9.8
18,670.0	90.10	1.80	12,746.6	5,736.4	507.5	1.28	-1.28	0.00	19.0	-13.8
18,763.0	91.50	3.50	12,745.3	5,829.3	511.9	2.29	1.51	1.72	17.5	-18.9
18,857.0	92.20	7.00	12,742.2	5,922.8	520.5	3.80	0.74	3.72	14.5	-28.3
18,951.0	93.80	5.40	12,737.3	6,016.1	530.8	2.41	1.70	-1.70	9.4	-39.3
19,044.0	93.10	5.20	12,731.7	6,108.6	539.2	0.78	-0.75	-0.22	3.8	-48.7
19,137.0	94.70	5.70	12,725.4	6,200.9	548.0	1.80	1.72	0.54	-2.7	-58.4
19,231.0	88.80	6.40	12,722.5	6,294.3	557.9	6.32	-6.28	0.74	-8.5	-69.1
19,340.0	88.60	357.80	12,726.9	6,403.1	561.9	6.14	-2.02	-7.89	-2.0	-74.1
19,418.0	87.00	355.20	12,731.2	6,480.8	557.1	3.37	0.51	-3.33	2.3	-70.0
19,511.0	87.90	355.20	12,735.4	6,573.4	549.4	0.97	0.97	0.00	6.1	-63.1
19,605.0	89.30	355.40	12,737.7	6,667.0	541.7	1.50	1.49	0.21	7.9	-56.2
19,698.0	88.00	356.20	12,738.9	6,759.7	534.9	1.64	-1.40	0.66	9.9	-50.2
19,792.0	88.30	352.70	12,744.5	6,853.2	525.8	4.14	-1.81	-3.72	14.5	-41.9
19,885.0	87.30	353.10	12,749.7	6,945.3	514.3	1.16	1.08	0.43	19.3	-31.2
19,979.0	89.90	353.60	12,752.0	7,038.6	503.4	2.82	2.77	0.53	21.2	-21.2
20,073.0	92.70	353.80	12,749.9	7,132.0	493.0	2.88	2.98	0.00	16.7	-11.8
20,166.0	90.00	355.50	12,747.7	7,224.6	484.1	3.55	-2.60	2.04	16.2	-3.6



Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #707H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 25' @ 3375.0usft
Sha:	Philly 31 Fed Com:	MD Reference:	KB = 25' @ 3375.0usft
Well:	#707H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM 5000.14

MD (usft)	Inc. (°)	Adj (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	D Leg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
20,260.0	90.00	352.60	12,747.7	7,318.1	474.4	3.09	0.00	-3.09	15.9	5.2
20,278.0	90.00	351.90	12,747.7	7,335.9	472.0	3.89	0.00	-3.89	15.9	7.5
20,330.0	90.00	351.90	12,747.7	7,387.4	484.8	0.00	0.00	0.00	15.8	14.3

Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates N/S (usft)	E/W (usft)	Comment
12,325.0	12,283.8	-278.4	424.1	KOP, MD:12325.0', TVD:12283.8', N/S:-278.4', E/W:424.1', INC:1.58
12,888.4	12,626.1	-188.8	435.8	FTP Crossing, MD:12688.4', TVD:12626.1', N/S:-188.8', E/W:435.8', INC:35.48
20,278.0	12,747.7	7,335.9	472.0	Last MWD Survey (MD=20278.0')
20,330.0	12,747.7	7,387.4	484.8	Projection to BH (MD=20330.0')

Checked By: _____	Approved By: _____	Date: _____
-------------------	--------------------	-------------



Lea County, NM (NAD 83 NME)

Philly 31 Fed Com #707H

Plan #1

PROJECT DETAILS: Lea County, NM (NAD 83 NME)

Geodetic System: US State Plane 1983
Datum: North American Datum 1983
Ellipsoid: GRS 1980
Zone: New Mexico Eastern Zone
System Origin: Mean Sea Level

WELL DETAILS: #707H

KB = 25' @ 3375.0' L
No-thing 336109.00 Easting 767788.00 Latitud 32° 0' 3.843 N 132° 32' 21.742 W



Admutha to Grid North
True North: 0.44°
Magnetic North: 8.44°
Magnetic Field
Strength: 4778.5 nT
Dip Angle: 53.56°
Date: 8/19/2017
Model: IGRF 2015

To convert a Magnetic Direction to a Grid Direction, Add 8.44°
To convert a Magnetic Direction to a True Direction, Add 0.44° East
To convert a True Direction to a Grid Direction, Subtract 0.44°

SECTION DETAILS

Soc	MD	Inc	Azi	TVD	+N/S	+E/W	Dleg	TFace	VSecl	Target
1	0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.0	
2	1200.0	0.00	0.00	1200.0	0.0	0.0	0.00	0.00	0.0	
3	1499.8	8.00	113.34	1499.3	-0.2	14.4	2.00	113.34	-5.3	
4	6902.9	8.00	113.34	6972.7	-229.8	532.8	0.00	-0.00	-184.9	
5	7202.7	0.00	0.00	7172.0	-238.0	547.0	2.00	180.00	-200.1	
6	12268.2	0.00	0.00	12237.5	-238.0	547.0	0.00	0.00	-200.1	
7	13017.2	89.89	359.49	12718.0	240.5	542.8	12.00	359.49	275.1	
8	15107.8	89.89	359.49	12718.0	2331.0	524.1	0.00	0.00	2360.0	TGT#1(Philly 31 Fed Com #707H)
9	15110.5	89.84	359.49	12719.0	2333.7	524.1	2.00	180.00	2362.7	
10	16852.5	89.84	359.49	12724.0	4075.6	568.8	0.00	0.00	4100.0	TGT#2(Philly 31 Fed Com #707H)
11	18854.5	89.85	359.49	12724.0	4077.7	508.5	2.00	0.00	4102.0	
12	19178.9	89.88	359.49	12729.0	6401.9	487.8	0.00	0.00	6420.0	TGT#3(Philly 31 Fed Com #707H)
13	19181.4	89.83	359.49	12729.0	6404.4	487.8	2.00	180.00	6422.6	
14	20187.0	89.83	359.49	12732.0	7300.0	479.0	0.00	0.00	7405.5	PBHL(Philly 31 Fed Com #707H)

CASING DETAILS

No casing data is available

WELLBORE TARGET DETAILS (MAP CO-ORDINATES)

Name	TVD	AN-S	+E/W	Northings	Eastings
Brucy Top(Philly 31 Fed Com #707H)	7891.0	224.0	847.0	384373.00	718333.00
PTP(Philly 31 Fed Com #707H)	12715.0	-184.0	847.0	384523.00	718333.00
TGT#1(Philly 31 Fed Com #707H)	12718.0	2331.0	524.1	387468.00	718111.11
TGT#2(Philly 31 Fed Com #707H)	12724.0	4075.6	568.8	39184.83	718298.88
TGT#3(Philly 31 Fed Com #707H)	12729.0	6401.9	487.8	39184.83	718298.88
PBHL(Philly 31 Fed Com #707H)	12732.0	7300.0	479.0	392429.00	718297.00

