Submit 1 Copy To Appropriate District Office	State of New Mexico		Form C-103 Revised August 1, 2011			
<u>District I</u> – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240	Energy, winicials and ival	Energy, Minerals and Natural Resources OIL CONSERVATION DIVISION 1220 South St. Francis Dr.		WELL API NO.		
<u>District II</u> - (575) 748-1283 811 S. First St., Artesia, NM 88210	OIL CONSERVATIO			30-025-30274 5. Indicate Type of Lease		
<u>District III</u> - (505) 334-6178	1220 South St. Fra			_		
1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> - (505) 476-3460	Santa Fe, NM 8	7505	STATE 6. State Oil & Gas			
1220 S. St. Francis Dr., Santa Fe, NM 87505		,				
	TICES AND REPORTS ON WELL	S	7. Lease Name or U	Jnit Agreement Name		
	POSALS TO DRILL OR TO DEEPEN OR PI PLICATION FOR PERMIT" (FORM C-101) F		WEST DOLLAI UNIT	RHIDE QUEEN SAND		
1. Type of Well: Oil Well	Gas Well Other INJECTOR	BBS OCD	8. Well Number	150		
	HOF	3B2 0 -	1	150		
2. Name of Operator RAM ENERGY LLC	<u> </u>	N 21 2020	9. OGRID Number	309777		
3. Address of Operator			10. Pool name or W			
2100 S. UTIČA AVE., SUIT	E 175, TULSA, OK 74114	ECEIVED	DOLLARHIDI	E QUEEN (018810)		
4. Well Location	R	FOF				
Unit Letter H_:	100feet from theEAST	line and147		NORTHline		
Section 05	Township 25S	Range 38E	NMPM	LEA County		
	11. Elevation (Show whether DR 3155' GR	R, RKB, RT, GR, etc.,)			
	3133 GR			<u></u>		
12. Check	Appropriate Box to Indicate N	Nature of Notice.	Report or Other D	ata		
			-			
	INTENTION TO: 18		SEQUENT REPO			
PERFORM REMEDIAL WORK [TEMPORARILY ABANDON [☐ PLUG AND ABANDON 🔯 ☐ CHANGE PLANS ☐	REMEDIAL WOR		LTERING CASING ☐ AND A ☐		
	MULTIPLE COMPL	CASING/CEMENT	-			
DOWNHOLE COMMINGLE						
OTHER:	П	OTHER:		п		
	npleted operations. (Clearly state all		d give pertinent dates,	including estimated date		
of starting any proposed	work). SEE RULE 19.15.7.14 NMA					
proposed completion or r	ecompletion.					
1. NOTIFY NMOCD 24 HI	RS REFORE MIRII					
2. MIRU. ND WH, NU BO						
3. TAGGED CIBP@3570'	AND SPOT 25SX OF CLASS "C" C	EMENT FROM 35	70'-3250'. (PERFS)			
4. CIRCULATE 9.5 PPG M		WOORTAC GLAT	CO/D CALT)			
	"C" CEMENT FROM 2830'-2580'. "C" CEMENT FROM 1328'-1128'.	•	•			
	"C" CEMENT FROM 459'-SURFA			FW/SHOE/SURFACE).		
	ANCHORS 3' BELOW SURFACE	AND INSTALL DR	YHOLE MARKER. T	URN OVER FOR		
RECLAMATION.						
CLOSED LOOP CONTA	AINMENT SYSTEM WILL BE USE	D FOR FLUIDS.				
<u>, </u>				,		
Spud Date:	Rig Release D	ate:				
]		
I hereby certify that the information above is true and complete to the best of my knowledge and belief.						
11 1 10 10						
SIGNATURE	TITLE O	PERATIONS MANA	AGER DATE 01	1/15/20		
Type or print name MATTHEW PATTERSON E-mail address: MPATTERSON@RAMENERGY.NET PHONE: (918)947-6301						
For State Use Only						
APPROVED BY: Kluy fut title (/ H DATE [-21-20]						
Conditions of Approval (if any):						

WELLBORE DIAGRAM WEST DOLLARHIDE QUEEN SAND UNIT #150 CURRENT

Created: Updated: Lease: Field: Surf. Loc.:	01/15/20 By: LEE R. By: WEST DOOLARHIDE QUEEN SAND UNIT QUEEN 100' FEL & 1470' FNL		Well #: API Unit Ltr.: TSHP/Rng: Pool Code:	150 H	30-025-30274 Sec. 5 25S-T38E OGRID: 309777		
Bot. Loc.: County: Status:	LEA	St.:	NM	Directions:			303777
Surface Cas	sing						

	פיייי	######################################	2222222222222
Size: Wt., Grd.: Depth: Sxs Cmt: Circulate: TOC: Hole Size:	8-5/8" 24# 409" 250 yes surface 12-1/4"		
FORMATION	TOPS		

FORMATION TOPS			
T.Salt	1228' EST.		
B. Salt	2780' EST.		

Intermediate Casino

milerineciale Casing			
Size:	5-1/2"		
Wt., Grd.:	15.5		
Depth:	3989		
Sxs Cmt:	800		
Circulate:	YES		
TOC:	SURFACE		
Hole Size:	7-7/8"		

CIBP@3570'

Queen: 3621'-3774'(OA)

WELLBORE DIAGRAM WEST DOLLARHIDE QUEEN SAND UNIT #150 PROPOSED

Created: Updated: Lease: Field: Surf. Loc.: Bot. Loc.: County: Status:	QU	By: LEE R. By: E QUEEN SAND UNIT EEN \$ 1470' FNL St.: NM	Well #: API Unit Ltr. TSHP/F Pool Co	Rng:	30-025-30274 Sec. 25S-T38E OGRID:	5
Surface Cas Size: Wt., Grd.: Depth: Sxs Cmt: Circulate: TOC: Hole Size:	8-5/8" 24# 409' 250 yes surface 12-1/4"	MLF		M	OF CMT FROM 4 /SHOE/SURFAC	
	TOPS 1228' EST. 2780' EST.	MLF MLF		WOC&TAG. SPOT 30SX WOC&TAG.	OF CMT FROM (YATES/B.SAI	/ 2830'-2580'. LT)
Intermediate Size: Wt., Grd.: Depth: Sxs Cmt: Circulate: TOC: Hole Size:	Casing 5-1/2" 15.5 3989' 800 YES SURFACE 7-7/8"			FROM 3570	:3970 AND SPC <u>-3250'.(PERFS</u> :1'-3774'(OA)	OT 25SX ON TOP