

District I

1625 N. French Dr., Hobbs, NM 88240

District II 811 S. First St., Artesia, NM 88210

District III 1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division

1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104

Revised August 1, 2011

Submit one copy to appropriate District Office

AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address EOG RESOURCES INC PO BOX 2267 MIDLAND, TX 79702		² OGRID Number 7377
		³ Reason for Filing Code/ Effective Date 01/29/2020
⁴ API Number 30 - 025-44752	⁵ Pool Name SANDERS TANK; UPPER WOLFCAMP	⁶ Pool Code 98097
⁷ Property Code 321383	PEACHTREE 24 FEDERAL COM	⁹ Well Number 706H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/SouthLine	Feet from the	East/West line	County
N	24	26S	33E		268	SOUTH	2286	WEST	LEA

¹¹ Bottom Hole Location

UL or lot no	Section	Township	Range	Lot Idn	Feet from the	North/Southline	Feet from the	East/West line	County
C	13	26S	33E		112	NORTH	2405	WEST	LEA
¹² Lse Code S	¹³ Producing Method Code FLOWING		¹⁴ Gas Connection Date		¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date		

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
372812	EOGRM	OIL
151618	ENTERPRISE FIELD SERVICES	GAS
298751	REGENCY FIELD SERVICES, LLC	GAS
36785	DCP MIDSTREAM	GAS

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBTD	²⁵ Perforations	²⁶ DHC, MC
04/25/2019	01/29/2020	22,805'	22,815'	12,850-20,815'	
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement	
12 1/4"	9 5/8"	962'		515 SXS CL C/CIRC	
8 3/4"	7 5/8"	11,693'		1483 SXS CL C&H/TOC 40' ECHO	
6 3/4"	5 1/2"	22,790'		860 SXS CL H/12,314' CBL	

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas	⁴¹ Test Method	

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Kay Maddox</i>	OIL CONSERVATION DIVISION Approved by: <i>P. Martin</i>
Printed name: Kay Maddox	Title: <i>L.M.</i>
Title: Senior Regulatory Specialist	Approval Date: <i>3/4/2020</i>
E-mail Address: Kay_Maddox@eogresources.com	
Date: 02/13/2020 Phone: 432-686-3658	<i>Test Allowables Expires 4-29-20</i>

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

HOBBS OCD
FEB 17 2020
RECEIVED

FORM APPROVED
OMB No. 1004-0137
Expires: July 31, 2010

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Dry <input type="checkbox"/> Other			5. Lease Serial No. NMNM02965A		
b. Type of Completion <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Work Over <input type="checkbox"/> Deepen <input type="checkbox"/> Plug Back <input type="checkbox"/> Diff. Resvr. Other _____			6. If Indian, Allottee or Tribe Name		
2. Name of Operator EOG RESOURCES, INC			Contact: KAY MADDOX E-Mail: KAY_MADDOX@EOGRESOURCES.COM		
3. Address PO BOX 2267 MIDLAND, TX 79702			3a. Phone No. (include area code) Ph: 432-686-3658		
4. Location of Well (Report location clearly and in accordance with Federal requirements)* At surface Sec 24 T26S R33E Mer NMP SESW 268FSL 2286FWL 32.022409 N Lat, 103.527221 W Lon At top prod interval reported below Sec 24 T26S R33E Mer NMP SESW 506FSL 2401FWL 32.023062 N Lat, 103.526849 W Lon At total depth Sec 13 T26S R33E Mer NMP NENW 112FNL 2405FWL 32.050395 N Lat, 103.525190 W Lon			8. Lease Name and Well No. PEACHTREE 24 FEDERAL COM 706H		
14. Date Spudded 04/25/2019			15. Date T.D. Reached 07/15/2019		
16. Date Completed <input type="checkbox"/> D & A <input checked="" type="checkbox"/> Ready to Prod. 01/29/2020			9. API Well No. 30-025-44752		
17. Elevations (DF, KB, RT, GL)* 3356 GL			10. Field and Pool, or Exploratory SANDERS TANK; UPPER WOLFCA		
18. Total Depth: MD 22805 TVD 12636			19. Plug Back T.D.: MD 20815 TVD 12636		
20. Depth Bridge Plug Set: MD TVD			11. Sec., T., R., M., or Block and Survey or Area Sec 24 T26S R33E Mer NMP		
21. Type Electric & Other Mechanical Logs Run (Submit copy of each)			12. County or Parish LEA		
			13. State NM		
			22. Was well cored? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (Submit analysis) Was DST run? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (Submit analysis) Directional Survey? <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes (Submit analysis)		

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
12.250	9.625 J55	40.0		962		515		0	
8.750	7.625 HCP110	29.7		11693		1483		40	
6.750	5.500 ICYP110	20.0		22790		860		12314	

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) WOLFCAMP	12850	20815	12850 TO 20815	3.250	1680	OPEN
B)						
C)						
D)						

26. Perforation Record

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
12850 TO 20815	24,225,380 LBS PROPPANT; 335,630 BBLs LOAD FLUID

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
01/29/2020	02/11/2020	24	→	2489.0	4644.0	7849.0	44.0		FLOWS FROM WELL
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
68	SI	955.0	→				1866	POW	

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
	SI		→						

(See Instructions and spaces for additional data on reverse side)

ELECTRONIC SUBMISSION #503210 VERIFIED BY THE BLM WELL INFORMATION SYSTEM

**** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ****

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)
SOLD

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof. Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth
RUSTLER	916		BARREN	RUSTLER	916
T/SALT	1218		BARREN	T/SALT	1218
B/SALT	4994		OIL & GAS	B/SALT	4994
BRUSHY CANYON	7841		OIL & GAS	BRUSHY CANYON	7841
1ST BONE SPRING SAND	10355		OIL & GAS	1ST BONE SPRING SAND	10355
2ND BONE SPRING SAND	10898		OIL & GAS	2ND BONE SPRING SAND	10898
3RD BONE SPRING SAND	11978		OIL & GAS	3RD BONE SPRING SAND	11978
WOLFCAMP	12458		OIL & GAS	WOLFCAMP	12458

32. Additional remarks (include plugging procedure):
PLEASE REFERENCE ATTACHMENTS

33. Circle enclosed attachments:

- | | | | |
|---|--------------------|---------------|-----------------------|
| 1. Electrical/Mechanical Logs (1 full set req'd.) | 2. Geologic Report | 3. DST Report | 4. Directional Survey |
| 5. Sundry Notice for plugging and cement verification | 6. Core Analysis | 7. Other: | |

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions):

**Electronic Submission #503210 Verified by the BLM Well Information System.
For EOG RESOURCES, INC, sent to the Hobbs**

Name (please print) KAY MADDOX Title REGULATORY SPECIALIST

Signature _____ (Electronic Submission) Date 02/13/2020

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

5. Lease Serial No.
NMNM02965A

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2

7. If Unit or CA/Agreement, Name and/or No.

1. Type of Well
 Oil Well Gas Well Other

8. Well Name and No.
PEACHTREE 24 FEDERAL COM 706H

2. Name of Operator
EOG RESOURCES, INC
Contact: KAY MADDOX
E-Mail: kay_maddox@eogresources.com

9. API Well No.
30-025-44752

3a. Address
PO BOX 2267 ATTENTION; KAY MADDOX
MIDLAND, TX 79702

3b. Phone No. (include area code)
Ph: 432-686-3658

10. Field and Pool or Exploratory Area
SANDERS TANK; UPPER WOLFCA

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Sec 24 T26S R33E Mer NMP SESW 268FSL 2286FWL
32.022409 N Lat, 103.527221 W Lon

11. County or Parish, State
LEA COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Production Start-up
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

07/18/2019 RIG RELEASED
08/10/2019 MIRU PREP TO FRAC, TEST VOID 5000 PSI, SEALS & FLANGES TO 8500 PSI
12/04/2019 BEGIN PERF & FRAC
12/16/2019 FINISH 29 STAGES PERF & FRAC 12,850 - 20,815', 1680 3 1/8" SHOTS. FRAC 24,225,380 LBS PROPPANT, 335,630 BBLs LOAD FLUID
12/18/2019 DRILLED OUT PLUGS AND CLEAN OUT WELLBORE
01/29/2020 OPENED WELL TO FLOWBACK - DATE OF FIRST PRODUCTION

WILL RUN TBG AND GAS LIFT VALVES WITHIN 3-6 MONTHS, WILL SUBMIT SUNDRY AT THAT TIME LISTING TBG DEPTH.

14. I hereby certify that the foregoing is true and correct.
Electronic Submission #503107 verified by the BLM Well Information System for EOG RESOURCES, INC, sent to the Hobbs

Name (Printed/Typed) KAY MADDOX	Title REGULATORY SPECIALIST
Signature (Electronic Submission)	Date 02/13/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By _____	Title _____	Date _____
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office _____

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

KJB