

HOBBS CCD
MAR 03 2020
RECEIVED



EOG Resources - Midland

Lea County, NM (NAD 83 NME)

Quijote 2 State Com

#702H

OH

Survey: GyroData MWD

Midland PVA

06 December, 2019



Midland PVA

Company: EOG Resources - Midland
 Project: Lea County, NM (NAD 83 NME)
 Site: Quijote 2 State Com
 Well: #702H
 Wellbore: OH
 Design: OH

Local Co-ordinate Reference: Well #702H
 TVD Reference: KB = 25 @ 3366.0usft
 MD Reference: KB = 25 @ 3366.0usft
 North Reference: Grid
 Survey Calculation Method: Minimum Curvature
 Database: EDM

Project	Lea County, NM (NAD 83 NME)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	Quijote 2 State Com		
Site Position:		Northing:	393,066.99 usft
From: Map		Easting:	756,153.00 usft
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 4' 43.401 N
		Longitude:	103° 38' 23.163 W
		Grid Convergence:	0.37 "

Well	#702H		
Well Position	+N-S	0.0 usft	Northing:
	+E-W	0.0 usft	Easting:
Position Uncertainty	0.0 usft	Wellhead Elevation:	0.0 usft
		Latitude:	32° 4' 43.999 N
		Longitude:	103° 38' 22.078 W
		Ground Level:	3,341.0 usft

Wellbore	OH		
Magnetics	Model Name	Sample Date	Declination
	IGRF2015	5/29/2019	6.76
			Dip Angle
			59.89
			Field Strength
			47,645.49406828

Design	OH		
Audit Notes:			
Version:	1.0	Phase:	ACTUAL
Vertical Section:	Depth From (TVD)	+N-S	+E-W
	(usft)	(usft)	(usft)
	0.0	0.0	0.0
			Direction
			178.89

Survey Program	Date 12/6/2019		
From	To	Survey (Wellbore)	Tool Name
(usft)	(usft)		
139.0	17,101.0	GyroData MWD (OH)	MWD
			Description
			OWSG MWD - Standard



Midland PVA

Company: EOG Resources - Midland
 Project: Lea County, NM (NAD 83 NME)
 Site: Quljote 2 State Com
 Well: #702H
 Wellbore: OH
 Design: OH

Local Co-ordinate Reference: Well #702H
 TVD Reference: KB = 25 @ 3366.0usft
 MD Reference: KB = 25 @ 3366.0usft
 North Reference: Grid
 Survey Calculation Method: Minimum Curvature
 Database: EDM

Survey											
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	EW (usft)	DLeg (°/100usft)	Buile (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)	
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.0	0.0	0.0
139.0	0.20	108.80	139.0	-0.1	0.2	0.14	0.14	0.00	-0.2	0.0	
332.0	0.70	68.60	332.0	0.2	1.6	0.29	0.26	-20.83	-1.6	-0.4	
511.0	1.50	59.30	511.0	1.8	4.7	0.46	0.45	-5.20	-5.0	-0.8	
700.0	2.50	39.90	699.8	6.3	9.5	0.63	0.53	-10.26	-10.9	-3.2	
892.0	1.00	52.60	891.7	10.5	13.5	0.80	-0.78	6.61	-17.1	0.2	
963.0	0.80	110.80	962.7	10.7	14.4	1.26	-0.28	81.97	-9.7	15.1	
1,160.0	1.00	102.40	1,159.7	9.8	17.4	0.12	0.10	-4.26	-14.9	13.3	
1,359.0	0.80	115.60	1,358.7	8.9	20.3	0.14	-0.10	6.63	-14.5	16.8	
1,552.0	0.60	143.40	1,551.7	7.5	22.2	0.20	-0.10	14.40	-7.2	22.2	
1,744.0	0.50	168.70	1,743.7	5.8	22.9	0.14	-0.05	13.18	1.2	23.6	
1,936.0	0.70	168.60	1,935.7	3.9	23.3	0.10	0.10	-0.05	-0.8	23.6	
2,128.0	0.90	214.00	2,127.6	1.5	22.7	0.34	0.10	23.65	13.9	18.0	
2,320.0	1.40	204.50	2,319.6	-1.9	20.9	0.28	0.26	-4.95	6.9	19.8	
2,511.0	1.70	208.50	2,510.5	-6.5	18.6	0.17	0.16	2.09	3.1	19.4	
2,703.0	1.00	241.50	2,702.5	-9.8	15.7	0.53	-0.36	17.19	9.1	16.1	
2,895.0	1.20	244.10	2,894.4	-11.5	12.5	0.11	0.10	1.35	6.2	15.8	
3,087.0	1.40	247.30	3,086.4	-13.3	8.5	0.11	0.10	1.67	2.7	15.5	
3,279.0	0.70	83.70	3,278.4	-14.1	7.5	1.08	-0.36	-85.21	-5.9	-14.8	
3,470.0	2.40	70.40	3,469.3	-12.6	12.4	0.90	0.89	-6.96	-7.5	-16.0	
3,662.0	2.00	37.20	3,661.2	-8.6	18.2	0.68	-0.21	-17.29	-4.2	-19.7	
3,850.0	1.80	36.20	3,849.1	-3.6	22.0	0.11	-0.11	-0.53	-10.1	-19.8	
4,042.0	0.70	132.50	4,041.0	-1.9	24.6	1.04	-0.57	50.16	-19.4	15.2	
4,234.0	0.80	84.40	4,233.0	-2.6	26.8	0.32	0.05	-25.05	-26.4	-5.2	
4,426.0	2.80	99.30	4,424.9	-3.2	32.8	1.06	1.04	7.78	-32.9	2.1	
4,618.0	3.00	17.20	4,616.7	0.8	38.9	1.98	0.10	-42.76	-12.2	-36.9	
4,809.0	4.80	337.70	4,807.3	13.0	37.3	1.64	0.94	-20.68	9.6	-38.5	



Midland PVA

Company: EOG Resources - Midland
 Project: Lea County, NM (NAD 83 NME)
 Site: Quijote 2 State Com
 Well: #702H
 Wellbore: OH
 Design: OH

Local Co-ordinate Reference: Well #702H
 TVD Reference: KB = 25 @ 3366.0usft
 MD Reference: KB = 25 @ 3366.0usft
 North Reference: Grid
 Survey Calculation Method: Minimum Curvature
 Database: EDM

Survey											
MD (usft)	Inc (")	Azi (azimuth) (")	TVD (usft)	N/S (usft)	E/W (usft)	DLeg ("/100usft)	Build ("/100usft)	Turn ("/100usft)	High to Plan (usft)	Right to Plan (usft)	
5,001.0	5.30	336.30	4,998.6	28.5	30.7	0.27	0.26	-0.73	12.0	-35.7	
5,193.0	5.80	338.80	5,189.7	45.7	23.6	0.29	0.26	1.30	11.8	-33.6	
5,385.0	5.90	332.90	5,380.7	63.5	15.6	0.32	0.05	-3.07	15.3	-29.1	
5,576.0	6.30	332.90	5,570.6	81.6	6.4	0.21	0.21	0.00	14.5	-24.9	
5,768.0	6.60	331.50	5,761.4	100.7	-3.7	0.18	0.16	-0.73	13.1	-20.1	
5,960.0	7.00	329.60	5,952.0	120.5	-14.9	0.24	0.21	-0.99	10.4	-14.7	
6,151.0	6.70	327.80	6,141.7	139.9	-26.7	0.19	-0.16	-0.94	7.1	-8.9	
6,343.0	7.60	332.60	6,332.2	160.7	-38.5	0.56	0.47	2.50	2.1	-4.2	
6,535.0	7.50	348.00	6,522.5	184.2	-47.0	1.05	-0.05	8.02	-3.9	-2.3	
6,727.0	7.00	345.30	6,713.0	207.8	-52.5	0.32	-0.26	-1.41	-7.9	-3.2	
6,919.0	5.10	355.70	6,903.9	227.6	-56.1	1.14	-0.99	5.42	-8.7	-3.4	
7,111.0	3.90	2.70	7,095.3	242.6	-56.5	0.69	-0.62	3.65	-5.2	-7.3	
7,207.0	1.50	26.00	7,191.2	247.0	-55.8	2.70	-2.50	24.27	-6.6	-8.0	
7,303.0	0.90	39.10	7,287.2	248.7	-54.7	0.68	-0.62	13.65	-8.0	-9.1	
7,494.0	0.90	16.40	7,478.2	251.4	-53.4	0.19	0.00	-11.88	-6.1	-12.4	
7,585.8	0.78	4.18	7,569.9	252.7	-53.1	0.23	-0.13	-13.31	-4.7	-13.6	
Brushy Top(Quijote 2 State Com #702H)											
7,686.0	0.70	346.90	7,670.2	253.9	-53.2	0.23	-0.08	-17.25	-1.7	-14.6	
7,878.0	0.70	311.90	7,862.1	255.9	-54.3	0.22	0.00	-18.23	4.8	-13.6	
8,070.0	1.00	274.70	8,054.1	256.8	-56.9	0.32	0.16	-19.37	9.4	-8.6	
8,261.0	1.40	249.50	8,245.1	256.1	-60.7	0.34	0.21	-13.19	8.4	-4.5	
8,453.0	1.60	248.70	8,437.0	254.3	-65.4	0.10	0.10	-0.42	3.4	-4.4	
8,645.0	1.40	238.90	8,628.9	252.1	-69.9	0.17	-0.10	-5.10	-0.9	-4.2	
8,836.0	1.70	222.10	8,819.9	248.8	-73.8	0.28	0.16	-8.80	-4.7	-4.9	
9,028.0	1.80	239.20	9,011.8	245.2	-78.3	0.28	0.05	8.91	-11.7	-2.5	
9,220.0	1.80	269.30	9,203.7	243.6	-83.9	0.49	0.00	15.68	-17.0	5.2	
9,412.0	2.00	236.40	9,395.6	241.7	-89.7	0.57	0.10	-17.14	-23.0	-6.5	



Midland PVA

Company: EOG Resources - Midland
 Project: Lea County, NM (NAD 83 NME)
 Site: Quijote 2 State Com
 Well: #702H
 Wellbore: OH
 Design: OH

Local Co-ordinate Reference: Well #702H
 TVD Reference: KB = 25 @ 3386.0usft
 MD Reference: KB = 25 @ 3386.0usft
 North Reference: Grid
 Survey Calculation Method: Minimum Curvature
 Database: EDM

Survey											
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)	
9,604.0	1.70	248.50	9,587.5	238.8	-95.2	0.26	-0.16	6.30	-30.0	-0.8	
9,796.0	3.00	273.40	9,779.3	238.0	-102.8	0.85	0.68	12.97	-35.1	13.1	
9,987.0	1.00	301.80	9,970.2	239.2	-109.3	1.14	-1.05	14.87	-30.8	30.6	
10,179.0	0.30	294.50	10,162.2	240.3	-111.1	0.37	-0.36	-3.80	-36.6	26.2	
10,370.0	0.30	156.80	10,353.2	240.1	-111.4	0.29	0.00	-72.09	9.3	-44.3	
10,562.0	1.00	167.10	10,545.2	238.0	-110.8	0.37	0.36	5.36	-1.0	-45.2	
10,753.0	1.80	312.00	10,736.2	238.3	-112.7	1.40	0.42	75.86	-28.8	38.5	
10,945.0	2.60	331.00	10,928.0	244.2	-117.0	0.56	0.42	9.90	-20.0	46.1	
11,136.0	1.10	312.60	11,118.9	249.2	-120.5	0.83	-0.79	-9.63	-39.5	36.1	
11,232.0	0.80	280.60	11,214.9	250.0	-121.8	0.62	-0.31	-33.33	-54.1	9.1	
11,622.0	2.69	230.28	11,604.7	244.6	-131.5	0.58	0.48	-12.90	-52.4	-37.9	
11,652.0	2.89	231.67	11,634.7	243.7	-132.7	0.70	0.67	4.63	-54.8	-36.6	
11,670.0	4.66	203.22	11,652.6	242.7	-133.3	14.03	9.83	-158.05	-31.8	-58.5	
KOP, MD:11670.0', TVD:11652.6', N/S:242.7', E/W:-133.3', INC:4.66											
11,748.0	15.06	179.75	11,729.4	229.6	-134.5	14.03	13.34	-30.09	-17.5	-67.7	
11,829.7	29.58	170.59	11,804.8	199.0	-131.2	18.22	17.77	-11.22	-25.2	-69.6	
FTP Crossing, MD:11829.7', TVD:11804.6', N/S:199.0', E/W:-131.2', INC:29.58											
11,843.0	31.97	169.85	11,816.2	192.3	-130.0	18.22	18.00	-5.54	-28.0	-69.5	
11,939.0	42.57	169.44	11,892.5	135.2	-119.5	11.04	11.04	-0.43	-53.9	-64.1	
12,035.0	52.27	167.98	11,957.4	65.9	-105.7	10.17	10.10	-1.52	-75.6	-54.8	
12,057.2	53.62	168.29	11,970.8	48.6	-102.0	6.18	6.08	1.38	-80.2	-51.3	
FTP(Quijote 2 State Com #702H)											
12,131.0	58.11	169.23	12,012.2	-11.3	-90.1	6.18	6.08	1.28	-89.6	-39.1	
12,227.0	62.09	175.54	12,060.1	-93.7	-79.2	7.04	4.15	6.57	-87.8	-24.6	
12,323.0	64.49	177.15	12,103.2	-179.3	-73.7	2.91	2.50	1.68	-66.0	-21.4	
12,419.0	72.57	172.18	12,138.3	-268.1	-65.3	8.69	8.42	-5.17	-33.8	-15.3	
12,507.0	86.10	173.41	12,154.6	-353.7	-54.5	15.43	15.37	1.39	-17.5	-6.5	



Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #702H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 25 @ 3386.0usft
Site:	Quijote 2 State Com	MD Reference:	KB = 25 @ 3386.0usft
Well:	#702H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM

Survey											
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)	
12,612.0	89.55	178.24	12,158.6	-458.3	-46.9	5.65	3.29	4.60	-13.1	-2.1	
12,708.0	90.17	179.05	12,158.8	-554.3	-44.6	1.06	0.65	0.84	-12.5	-2.8	
12,804.0	88.87	180.75	12,159.6	-650.3	-44.5	2.23	-1.35	1.77	-11.3	-5.7	
12,900.0	88.98	181.34	12,161.4	-746.2	-46.2	0.63	0.11	0.61	-9.2	-10.4	
12,996.0	89.24	179.52	12,162.9	-842.2	-47.0	1.91	0.27	-1.90	-7.3	-14.2	
13,091.0	90.68	178.97	12,163.0	-937.2	-45.7	1.82	1.52	-0.58	-6.9	-15.9	
13,186.0	90.09	179.33	12,162.3	-1,032.2	-44.3	0.73	-0.82	0.38	-7.2	-17.5	
13,282.0	90.62	180.31	12,161.7	-1,128.2	-44.0	1.16	0.55	1.02	-7.4	-20.2	
13,378.0	89.35	177.28	12,161.8	-1,224.2	-42.0	3.42	-1.32	-3.16	-7.0	-21.2	
13,474.0	90.00	178.45	12,162.3	-1,320.1	-38.4	1.39	0.68	1.22	-6.1	-20.6	
13,570.0	89.37	175.99	12,162.8	-1,416.0	-33.7	2.65	-0.66	-2.56	-5.2	-19.0	
13,666.0	89.55	175.63	12,163.7	-1,511.7	-26.7	0.42	0.19	-0.37	-3.9	-15.0	
13,762.0	90.57	177.02	12,163.6	-1,607.5	-20.6	1.80	1.06	1.45	-3.7	-11.8	
13,858.0	91.85	177.26	12,161.6	-1,703.4	-15.8	1.36	1.33	0.25	-5.3	-10.0	
13,954.0	92.92	177.17	12,157.6	-1,799.2	-11.1	1.12	1.11	-0.09	-8.0	-8.4	
14,050.0	90.11	177.24	12,155.1	-1,895.0	-6.4	2.93	-2.93	0.07	-11.1	-6.7	
14,145.0	91.11	177.05	12,154.1	-1,989.9	-1.7	1.07	1.05	-0.20	-11.8	-4.9	
14,241.0	91.20	177.55	12,152.1	-2,085.8	2.8	0.53	0.09	0.52	-13.3	-3.4	
14,337.0	91.85	177.60	12,149.6	-2,181.6	6.9	0.68	0.68	0.05	-15.5	-2.4	
14,433.0	90.31	177.62	12,147.8	-2,277.5	10.9	1.60	-1.60	0.02	-17.0	-1.4	
14,529.0	90.43	178.13	12,147.2	-2,373.5	14.4	0.55	0.12	0.53	-17.2	-0.8	
14,625.0	90.71	177.97	12,146.2	-2,469.4	17.7	0.34	0.29	-0.17	-17.8	-0.6	
14,720.0	90.06	180.41	12,145.6	-2,564.4	19.0	2.66	-0.68	2.57	-18.1	-2.2	
14,816.0	88.81	180.43	12,146.5	-2,660.4	18.3	1.30	-1.30	0.02	-16.8	-5.9	
14,912.0	89.57	180.59	12,147.9	-2,756.4	17.5	0.81	0.79	0.17	-15.1	-9.8	
15,008.0	88.61	180.50	12,149.4	-2,852.4	16.6	1.00	-1.00	-0.09	-13.2	-13.7	
15,104.0	88.27	179.60	12,152.0	-2,948.3	16.5	1.00	-0.35	-0.94	-10.2	-16.8	



Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #702H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 25 @ 3366.0usft
Site:	Quijote 2 State Com	MD Reference:	KB = 25 @ 3366.0usft
Well:	#702H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM

Survey											
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	EW (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)	
15,155.9	89.02	179.47	12,153.2	-3,000.2	16.9	1.47	1.45	-0.25	-8.8	-18.0	
TGT#1(Quijote 2 State Com #702H)											
15,200.0	89.66	179.36	12,153.7	-3,044.3	17.4	1.47	1.45	-0.25	-8.0	-18.9	
15,296.0	89.35	175.77	12,154.6	-3,140.2	21.4	3.75	-0.32	-3.74	-6.5	-17.9	
15,392.0	90.60	174.27	12,154.6	-3,235.8	29.8	2.03	1.30	-1.56	-5.8	-12.5	
15,487.0	89.15	173.57	12,154.8	-3,330.3	39.8	1.69	-1.53	-0.74	-4.9	-5.4	
15,583.0	90.91	173.11	12,154.8	-3,425.6	51.0	1.89	1.83	-0.48	-4.3	2.7	
15,679.0	92.50	174.50	12,151.9	-3,521.0	61.3	2.20	1.68	1.45	-6.4	10.1	
15,775.0	91.91	178.59	12,148.2	-3,616.8	67.1	4.30	-0.61	4.26	-9.5	12.8	
15,871.0	91.08	178.92	12,145.7	-3,712.7	69.2	0.93	-0.86	0.34	-11.3	11.9	
15,967.0	90.37	177.58	12,144.5	-3,808.6	72.1	1.58	-0.74	-1.40	-11.8	11.8	
16,063.0	87.24	177.98	12,146.5	-3,904.5	75.8	3.29	-3.26	0.42	-9.2	12.5	
16,157.9	87.69	178.40	12,150.7	-3,999.3	78.6	0.65	0.48	0.44	-4.3	12.6	
TGT#2(Quijote 2 State Com #702H)											
16,159.0	87.70	178.40	12,150.7	-4,000.4	78.9	0.65	0.48	0.44	-4.3	12.6	
16,254.0	88.35	178.77	12,154.0	-4,095.3	81.2	0.79	0.68	0.39	0.0	11.9	
16,350.0	89.69	178.99	12,155.6	-4,191.3	83.1	1.41	1.40	0.23	2.7	10.8	
16,446.0	90.34	179.09	12,155.6	-4,287.3	84.7	0.69	0.68	0.10	3.6	9.4	
16,542.0	91.31	180.01	12,154.2	-4,383.2	85.4	1.39	1.01	0.96	3.3	7.1	
16,638.0	91.34	179.71	12,152.0	-4,479.2	85.7	0.31	0.03	-0.31	2.1	4.4	
16,733.0	90.68	179.49	12,150.3	-4,574.2	86.3	0.73	-0.69	-0.23	1.4	2.0	
16,829.0	90.00	179.42	12,149.8	-4,670.2	87.3	0.71	-0.71	-0.07	1.8	-0.1	
16,925.0	89.55	179.26	12,150.2	-4,766.2	88.4	0.50	-0.47	-0.17	3.2	-2.0	
17,021.0	89.32	179.13	12,151.1	-4,862.2	89.7	0.28	-0.24	-0.14	5.2	-3.6	
17,042.0	89.20	179.72	12,151.4	-4,883.2	89.9	2.87	-0.57	2.81	5.7	-4.1	
Last MWD Survey (MD=17042.0')											



Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #702H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 25 @ 3386.0usft
Site:	Quijote 2 State Com	MD Reference:	KB = 25 @ 3386.0usft
Well:	#702H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM

MD (usft)	Inc (")	Azi (azimuth) (")	TVD (usft)	N/S (usft)	E/W (usft)	DLeg ("/100usft)	Build ("/100usft)	Turn ("/100usft)	High to Plan (usft)	Right to Plan (usft)
17,101.0	89.20	179.72	12,152.2	-4,942.2	90.2	0.00	0.00	0.00	7.1	-5.6
Projection to Bit (MD=17101.0) - PBHL(Quijote 2 State Com #702H)										

Survey Annotations				
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N-S (usft)	+E-W (usft)	
11,670.0	11,652.6	242.7	-133.3	KOP, MD:11670.0', TVD:11652.6', N/S:242.7', E/W:-133.3', INC:4.66
11,829.7	11,804.8	199.0	-131.2	FTP Crossing, MD:11829.7', TVD:11804.8', N/S:199.0', E/W:-131.2', INC:29.58
17,042.0	12,151.4	-4,883.2	89.9	Last MWD Survey (MD=17042.0')
17,101.0	12,152.2	-4,942.2	90.2	Projection to Bit (MD=17101.0')

Checked By: _____ Approved By: _____ Date: _____

I certify this survey to be true and correct to the best of my belief and knowledge.

Kay Maddox
Signed

03/02/2020
Date



Lea County, NM (NAD 83 NME)

Quijote 2 State Com #702H

Plan #1

PROJECT DETAILS: Lea County, NM (NAD 83 NME)

Geodetic System: US State Plane 1983
Datum: North American Datum 1983
Ellipsoid: GRS 1980
Zone: New Mexico Eastern Zone
System Datum: Mean Sea Level

WELL DETAILS: #702H

Ground Level: 3341.0
KB = 25 @ 5365.0usft
Northing 393128.00 Easting 766248.00 Latitude 32° 4' 43.999 N Longitude 103° 35' 22.075 W

Azimuths to Grid North
True North: -0.37°
Magnetic North: 6.39°

Magnetic Field
Strength: 47645.6nT
Dip Angle: 59.89°
Date: 8/28/2016
Model: IGRF2016

To convert a Magnetic Direction to a Grid Direction, Add 6.39°
To convert a Magnetic Direction to a True Direction, Add 6.76° East
To convert a True Direction to a Grid Direction, Subtract 6.37°

SECTION DETAILS






Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	VSecl	Target
1	0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.0	
2	4800.0	0.00	0.00	4800.0	0.0	0.0	0.00	0.00	0.0	
3	4900.1	6.00	344.94	4899.5	15.2	-4.1	2.00	344.94	-15.2	
4	7065.9	6.00	344.94	7053.5	233.8	-62.9	0.00	0.00	-233.0	
5	7356.0	0.00	0.00	7353.0	248.0	-67.0	2.00	180.00	-250.3	
6	11708.1	0.00	0.00	11695.1	249.0	-67.0	0.00	0.00	-250.3	
7	12459.9	90.22	178.20	12172.6	-230.0	-52.0	12.00	178.20	229.0	
8	15231.1	90.22	178.20	12162.0	-2999.9	34.9	0.00	0.00	3000.0	TGT#1(Quijote 2 State Com #702H)
9	15240.3	90.40	178.20	12162.0	-3009.1	35.2	2.00	0.00	3009.2	
10	16231.2	90.40	178.20	12155.0	-3999.5	66.3	0.00	0.00	4000.0	TGT#2(Quijote 2 State Com #702H)
11	16241.4	90.61	178.20	12154.9	-4009.7	66.6	2.00	0.00	4010.2	
12	17179.3	90.61	178.20	12145.0	-4947.0	98.0	0.00	0.00	4947.9	PBHL(Quijote 2 State Com #702H)

CASING DETAILS

No casing data is available

WELLBORE TARGET DETAILS (MAP CO-ORDINATES)

Name	TVD	+N/-S	+E/-W	Northing	Easting
TGT#1(Quijote 2 State Com #702H)	12162.0	-2999.9	34.9	393128.10	766248.82
TGT#2(Quijote 2 State Com #702H)	12155.0	-3999.5	66.3	393128.60	766312.29
PBHL(Quijote 2 State Com #702H)	12145.0	-4947.0	98.0	393131.00	766342.00
Brachy Top(Quijote 2 State Com #702H)	7870.0	248.0	-67.0	393377.00	766178.00
FTF(Quijote 2 State Com #702H)	12172.0	199.0	-67.0	393357.00	766178.00



Vertical Section at 178.89° (200 usft/s)