

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6113
1000 Rio Brazos Rd., Alamogordo, NM 87001
District IV - (505) 436-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-29760
5. Indicate Type of Lease STATE FEE X
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name PENNZOIL MEYERS
8. Well Number 001
9. OGRID Number 162683
10. Pool name or Wildcat SHIPP STRAWN

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well X Gas Well Other

2. Name of Operator
CIMAREX ENERGY CO. OF COLORADO

3. Address of Operator
600 N. MARIENFELD, SUITE 600, MIDLAND, TEXAS 79701

4. Well Location
Unit Letter D : 660 feet from the NORTH line and 810 feet from the WEST line
Section 03 Township 17S Range 37E NMPM LEA County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3,772' - GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON X
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER:

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) SET 5-1/2" CIBP @ 11,150'; PUMP 75 SXS.CMT. @ 11,150'-10,550' (T/CNRYN., T/PENN); CIRC. WELL W/ M.L.F.
- 2) PUMP 25 SXS. CMT. @ 9,663'-9,463' (T/WCMP.).
- 3) PUMP 75 SXS. CMT. @ 8,972'-8,425' (5-1/2" DV TOOL, T/ABO); WOC X TAG CMT. PLUG.
- 4) PUMP 25 SXS. CMT. @ 6,354'-6,194' (T/GLOR.).
- 5) CUT X PULL 5-1/2" CSG. @ +/-4,230'.
- 6) PUMP 45 SXS. CMT. @ 4,300'-4,160' (5-1/2" CSG.STUB, 8-5/8" CSG.SHOE); WOC X TAG CMT. PLUG.
- 7) PUMP 50 SXS. CMT. @ 3,247'-3,117' (T/YATES); WOC X TAG CMT. PLUG.
- 8) PUMP 45 SXS. CMT. @ 2,067'-1,947' (T/ANYH.); WOC X TAG CMT. PLUG.
- 9) PERF. X ATTEMPT TO SQZ. 75 SXS. CMT. @ 452'-352' (13-3/8" CSG.SHOE); WOC X TAG CMT. PLUG.
- 10) PERF. X CIRC. TO SURF., FILLING ALL ANNULI, 40 SXS. CMT. @ 63'-3'.
- 11) DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; VERIFY CMT. TO SURF. ON ALL ANNULI; WELD ON STEEL PLATE TO CSGS. X INSTALL DRY HOLE MARKER. 4" dia 4' tall Above ground Marker

DURING THIS PROCEDURE WE PLAN TO USE THE CLOSED-LOOP SYSTEM W/ A STEEL TANK AND HAUL CONTENTS TO THE REQUIRED DISPOSAL, PER OCD RULE 19.15.17.

Spud Date:

Rig Release Date:

See Attached
Conditions of Approval

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE: AGENT

DATE: 02/19/20

Type or print name: DAVID A. EYLER

E-mail address: DEYLER@MILAGRO-RES.COM PHONE: 432.687.3033

For State Use Only

APPROVED BY:

TITLE CO

DATE 3-6-20

Conditions of Approval (if any):



KB : 16' above GL

Cimarex Energy Co. of Colorado

Pennzoil Meyers #1

660' FNL & 810' FEL

Sec. 3, T-17-S, R-37-E, Lea Co., NM

API # 30-025-29760

S. Gengler

02/13/2020

Rods: 2 - 7/8" Norris 97 pony rods
138 - 7/8" Norris 97 rods
312 - 3/4" Norris 97 rods
10 - 1-1/2" Sinker bars

Pump: 2" X 1-1/4" X 24' RHBC

13-3/8", 48# H-40 csg @ 402'
cmtd w/ 438 sx, cmt circ

Perf sqz holes (1025' - 31')
cmt w/ 250 sx, TOC @ 675' by TS

8-5/8", 28# S-80 csg @ 4229'
cmtd w/ 1625 sx

TOC @ 6186' by CBL

360 jts 2-7/8" 6.5# L-80 Tbg

DV Tool @ 8922', cmt w/ 900 sx

Strawn perms (11205' - 11304')

PBTD @ 11370'
5-1/2" 17# N-80 @ 11470' cmtd w/ 900 sx, cmt circ
TD @ 11470'

CIMAREX

KB: 16' above GL

Cimarex Energy Co. of Colorado

Pennzoil Meyers #1

660' FNL & 810' FEL


Sec. 3, T-17-S, R-37-E, Lea Co., NM

API # 30-025-29760

S. Gengler

02/13/2020

T/ANNY. - 2,007'
T/YATES - 3,182'
T/SA. - 4,815'
T/GLOR. - 6,274'
T/ABO. - 8,475'
T/WCMP. - 9,563'
T/PEN. - 10,600'
T/CN. - 10,929'
T/STWN. - 11,159'



DAE 02/18/20