

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

HOBBBS OCD
RECEIVED
MAR 09 2020

5. Lease Serial No.
NMNM103595

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

SUBMIT IN TRIPLICATE - Other instructions on page 2

8. Well Name and No.
CALI ROLL FEDERAL 1H

9. API Well No.
30-015-37267-00-S1

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
COG OPERATING LLC
Contact: DEBORA WILBOURN
E-Mail: dwilbourn@concho.com

3a. Address
600 W ILLINOIS AVENUE
MIDLAND, TX 79701
3b. Phone No. (include area code)
Ph: 575-748-6958

10. Field and Pool or Exploratory Area
WC-015 S262524-BONE SPRING

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Sec 24 T26S R25E SWSE 1470FSL 1755FEL

11. County or Parish, State
EDDY COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input checked="" type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

COG OPERATING LLC RESPECTFULLY REQUESTS TO TA THE REFERENCED WELL.

PLAN IS TO POOH W/2 3/8" J55 TBG & PKR SET @4913. LD TBG & PKR. RIH W/WL AND SET CIBP AS CLOSE AS POSSIBLE TO KOP OF LATERAL @4850'. CAP CIBP W/CMT 25 SX CMT.

ONCE TA OPERATIONS ARE COMPLETE, COG WILL BALLOT PARTNERS WITH AFE TO COMMENCE P&A OPERATIONS. THE WELL WILL BE PLACED ON COG'S P&A RIG SCHEDULE, AS SOON AS PARTNER APPROVAL IS RECEIVED.

PLEASE SEE ATTACHED CURRENT AND PROPOSED WBDS.

14. I hereby certify that the foregoing is true and correct.

**Electronic Submission #502264 verified by the BLM Well Information System
For COG OPERATING LLC, sent to the Carlsbad
Committed to AFMSS for processing by PRISCILLA PEREZ on 02/06/2020 (20PP1134SE)**

Name (Printed/Typed) DEBORA WILBOURN

Title REGULATORY ANALYST - NM BASIN

Signature (Electronic Submission)

Date 02/06/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By JONATHON SHEPARD

Title PETROLEUM ENGINEER

Date 02/18/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

FOR RECORD ONLY

XJ NM OCD 3-12-20

Revisions to Operator-Submitted EC Data for Sundry Notice #502264

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	TA NOI	TA NOI
Lease:	NMNM103595	NMNM103595
Agreement:		
Operator:	COG OPERATING LLC 2208 W MAIN ST ARTESIA, NM 88210-3720 Ph: 575-748-6950	COG OPERATING LLC 600 W ILLINOIS AVENUE MIDLAND, TX 79701 Ph: 432.685.4385
Admin Contact:	DEBORA WILBOURN PRODUCTION COMPLIANCE LEAD E-Mail: dwilbourn@concho.com Ph: 575-748-6958	DEBORA WILBOURN REGULATORY ANALYST - NM BASIN E-Mail: dwilbourn@concho.com Ph: 575-748-6958
Tech Contact:	DEBORA WILBOURN PRODUCTION COMPLIANCE LEAD E-Mail: dwilbourn@concho.com Ph: 575-748-6958	DEBORA WILBOURN REGULATORY ANALYST - NM BASIN E-Mail: dwilbourn@concho.com Ph: 575-748-6958
Location:		
State:	NM	NM
County:	EDDY	EDDY
Field/Pool:	WC015S262524J;UPR BS(GAS)	WC-015 S262524-BONE SPRING
Well/Facility:	CALI ROLL FEDERAL 1H Sec 24 T26S R25E NWSE 1470FSL 1755FEL 32.024612 N Lat, 104.346389 W Lon	CALI ROLL FEDERAL 1H Sec 24 T26S R25E SWSE 1470FSL 1755FEL

BUREAU OF LAND MANAGEMENT

**Carlsbad Field Office
620 East Greene Street
Carlsbad, New Mexico 88220
575-234-5972**

Conditions of Approval for Temporary Abandonment of Wells

Definition: A temporarily abandoned well is a completion that is not capable of production in paying quantities but which may have future value. Pursuant to 43 CFR 3162.3-4 (c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

Note: TA status "will be effective for a period up to 1 year from the date of NOI approval and can be renewed annually thereafter" per IM NM-2016-017.

1. A bridge plug (CIBP) must be installed 50 to 100 feet above any open perforations or open hole. The CIBP must be capped with either a minimum of 25 sacks of cement if placed with tubing or 35 feet of cement if placed with a bailer. The top of the cement must be verified by tagging.
2. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes. If the well does not pass the casing integrity test, then the operator shall, within 30 days, submit a procedure to either repair the casing or to plug and abandon the well.
3. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County, 575-361-2822; Lea County 575-393-3612.
4. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if it is not isolated by a packer.
5. A bradenhead test must be conducted. If the test indicates a problem, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
6. Submit a subsequent Sundry Notice (Form 3160-5) with the following information:
 - a. A well bore diagram with all perforations, CIBP's, and tops of cement on CIBP's.
 - b. A description of the temporary abandonment procedure.
 - c. A clear copy or the original of the pressure test chart.