

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.
30-025-34020

5. Indicate Type of Lease
STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name
BG State

8. Well Number 2

9. OGRID Number
229137

10. Pool name or Wildcat
N Vacuum Atoka-Morrow

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other ☐

OCD - HOBBS
04/13/2020
RECEIVED

2. Name of Operator
COG Operating, LLC

3. Address of Operator
2208 W. Main Street Artesia, NM 88210

4. Well Location

Unit Letter J : 1780 feet from the S line and 1810 feet from the E line
Section 19 Township 17S Range 35E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3985' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Tag 5 1/2" CIBP @ 11,350'. Circulate hole w/ MLF. Pressure test csg. Spot 25 sx cmt @ 11,350-11,155'.
2. Spot 25 sx cmt @ 9540-9240'. (Wolfcamp)
3. Perf & Sqz 125 sx cmt @ 5070-4600'. WOC & Tag (8 5/8" Shoe)
4. Spot 25 sx cmt @ 3060-2860'. WOC & Tag (Yates)
5. Perf & Sqz 50 sx cmt @ 1669-1469'. WOC & Tag (11 1/4" Shoe & T/Salt)
6. Perf & Sqz 25 sx cmt @ 100' Surface.
7. Cut off well head, verify cmt to surface, weld on Dry Hole Marker.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Delilah Flores TITLE: Regulatory Technician

DATE: 4/13/2020

Type or print name: Delilah Flores
For State Use Only

E-mail address: dflores2@concho.com

PHONE: 575-308-7264

APPROVED BY: Kerry Jatt TITLE CO A DATE 6-18-20
Conditions of Approval (if any)

COG Operating LLC

Lease & Well #: Concho BG State #2

API: 30-025-34020


Lea County, NM

J -19- 17S-35E 1780 FSL 1810 FEL

32.8182983

-103.4944458

Spud Date 6/17/1997



0-1619' 11.75" 42# 950 sx cement

0-5020' 8.625" J-55 32# 2100 sx cement

CIBP set at 11,350'

Vacuum Atoka - Morrow
11,402' - 11655'

35 sx of cement
CIBP set at 11863'

0-12394' 5.5" L-80 17# 1625 sx cement TOC 2390'
PBTD 12,394'

COG Operating LLC


Lease & Well #: Concho BG State #2

API: 30-025-34020

Lea County, NM

J -19- 17S-35E 1780 FSL 1810 FEL

Spud Date 6/17/1997



6. Perf & Sqz 25 sx cmt @ 100'-Surface.

0-1619' 11.75" 42# 950 sx cement

5. Perf & Sqz 50 sx cmt @ 1669-1469'. WOC & Tag (11 3/4" Shoe & T/Salt)

4. Spot 25 sx cmt @ 3060-2860'. WOC & Tag (Yates)

0-5020' 8.625" J-55 32# 2100 sx cement

3. Perf & Sqz 125 sx cmt @ 5070-4600'. WOC & Tag (8 5/8" Shoe)

2. Spot 25 sx cmt @ 9540-9240'. (Wolfcamp)

1. Tag 5 1/2" CIBP @ 11,350'. Circulate hole w/ MLF. Pressure test csg. Spot 25 sx cmt @ 11,350-11,155'.

CIBP set at 11,350'

Vacuum Atoka - Morrow
11,402' - 11655'

35 sx of cement
CIBP set at 11863'

0-12394' 5.5" L-80 17# 1625 sx cement TOC 2390'
PBSD 12,394'