OCD-HOBBS FORM APPROVED SUBMIT IN TRIPLICATE* Form 3160-3 OMB NO. 1004-0136 (July 1992) UNITED STATES Expires: Pebruary 28, 1995 (Other instructions on 5. LEASE DESIGNATION AND SERIAL NO. DEPARTMENT OF THE INTERIOR reverse side) NM-03622 BUREAU OF LAND MANAGEMENT 6. IF INDIAN, ALLOTTES OR TRIBE NAME APPLICATION FOR PERMIT TO DRILL OR DEEPEN 1a. TYPE OF WORK 7. UNIT AGREEMENT NAME DEEPEN 1b. TYPE OF WELL SINGLE MULTIPLE GAS OIL 8. FARM OR LEASE NAME, WELL NO. WELL WELL ZONE 2. NAME OF OPERATOR olorado Scout 18 Federal No. 4 Gruy Petroleum Management Co. API WELL NO 3. ADDRESS AND TELEPHONE NO. 30-025-37886 P.O. Box 140907; Irving TX 75014; 972-401-3111 4 LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*) Tonto; 7 Rivers Wildcat 1750' FSL & 2030' FEL 11. SEC. T.,R.,M., BLOCK AND SURVEY OR AREA 18-19S-34E 45516 7 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OF 12 COUNTY OR PARISH 33 miles West of Hobbs, NM Lea 15. DISTANCE FROM PROPOSED*
LOCATION TO NEAREST 16. NO. OF ACRES IN LEASE 17. NO. OF ACRES ASSIGNED TO THIS WELL PROPERTY OR LEASE LINE, T.O. (Also to nearest drig. unit line, if any) 40 18. DISTANCE FROM PROPOSED LOCATION 9. PROPOSED DEPTH 20. ROTARY OR CABLE TOOLS TO NEAREST WELL, DRILLING COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. N/A 5000 Rotary 21. ELEVATIONS (Show whether DF, RT, GR, etc.) 22. APPROX. DATE WORK WILL START 3718' GR 05-15-06 PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE QUANTITY OF CEMENT GRADE, SIZE OF CASING **WEIGHT PER FOOT** SETTING DEPTH J-55 8-5/8" ST&C 12-1/4" 24# 425' 400 sx Prem circ surf J-55 5-1/2" ST&C 5000' 7-7/8" 15.5# 2000sx IntC/Prem circ surf The proposed well will be drilled to a depth of 5000' and completed as a Tonto; Seven Rivers producer. From the base of the surface pipe through the running of production casing, the well will be equipped with a 3000 - psi BOP system. APPROVAL SUBJECT TO GENERAL REQUIREMENTS AND SPECIAL STIPULATIONS Witness Surface Casing ATTACHED IN ABOVE SPACE, DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data on present productive zone and proposed new productive zone. give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any. 03-28-06 SIGNED TITLE DATE Mgr. Ops. Admin (This source for Federal or State office use) APPROVAL DATE PERMIT No. Application approval does not warrant or certify that the applicant holds legal or equitable tills CONDITIONS OF APPROVAL, IF ANY: se rights in the subjectes MAY 1 7 2006 /S/ Russell APPROVED BY DATE *See Instructions On Reverse Side APPROTITIE 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agence *See Instructions On Reverse Side

United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Conton Contolical Water Books

Form 3160-5 (April 2004)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires March 31, 2007

5. Lease Serial No.

Do not abandor	NM-03622 6 If Indian, Allottee or Tribe Name					
SUBMIT IN TRI	7. If Unit or CA/Agreement, Name and/or No.					
1. Type of Well						
X Oil Well	Gas Well	Other		8. Well Name and No.		
2. Name of Operator					EDERAL #004	
Cimarex Energy Co. of Colo	arada.			9. API Well 1	No.	
3a. Address	Jiauo	3b. Phone No. (include	de area code)	30-025-		
	75014 0007	,		10. Field and P	ool, or Exploratory Area	
PO Box 140907; Irving, TX 4. Location of Well (Footage, Sec	73014-0907 T. R. M. or Survey Descri	972-401-3111		TONTO; 7 RIV	FRS	
1750' FSL & 2030' FEL J-18-19S-34E	, , , , , , , , , , , , , , , , , , , ,	,		11. County or I	Parish, State	
12. CHECK AP	PROPRIATE BOX(ES) TO	INDICATE NATU	RE OF NOTICE, REF			
TYPE OF SUBMISSION		T	YPE OF ACTION			
Notice of Intent ■	Acidize [Deepen	Production (St	art/Resume)	☐ Water Shut-Off	
23 1101100 01 Interior	,	Fracture Treat	Reclamation		Well Integrity	
☐ Subsequent Report	Casing Repair	New Construction	Recomplete	L 1	Other Name change	
Final Abandonment Notice	Final Abandonment Notice Change Plans Plug and Abandon Temporarily Convert to Injection Plug Back Water Disp					
following completion of the	Final abandonment Notices shall dy for final inspection. It Co. has changed its na	ion results in a multiple co be filed only after all req arme to Cimarex Ene	mpletion or recompletion in uirements, including reclan	n a new interval, nation, have been	a Form 3160-4 shall be filed once completed, and the operator has	
Cimarex Energy of Co. of Co amount of \$25,000 is provide Interior.						
 I hereby certify that the foregon Name (Printed/Typed) 	ing is true and correct	Title			· (1)	
Zeno Farris	ger Operations Adm	inistration				
Cionatura	5 - T					
Zeno F						
	THIS SPACE FOR	R FEDERAL OR	STATE OFFICE U	SE		
Approved by Conditions of approval, if any, are a certify that the applicant holds legal which would entitle the applicant to	l or equitable title to those righ		Title Office	Date		
Title 18 U.S.C Section 1001 and Ti	tle 43 U.S.C. section 1212, ma		rson knowingly and will		any department or agency	

(Instructions on page 2)

Gruy Petroleum Management Co.

5215 North O'Connor Blvd. • Suite 1500 • Irving, TX 75039 • (972) 401-3111 • Fax (972) 443-6486 Mailing Address: P.O. Box 140907 • Irving, TX 75014-0907 A wholly-owned subsidiary of Cimarex Energy Co., a NYSE Listed Company, "XEC"



STATEMENT ACCEPTING RESPONSIBILITY FOR OPERATIONS

Bureau of Land Management 620 E. Greene St. Carlsbad, New Mexico 88220 Attn: Ms. Betty Hill

Gruy Petroleum Management Co. accepts all applicable terms, conditions, stipulations and restrictions concerning operations conducted on the leased land, or portion thereof, as described below:

Lease No.:

NM-03622 - All Section 18-T19S-R34E

County:

Lea County, New Mexico

Formation (S):

Morrow

Bond Coverage:

Statewide BLM Bond

BLM Bond File No.: NM 2575

Authorized Signature:

Representing Gruy Petroleum Management Co.

Name: Zeno Farris

Title: Manager, Operations Administration

Date: March 28, 2006

Application to Drill

Gruy Petroleum Management Co. Scout 18 Federal No. 4 Unit J Section 18 T19S R34E Lea County, NM

In response to questions asked under Section II B of Bulletin NTL-6 the following information is provided for your consideration:

1 Location:

1750' FSL & 2030' FEL

2 Elevation above sea level:

GR 3718'

3 Geologic name of surface formation:

Quaternery Alluvium Deposits

4 Drilling tools and associated equipment:

Conventional rotary drilling rig using fluid as a

circulating medium for solids removal.

5 Proposed drilling depth:

5000'

6 Estimated tops of geological markers:

Rustler	1575'
Yates	3365'
7 Rivers	3890'
Queen	4395'
Capitan	5000'



7 Rivers Oil Queen Oil

8 Casing program:

Hole Size	Interval	Casing OD	Weight	Thread	Collar	Grade
12-1/4"	0-425'	8-5/8"	24#	8-R	ST&C	J-55
7-7/8"	0-5000'	5-1/2"	15.5#	8-R	ST&C	J-55



Application to Drill

Gruy Petroleum Management Co. Scout 18 Federal No. 4 Unit J Section 18 T19S R34E Lea County, NM

9 Cementing & Setting Depth:

8-5/8" Intermediate

Set 425' of 8-5/8" J-55 24# ST&C casing. Cement lead with

250 Sx. Of Lite Cement + additives, tail with 150 Sx. Of Class

C + additives, circulate cement to surface.

5 1/2"

Production

Set 5000' of 5 1/2" J-55 17# ST&C casing. Cement with lead

of 700 Sx. of Lite Cement + additives and tail of 300 Sx of

Class C. Estimated top of cement surface.

10 Pressure control Equipment:

Exhibit "E". A series 900 3000PSI working pressure B.O.P. consisting of a double ram type preventor with a bag type annular preventor. BOP unit will be hydraulically operated. Exhibit "E-1" is a Choke manifold and closing unit. BOP will be nippled up on the 8 5/8" casing and will be operated at least once a day while drilling and the blind rams will be operated when out of hole during trips. Flo sensor, PVT, full opening stabbing valve and upper kelly cock will be utilized. No abnormal pressure or temperature is expected while drilling.

11 Proposed Mud Circulating System:

Depth	Mud Wt	Viscosity	Fluid Loss	Type Mud
1414' 0-425'	8.6 - 8.9	29 - 36	NC	Fresh water spud mud add paper to control seepage and high viscosity sweeps to clean
1614 425' - 5000'	10 - 10 - 3	29 - 38	NC	Brine water add paper as needed to control seepage and add lime to control pH, Use high viscosity sweeps to clean hole.

Sufficient mud materials will be kept on location at all times in order to combat lost circulation, or unexpected kicks. In order to run DSTs, open hole logs, and casing, the viscosity and water loss may have to be adjusted in order to meet these needs. Mud system monitoring equipment with derrick floor indicators and visual/audio alarms shall be installed and operative prior to drilling into the Wolfcamp formation. This equipment will remain in use until production casing is run and cemented.

Application to Drill

Gruy Petroleum Management Co. Scout 18 Federal No. 4 Unit J Section 18 T19S R34E Lea County, NM

12 Testing, Logging and Coring Program:

- A. Open hole logs: Dual Laterolog, Side Wall Neutron, Density Gamma Ray
- B. Run Gamma Ray, Neutron from 475' to surface.
- C. No DSTs, cores or Mud Logger are planned at this time.

13 Potential Hazards:

No abnormal pressures or temperatures are expected. The area has a potiential H2S hazard. An H2S drilling plan is attached. Adequate flare lines will be installed off the mud / gas separator where gas may be flared safely. All personnel will be familiar with all aspects of safe operation of equipment being used. Estimated BHP 4000 PSI, estimated BHT 175.

14 Anticipated Starting Date and Duration of Operations:

Road and location construction will begin after BLM approval of APD. Anticipated spud date as soon as approved. Drilling expected to take <u>15-30</u> days. If production casing is run an additional 30 days will be required to complete and construct surface facilities.



15 Other Facets of Operations:

After running casing, cased hole gamma ray neutron collar logs will be run from total depth over possible pay intervals. The <u>7 Rivers pay</u> will be perforated and stimulated. The well will be tested and potentialed as an oil well.

Hydrogen Sulfide Drilling Operations Plan

Gruy Petroleum Management Co. Scout 18 Federal No. 4 Unit J Section 18 T19S R34E Lea County, NM

- 1 All Company and Contract personnel admitted on location must be trained by a qualified H2S safety instructor to the following:
 - A. Characteristics of H2S
 - B. Physical effects and hazards
 - C. Proper use of safety equipment and life support systems.
 - D. Principle and operation of H2S detectors, warning system and briefing
 - E. Evacuation procedure, routes and first aid.
 - F. Proper use of 30 minute pressure demand air pack.
- 2 H2S Detection and Alarm Systems
 - A. H2S detectors and audio alarm system to be located at bell nipple, end of flow line (mud pit) and on derrick floor or doghouse.
- 3 Windsock and/or wind streamers
 - A. Windsock at mudpit area should be high enough to be visible.
 - B. Windsock at briefing area should be high enough to be visible.
- 4 Condition Flags and Signs
 - A. Warning sign on access road to location.
 - B. Flags to be displayed on sign at entrance to location. Green flag, normal safe condition. Yellow flag indicates potential pressure and danger. Red flag, danger, H2S present in dangerous concentration. Only emergency personnel admitted to location.



- A. See exhibit "E"
- 6 Communication
 - A. While working under masks chalkboards will be used for communication.
 - B. Hand signals will be used where chalk board is inappropriate.
 - C. Two way radio will be used to communicate off location in case of emergency help is required. In most cases cellular telephones will be available at most drilling foremen's trailers or living quarters.
- 7 Drillstem Testing not anticipated.



Hydrogen Sulfide Drilling Operations Plan

Gruy Petroleum Management Co. Scout 18 Federal No. 4 Unit J Section 18 T19S R34E Lea County, NM

- 8 Drilling contractor supervisor will be required to be familiar with the effects H2S has on tubular goods and other mechanical equipment.
- 9 If H2S is encountered, mud system will be altered if necessary to maintain control of formation. A mud gas seperator will be brought into service along with H2S scavengers if necessary.



DISTRICT I 1625 N. French Dr., Hobbs, NM 88240 DISTRICT II State of New Mexico

Energy. Minerals and Natural Resources Department

Form C-102 Revised March 17, 1999

DISTRICT II 811 South First, Artesia, NM 88210

Submit to Appropriate District Office State Lease – 4 Copies Fee Lease – 3 Copies

DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410 DISTRICT IV

2040 South Pacheco, Santa Fe, NM 87505

OIL CONSERVATION DIVISION

2040 South Pacheco

Santa Fe, New Mexico 87504-2088


☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

	API Number Pool Code 5947D				,	Pool Name Tonto; 7 Rivers Wildcat				
Property 3510	Code 7 S		Property Name SCOUT "18" FEDERAL						Well Number 4	
ogrid n 16268			Operator Name GRUY PETROLEUM MANAGEMENT COMPANY					Elevation 3718'		
					Surface Loca	ation				
UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
.J	18	19 S	34 E		1750	SOUTH	2030	EAST	LEA	
Bottom Hole Location If Different From Surface										
UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	


UL or lot No.	Section T	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
				1					
Dedicated Acres	Joint or	Infill Con	nsolidation (Code Or	der No.			180000	ÇN.
40	N						. A	\$7 .	1
							7:		· 3 \

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE/BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



SECTION 18, TOWNSHIP 19 SOUTH, RANGE 34 EAST, N.M.P.M., NEW MEXICO. LEA COUNTY, 3725.4 *3723.7*° 600' 150' NORTH OFF SET 3719.9' GRUY PETROLEUM MANAGEMENT CO. SCOUT "18" FEDERAL #4 Elev. - 3718' ⊡ Lat.-N 32°39'27.9" Long-W 103°35'51.3" 150' WEST OFF SET 3720.2' 150' EAST₁ OFF SET 1 3722.3' 1 150' SOUTH OFF SET 3715.6 600' 3717.6' 3717.2 Proposed Lease Rd. to the #1,2&3 Lease Road 100 100 200 FEET SCALE: 1" = 100' Directions to Location: GRUY PETROLEUM MANAGEMENT CO FROM THE JUNCTION OF US HWY 62/180 AND SMITH RANCH ROAD, GO NORTH FOR 2.0 MILES; THENCE EAST FOR 2.0 MILES; THENCE NORTH FOR 1.2 MILE REF: SCOUT "18" FED. No. 4 / Well Pad Topo TO LOCATION. THE SCOUT "18" FED. No. 4 LOCATED 1750' FROM THE SOUTH LINE AND 2030' FROM THE EAST LINE OF BASIN SURVEYS P.O. BOX 1786 - HOBBS, NEW MEXICO SECTION 18, TOWNSHIP 19 SOUTH, RANGE 34 EAST, W.O. Number: 6307 N.M.P.M., LEA COUNTY, NEW MEXICO. Drawn By: K. GOAD Date: 02-22-2006 Disk: KJG CD#4 -6307A.DWG Survey Date: 02-21-2006 Sheet Sheets

Constitution of the second of		7.91	A ASSET COLUMNA	1 1 1 3 Save a Print
magnic (Vigural 257	20 750 29 750 77		Angerial Angerial Angerial Angerial Angerial	
sken Stemptob Craster Crast	Carlos Carlos	and to war and the control of the co	Charles Toles Pol. 1829	Amount Strain
The Control of the State of the	\$14.67.57 U.S. 1 Proper	J - Carrier 2K, LG 3113	To you of Stores House	
sester and second and	Fried All 4 70 73	Bich & Bust Tom Brawn Inc	Rich A Bass	1200
Office Control	(Yen Sessenine) Thereon	ESCIA DESCI	Entertal High E-5014 Anther Enert	
36 10 1000 36	Hombergarial School Same Inc.		34	1
155 ft Pine	(Notice Her 4) 22	Appliant & M	Service no of Chief well) of Chief and prop 101/654	1/3
State (150) 151-1501 1501	Store a 1941	Territoria.	Sen. Poleshanes	Salient Patroly James Salies Spanes
The first of the second state of the second st	Signature 434	Franchis Apacha A	William School of the state o	William Property Party Act, Act
A C Neordines Disease Pet An I Co.	Sand Service For Nich	7019 10472	(Controlled V-1987 We one Wall	167里
(Oryk)	[Menzenet.	Cuneba Arg	Sandan See 1 Sandan See 1	
Neggypra Control of the Control of t		(for- Brown Inc.)	Comment Desire	Tologo so New Yorg
121.97 Check District State Check Ch	Street Ind Street by Street St	on from Angeling for Stone	Manich 25 Man menca 26	Form 1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Chartes Page At (abornamente la Pinta de la Pinta del Pinta del Pinta de la Pi	A Page 1 Takes Beginn the	Tom Brown for Albhii	S to to Chiyran	fan fragger Unio
1410 1859************************************	4375 JA	04591 Fair See in Inc.	LATES NCT-8- Comes, of to	V SC 24 gt 1 V2552 Chesos E B Read Chesos EU S Smell Chesos
Harry Dec (172 Mil) (172 Mil) (Dury)	8		Thister	10 5050 # 0 10 10 C
Uman		9 Farm Ayayen lice 9 Farm Ay	1 O Giornalistoria Scote	Chesareana magnetic
Papling DP Was 17135 TO 17135	Pipeline Fed #4	Deven		Chesopedie Unit
Che payeons (Near bord 1974 Tom Signature, 1981) (1980) Che Promot 2191.) (1980) Che Promot 2191.) (1980) Che Promot 2191.)	on from the State Line	Maregray Co.)/4/, "	Organia
Penapide by Acades		O Po Sym Brown less	MSP © 16355 S.L. McForland	City (See Steve
5 (1350) (Contract)		- Les es 180	30-H-Fed T010321 WAE 23 63	7807336 3146 30 18750 2184 078 2412 6 56970
TOW BROWN INC (OF)	El Freen more Tole Brammitte Mescuse to Bold 1 8 Mil Unio Talet 2 19 10 10 10 10 10 10 10 10 10 10 10 10 10	Ars and ald to the property of	15 32 96 866	(A 2 Cg) + A
Brief Sold Sold Sold Pipeline Op Floring US	Paper to a	TED STORMS SUPPLIED	Shell Consecutable	
Tox Young Fre According 1 (Merit) theory (Crp)	Sharitan Engal	Merit	9 03	ti ti ti sanik
Sod St. Grants Grants Grants Spirit Grants Spirit Grants G	Wert 10002 Merit 10002	Penn zail 3/2) Nerit	Chi Eare Chevron 12 1 1 1 1 1 1 1 1	(Chevran) 141=5
Complete and 24 2 margin To 12 contract to 12 contr	Personal Programme of	Curi Ciac Rene Sant 1 933 Ages 2 1 9 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1		
27.72	escaped English and State Cod	一 最後では アンド は は 一 一 に	in Engraphs Chesage and the last of the l	45,445
of sandy lives as a property of	al No. 4	Adamin Arti	MESCALENO MOR	ocot for
Charge out fond to you have a first to the court is it could be	Type (Meeting Social Sec.)	West of the last o	US Sugaran	Single Si
144 1 125 1	roy Pet. "Size "Fet." (denies Size Fet. (denies Size Size Size (denies Size Size Size (denies Size S	The second of the second	7295 3762	
Chan f. 4 man 5 - in (5) Salling regulation of the	<u> </u>		to from the state of the first state of the	SERVICE CONTRACTOR OF THE PROPERTY OF THE PROP
100 ST 100 ST 1 B male and a proper to the state of the s	79 ₄	16 man Graff and Santanania	(62)	Mer il
tremine	Messalera in Fed			
Transfer Fig. 1 U.S		Exhibit	A – One-Mile Radiu etroleum Manageme	_ ^
The second of th	المحاور المعود الراقية	NESS NAME OF S	cout 18 Federal No. 4	, Jan
K Abroham	16 607 7 1812	Section 1	8-T19S-R34E 1750 2030' FEL	FSL &
S 1581 Server Company	32	En '®	Lea County, NM	24 24 26 - 4
1 1 2003 Ling Fee U.S. M.	29 20 at 1 2 20 at 1	7 Part & Street 1	The security	Service 100 Servic
15 Castinghesan	31,44	0.2120		



SCOUT "18" FEDERAL #4
Located at 1750' FSL AND 2030' FEL
Section 18, Township 19 South, Range 34 East,
N.M.P.M., Lea County, New Mexico.



P.O. Box 1786 1120 N. West County Rd. Hobbs, New Mexico 88241 (505) 393-7316 — Office (505) 392-3074 — Fax basinsurveys.com


W.O. Number: 6307AA - KJG CD#4

Survey Date: 02-21-2006

Scale: 1" = 2000'

Date: 02-22-2006

GRUY PETROLEUM MANAGEMENT CO.



SCOUT "18" FEDERAL #4
Located at 1750' FSL AND 2030' FEL
Section 18, Township 19 South, Range 34 East,
N.M.P.M., Lea County, New Mexico.



P.O. Box 1786 1120 N. West County Rd. Hobbs, New Mexico 88241 (505) 393-7316 - Office (505) 392-3074 - Fax basinsurveys.com


W.O. Number: 6307AA - KJG CD#4

Survey Date: 02-21-2006

Scale: 1" = 2 MILES


Date: 02-22-2006

GRUY PETROLEUM MANAGEMENT CO.



- Wind Direction Indicators (wind sock or streamers)
- △ H2S Monitors (alarms at bell nipple and shale shaker)
- Briefing Areas
- Remote BOP Closing Unit
- Sign and Condition Flags


Exhibit D – Rig Layout Plan
Gruy Petroleum Management Co.
Scout 18 Federal No. 4
Section 18-T19S-R34E 1750' FSL & 2030' FEL
Lea County, NM



ARRANGEMENT SERA

900 Series 3000 PSI WP

Exhibit E – Blowout Preventor
Gruy Petroleum Management Co.
Scout 18 Federal No. 4
Section 18-T19S-R34E 1750' FSL & 2030' FEL
Lea County, NM



Typical choke manifold assembly for 3M WP system




Exhibit E1 – Choke Manifold
Gruy Petroleum Management Co.
Scout 18 Federal No. 4
Section 18-T19S-R34E 1750' FSL & 2030' FEL
Lea County, NM

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 March 12, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☒

Type of action: Registration of a pit or	r below-grade tank 🗵 Closure of a pit or below-grad	e tank 🗌					
Operator: Gruy Petroleum Management Co. Telephone: 972-443-6489 e-mail address: zfarris@cimarex.com							
Address: P.O. Box 140907, Irving, Tx 75014-0907	24000						
	31880 U/L or Qtr/Qtr ^J Sec 18 T 19S	R34E					
County: Lea Latitude 323927.9N Longitude 10335	51.3W NAD: 1927 🔀 1983 🗖 Surface Ow	rner Federal 🛭 State 🗌 Private 🔲 Indian 🔲					
		·					
<u>Pit</u>	Below-grade tank						
Type: Drilling 🔀 Production 🗌 Disposal 🗍	Volume:bbl Type of fluid:						
Workover ☐ Emergency ☐	Construction material:						
Lined \(\mathbb{Z}\) Unlined \(\mathbb{\subset}\)	Double-walled, with leak detection? Yes 🔲 If not,	, explain why not.					
Liner type: Synthetic Thickness 12 mil Clay Volume							
12000 _{bbl}							
	Less than 50 feet	(20 points)					
Depth to ground water (vertical distance from bottom of pit to seasonal high	50 feet or more, but less than 100 feet	(10 points)					
water elevation of ground water.)	100 feet or more	(0 points)					
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)					
water source, or less than 1000 feet from all other water sources.)	(No)	(0 points)					
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)					
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)					
(1000 feet or more	(0 points)					
	Ranking Score (Total Points)	0					
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indicat	te disposal location:					
onsite O offsite I If offsite, name of facility	(3) Attach a general description of remedial action	on taken including remediation start date and end					
date. (4) Groundwater encountered: No \(\subseteq \text{ Yes} \subseteq If yes, show depth belo		-					
diagram of sample locations and excavations.	The Broadle Surface It. und utilien sumpre	. results. (b) I stated soit sample results and a					
•							
I hereby certify that the information above is true and complete to the best of	my knowledge and belief. I further certify that the	above-described pit or below-grade tank has					
been/will be constructed or closed according to NMOCD guidelines . a Date: 03-28-06	_	• · · · · · · · · · · · · · · · · · · ·					
Printed Name/Title Zeno Farris Manager Operations Administration	Signature Zemo Fam	4					
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or							
otherwise endanger public health or the environment. Nor does it relieve the							
regulations.		other federal, state, or local laws and/or					
Approval: MAY 2 2 2006		8,					
Date:		and the					
Printed Name/Title PAUL F. KAUTZ	_ Signature	- 1000 S					
PETROLEUM ENGINEEI		THE PARTY OF THE P					

Gruy Petroleum Management Co.

5215 North O'Connor Blvd. ◆ Suite 1500 ◆ Irving, TX 75039 ◆ (972) 401-3111 ◆ Fax (972) 443-6486 Mailing Address: P.O. Box 140907 ◆ Irving, TX 75014-0907

A subsidiary of Cimarex Energy Co. • A NYSE Listed Company • "XEC"



March 28, 2006

Oil Conservation Division District I Office 1625 North French Drive Hobbs, New Mexico 88240 Attn: Ms. Donna Mull

Re: Statewide Rule 118

Hydrogen Sulfide Gas Contingency Plan Proposed Scout 18 Federal No. 4 Well

Dear Ms. Mull:

In accordance with NMAC 19.15.3.118 C. (1) governing the determination of the hydrogen sulfide concentration in gaseous mixtures in each of its operations, Gruy Petroleum Management Co. does not anticipate that there will be enough H2S from the surface to the Morrow/Atoka formations to meet the OCD's minimum requirements for the submission of a contingency plan for the drilling and completion of the following test(s):

Scout 18 Federal No. 4 J-18-19S-34E 1750' FSL & 2030' FEL Lea Co., NM

If anything further is needed regarding this issue, or if you have any questions, please feel free to contact the undersigned at 972-443-6489.

Yours truly,

Zeno Farris

Manager, Operations Administration

Zeno Family

100 22 23 24 20 16 P) 100 P

Sent: Mon 5/22/2006 9:24 AM

The sender of this message has requested a read receipt. Click here to send a receipt.

Mull, Donna, EMNRD

From:

Subject:

Phillips, Dorothy, EMNRD

To:

Mull, Donna, EMNRD

Cc:

RE: Financial Assurance Requirement

Attachments:

All but Apache are okay.

From: Mull, Donna, EMNRD

Sent: Monday, May 22, 2006 8:27 AM

To: Phillips, Dorothy, EMNRD

Cc: Macquesten, Gail, EMNRD; Sanchez, Daniel J., EMNRD

Subject: Financial Assurance Requirement

Dorothy,

Is the Financial Assurance Requirement for these Operators OK?

Cimarex Energy Co of Colorado (162683) ConocoPhillips Co (217817) Fasken Oil & Ranch LTD (151416) Range Operating New Mexico Inc (227588) Apache Corp (873) Nadel and Gussman Permian LLC (155615)

I have checked each operator for Inactive wells.

Please let me know. Thanks and have a nice day. Donna