State of New Mexico Energy, Minerals and Natural Resources Department

Form C-103 Revised 5-27-200

Revised 5-27-2004 FILE IN TRIPLICATE OIL CONSERVATION DIVISION **DISTRICT I** WELL API NO. 1220 South St. Francis Dr. 1625 N. French Dr., Hobbs, NM 88240 30-025-29064 Santa Fe, NM 87505 5. Indicate Type of Lease DISTRICT II 1301 W. Grand Ave, Artesia, NM 88210 STATE **DISTRICT III** 6. State Oil & Gas Lease No. 1000 Rio Brazos Rd, Aztec, NM 87410 7. Lease Name or Unit Agreement Name SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A North Hobbs (G/SA) Unit DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (Form C-101) for such proposals.) Section 30 8. Well No. 1. Type of Well: 113 Oil Well Gas Well Injector 2. Name of Operator 9. OGRID No. 157984 Occidental Permian Ltd. 3. Address of Operator 10. Pool name or Wildcat Hobbs (G/SA) HCR 1 Box 90 Denver City, TX 79323 4. Well Location 1310 Feet From The Feet From The Unit Letter D North West NMPM Section 30 Township 18-S Range 38-E County 11. Elevation (Show whether DF, RKB, RT GR, etc.) 3658' GR Pit or Below-grade Tank Application or Closure Depth of Ground Water Distance from nearest fresh water well Distance from nearest surface water Pit Type __ Pit Liner Thickness mil Below-Grade Tank: Volume bbls; Construction Material 12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: REMEDIAL WORK ALTERING CASING PERFORM REMEDIAL WORK PLUG AND ABANDON **PLUG & ABANDONMENT** COMMENCE DRILLING OPNS. **TEMPORARILY ABANDON CHANGE PLANS** CASING TEST AND CEMENT JOB -**PULL OR ALTER CASING** Multiple Completion OTHER: OTHER: X Squeeze, Plug back, Acid treat 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any Describe Proposed or Completed Operations (Clearly state an pertinent details, and five pertinent details details details, and five pertinent 1. Kill well. Pull injection equipment. 2. Plug back with sand to 4172'. 3. Squeeze perfs 4157-64' to seal off high perm thief zone. 4. DO & test to 1000 PSI 5. Acid treat perfs 4175-4272 w/15% HCL acid 6. Run injection equipment. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or or an (attached) alternative OCD-approved closed according to NMOCD guidelines a general permit nlan SIGNATURE TITLE DATE 05/22/2006 Administrative Associate TELEPHONE NO. TYPE OR PRINT NAME Mend E-mail address: Mendy johnson@oxy.com 506-592-6280 Johnson

For State Use Only

APPROVED BY CONDITIONS OF APPROVAL IF ANY:

OG FIELD REPRESENTATIVE IVSTAFF MANAGEB_{ATE}

MAY 2 6 2006