

Submit To Appropriate District Office State Lease - 6 copies Fee Lease - 5 copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	Form C-105 Revised June 10, 2003 WELL API NO. 30-025-37545 5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> State Oil & Gas Lease No. VA-1944
--	---	---

WELL COMPLETION OR RECOMPLETION REPORT AND LOG	
1a. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> DRY <input type="checkbox"/> OTHER <u>RECOMPLETION</u> b. Type of Completion: NEW <input type="checkbox"/> WORK <input type="checkbox"/> DEEPEN <input type="checkbox"/> PLUG <input checked="" type="checkbox"/> DIFF. <input type="checkbox"/> WELL OVER BACK RESVR. 2. Name of Operator Yates Petroleum Corporation 3. Address of Operator 105 South Fourth Street, Artesia, NM 88210 (505) 748-1471 4. Well Location Unit Letter <u>P</u> : <u>990</u> Feet From The <u>South</u> Line and <u>990</u> Feet From The <u>East</u> Line Section <u>14</u> Township <u>10S</u> Range <u>34E</u> NMPM <u>Lea</u> County 10. Date Spudded <u>5-10-06 RC</u> 11. Date T.D. Reached <u>3-3-06</u> 12. Date Compl. (Ready to Prod.) <u>5-15-06</u> 13. Elevations (DF& RKB, RT, GR, etc.) <u>4173' GR, 4190' KB</u> 14. Elev. Casinghead 15. Total Depth <u>12670'</u> 16. Plug Back T.D. <u>9400'</u> 17. If Multiple Compl. How Many Zones? 18. Intervals Drilled By <u>N/A</u> Rotary Tools <u>N/A</u> Cable Tools <u>N/A</u> 19. Producing Interval(s), of this completion - Top, Bottom, Name <u>9024-66' Abo</u> 20. Was Directional Survey Made <u>No</u> 21. Type Electric and Other Logs Run 22. Was Well Cored <u>No</u>	7. Lease Name or Unit Agreement Name Merle State Unit 8. Well No. 3 9. Pool name or Wildcat Lane; Abo, Southeast

23. CASING RECORD (Report all strings set in well)					
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
20"	Conductor	40'		In Place	
13-3/8"	48#	376'	17-1/2"	In Place	
9-5/8"	36#, 40#	4110'	12-1/4"	In Place	
7"	26#	12670'	8-3/4"	In Place	


24. LINER RECORD				25. TUBING RECORD			
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2-7/8"	8983'	8983'

26. Perforation record (interval, size, and number) 12049-59' (6 JSPF) w/60 .42" holes 9024-66' (1 JSPF) w/42 .36" holes	27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:30%;">DEPTH INTERVAL</td> <td style="width:70%;">AMOUNT AND KIND MATERIAL USED</td> </tr> <tr> <td>9024-66'</td> <td>5000 gal 15% NEFE w/45 balls</td> </tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </table>	DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	9024-66'	5000 gal 15% NEFE w/45 balls						
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED										
9024-66'	5000 gal 15% NEFE w/45 balls										

28. PRODUCTION							
Date First Production 5-15-06		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing			Well Status (Prod. or Shut-in) Producing		
Date of Test 5-17-06	Hours Tested 24	Choke Size 16/64"	Prod'n For Test Period	Oil - Bbl 350	Gas - MCF 283	Water - Bbl. 0	Gas - Oil Ratio
Flow Tubing Press. 550#	Casing Pressure 50#	Calculated 24-Hour Rate	Oil - Bbl. 350	Gas - MCF 283	Water - Bbl. 0	Oil Gravity - API - (Corr.)	

29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold	Test Witnessed By Martel Ramirez
---	--

30. List Attachments	
----------------------	--

31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief	
Signature: <u></u>	Printed Name: <u>Stormi Davis</u> Title: <u>Regulatory Compliance Technician</u> Date: <u>5-17-06</u>
E-mail Address: <u>stormid@ypcnm.com</u>	

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico			Northwestern New Mexico	
T. Anhy		T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt		T. Strawn 10882'	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt		T. Atoka 11489'	T. Pictured Cliffs	T. Penn. "D"
T. Yates 2833'		T. L. Miss 12350'	T. Cliff House	T. Leadville
T. 7 Rivers		T. Devonian	T. Menefee	T. Madison
T. Queen		T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg		T. Montoya	T. Mancos	T. McCracken
T. San Andres 4090'		T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta 5536'		T. McKee	Base Greenhorn	T. Granite
T. Paddock		T. Ellenburger	T. Dakota	T
T. Blinebry		T. Gr. Wash	T. Morrison	T
T. Tubb 6992'		T. Delaware Sand	T. Todilto	T
T. Drinkard		T. Bone Springs	T. Entrada	T
T. Abo 7794'		T. Rustler 2174'	T. Wingate	T
T. Wolfcamp 9072'		T. Morrow 11966'	T. Chinle	T
T. Penn		T. Austin Cycle 12150'	T. Permian	T
T. Cisco (Bough C)		T. Chester Lm 12279'	T. Penn "A"	T

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology