District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes \[\sum \text{No X} \] Type of action: Registration of a pit or below-grade tank \[\sum \text{Closure of a pit or below-grade tank X} \]		
Operator: Latigo Petroleum, Inc. Telephone: 432-684-4293 e-mail address: Address 550 West Texas Suite 700 Midland, Texas 79701 Facility or well name: Dry Lake "28" State Com #1 API#: 30-025-37551 U/L or Qtr/Qtr C Sec 28 T 21S R 35E County: Lea County Latitude Longitude NAD: 1927 □ 1983 □ Surface Owner: Federal □ State X□ Private □ Indian □		
Pit Type: Drilling X Production Disposal Workover Emergency Lined X Unlined Liner type: Synthetic X Thickness 12/20 mil Clay Pit Volume bbl	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points)X (10 points) (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points)X
	Ranking Score (Total Points)	20 Points
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite X offsite If offsite, name of facility		
Additional comments: Closure for drilling pit. An encapsulation trench will be constructed and lined with 12 mil synthetic liner next to drilling pit. The drilling pit contents		
will be excavated and emplaced into the encapsulation trench using a mixture of three to one pit material and Class H bulk cement or CKD. The emulsion of pit material and		
cement will be mixed using a track hoe and water if needed. After completion of solidifying pit material in cement and pit contents have set in place for a minimum of 24		
hours, the encapsulation trench will then be capped using a 20 mil synthetic liner and backfilled to grade using a minimum of 3' of like material and clean soil. A one call		
and 24 hour notification to OCD will be made before action begins. Beginning pit closure date: N/A. Ending pit closure: N/A.		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines X, a general permit , or an (attached) a standard OCD eparaved plan Date: 05/24/06		
Printed Name/Title Charles Chanley/Agent	Signature	Hobbs 3
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminant bround water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or to allow and/or regulations.		
Approval: Printed Name/Title GARY W. WINK BYAFFMER. Signature Lay W. Wind Date 5/31/06		