

## **Occidental Permian Limited Partnership**

June 7, 2006


New Mexico Oil Conservation Division District I 1625 N. French Drive Hobbs, New Mexico 88240

Attn: Environmental Engineering

RE: Final Drilling Pit Closure

North Hobbs Unit 19-943 Drilling Pit

UL 'H', Sec. 19, T-18-S, R-38-E



- 1. All drill cuttings and liner were removed from pit area.
- 2. All cuttings were disposed of at Sundance Services, Parabo Facility near Eunice, New Mexico.
- 3. Native soils, stored on site, were used for backfill of the area.
- 4. NMOCD Pit and Below-Grade Tank Guidelines, dated 11-01-2004, were used for pit closure compliance.
- 5. Work was completed on May 20, 2006.
- 6. A final form C-144 is attached.

STEVON M. BISHO

If you have any questions, or if I can be of further assistance, please contact me at (505) 397-8251.

Steven M. Bishop

HES Technician/Hobbs RMT

Steven\_Bishop@oxy.com

(505) 397-8251

Attachments: Form C-144

Diagram of pit and well location

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II

1000 Rio Brazos Road, Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Hobbs, NM 88240

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr.

March 12, 2004

Form C-144

For drilling and production facilities, submit to appropriate NMOCD District Office.


For downstream facilities, submit to Santa Fe office

| Pit or Below-Grade Tank Regi                 | stration or Closure     |
|--|-------------------------|
| Is pit or below-grade tank covered by a "ger | neral plan"? Yes 🗌 No 🔀 |

Santa Fe, NM 87505

| \  | a maril a Admany Stayram Disham @  |  |
|--|--|--|
| Operator: Occidental Permian, LTDTelephone: 505.397.8251 Address: 1017 W. Stanolind Road, Hobbs, New Mexico 88240  |  | oxy.com  |
| 'acility or well name: NHU 19-943 API #: 30-025-   |  | ) T 18_S R 38_F                                  |
| County: Lea Latitude 32°43'59.94" N Longitude 103°10'  | 46.29 "WNAD: 1927 🛮 1983 🗖 Surface (   | Owner Federal State Private Indian               |
| <u>'it</u>   | Below-grade tank   |  |
| <u>'ype:</u> Drilling ☑ Production ☐ Disposal ☐  | Volume:bbl Type of fluid:Construction material:Double-walled, with leak detection? Yes |  |
| Workover ☐ Emergency ☐   |  |  |
| ined 🛮 Unlined 🔲   |  |  |
| iner type: Synthetic  Thickness 12 mil Clay  Volume 5,000_bbl  |  |  |
| hepth to ground water (vertical distance from bottom of pit to seasonal high rater elevation of ground water.)   | Less than 50 feet  | (20 points)                                      |
|  | 50 feet or more, but less than 100 feet  | (10 points) 10                                   |
|  | 100 feet or more   | ( 0 points)                                      |
| Vellhead protection area: (Less than 200 feet from a private domestic /ater source, or less than 1000 feet from all other water sources.)                          | Yes  | (20 points) 20                                   |
|  | No   | ( 0 points)                                      |
|  | Less than 200 feet   | (20 points)                                      |
| Distance to surface water: (horizontal distance to all wetlands, playas,   | 200 feet or more, but less than 1000 feet  | (10 points)                                      |
| rigation canals, ditches, and perennial and ephemeral watercourses.)   | 1000 feet or more  | ( 0 points) 0                                    |
|  | Ranking Score (Total Points)   | 30   |
| If this is a pit closure: (1) attach a diagram of the facility showing the pit's   | relationship to other equipment and tanks (2) In                                       | dicate disposal location                         |
| onsite offsite for its offsite, name of facility Sundance Services, Parabo   |  | •  |
| end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth   |  |  |
| diagram of sample locations and excavations.   |  | . ,,   |
| hereby certify that the information above is true and complete to the best of een/will be constructed or closed according to NMOCD guidelines , a Date: 05/20/2006 | general permit $\square$ , or an (attached) alternativ                                 | e OCD-approved plan □.                           |
| rinted Name/Title Steven M. Bishop HES Specialist  | Signature  | Trow M. SSHUP                                    |
| our certification and NMOCD approval of this application/closure does not therwise endanger public health or the environment. Nor does it relieve the egulations   | relieve the operator of liability should the content                                   | s of the pit or tank contaminate ground water or |
| Approval:  Pate: 6/12/06  Trinted Name/Title CHRIS WILLIAMS / DIST. SUPV.  | Signature Chris Wellis   | · · · · · · · · · · · · · · · · · · ·            |
|  |  |  |

## North Hobbs Unit 19-943



Occidental Permian Ltd.

North Hobbs Unit 19-943

API # 30-025-37435

Unit Letter 'H', Section 19, T-18-S, R-38-E

Long N 32°43'59.94"Lat W 103°10'46.29"

100' X 100' Pit 50' West of Wellhead