

Occidental Permian Limited Partnership

June 7, 2006

New Mexico Oil Conservation Division District I 1625 N. French Drive Hobbs, New Mexico 88240

Attn: Environmental Engineering

RE: Final Drilling Pit Closure

North Hobbs Unit 29-712 Drilling Pit UL 'E', Sec. 29, T-18-S, R-38-E



This letter is being sent as final closure for the drilling pit at the above mentioned location. This pit was closed as follows:

- 1. All drill cuttings and liner were removed from pit area.
- 2. All cuttings were disposed of at Sundance Services, Parabo Facility near Eunice, New Mexico.
- 3. Native soils, stored on site, were used for backfill of the area.
- 4. NMOCD Pit and Below-Grade Tank Guidelines, dated 11-01-2004, were used for pit closure compliance.
- 5. Work was completed on May 20, 2006.

STEVEN M. BISHOP

6. A final form C-144 is attached.

If you have any questions, or if I can be of further assistance, please contact me at (505) 397-8251.

Steven M. Bishop

HES Technician/Hobbs RMT Steven_Bishop@oxy.com

(505) 397-8251

Attachments: Form C-144

Diagram of pit and well location

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

regulations

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe


Form C-144

March 12, 2004

Is pit or below-grade tank	de Tank Registration or Closus covered by a "general plan"? Yes \(\simeg\) No	
Type of action: Registration of a pit or Operator: _Occidental Permian, LTD	7558U/L "E" Sec _29^	om T_18-S R38-E
Pit Type: Drilling ☑ Production ☐ Disposal ☐ Workover ☐ Emergency ☐ Lined ☑ Unlined ☐ Liner type: Synthetic ☑ Thickness _12mil Clay ☐ Volume _5,000_bbl	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) 10 (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) 20 (0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points) 0
	Ranking Score (Total Points)	30
If this is a pit closure: (1) attach a diagram of the facility showing the pit's onsite ☐ offsite ☒ If offsite, name of facility Sundance Service, Parabo Fa end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth to diagram of sample locations and excavations.	acility. (3) Attach a general description of remedial a	ction taken including remediation start date and
I hereby certify that the information above is true and complete to the best of r been/will be constructed or closed according to NMOCD guidelines ☑, a Date:05/20/2006	general permit , or an (attached) alternative O	above-described pit or below-grade tank has CD-approved plan

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or

Date: 6/12/06
Printed Name/Title CHRIS WILLIAMS / DIST. 5UV Signature Chris Williams



Occidental Permian Ltd.

North Hobbs Unit 29-712

API # 30-025-37558

Unit Letter 'E', Section 29, T-18-S, R-38-E

N 32°43`08.51", W103°10`30.85"

100' X 100' Pit 50' East of Wellhead