

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-30554
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. V-0119
7. Lease Name or Unit Agreement Name YATES STATE
8. Well Number 2
9. OGRID Number 024225
10. Pool name or Wildcat LOVINGTON PENN, N.E.

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
W. A. MONCRIEF, JR

3. Address of Operator
950 COMMERCE MONCRIEF BLDG., FORT WORTH, TX 76102

4. Well Location

Unit Letter H : 1980 feet from the NORTH line and 510 feet from the EAST line
Section 30 Township 16S Range 37E NMPM County LEA

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3830KB

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____

Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

MI & RU ND WELLHEAD. NU BOP.
POOH W/ PUMP & RODS, POOH W/ TBG. Tally out. LD MA & PERF SUB. GIH W/ TBG TO 11,150
SPOT 25 SX PLUG & TAG. LOAD HOLE WITH MUD. PUH TO 8150'. SPOT 25 SX PLUG. POOH W/TBG.
PULL STRETCH ON CSG. CUT OFF @ F.P. POOH W/ CSG. GIH W/ TBG PUMP 50 SX @ CSG. STUB **PLUG-TAG**
PUH 2000' SPOT 35 SX PLUG
PUH TO 4270' (8 5/8 SHOE) SPOT 35 SX PLUG & TAG
PUH TO 1250' SPOT 35 SX PLUG
PUH TO 500' SPOT 35 SX PLUG & TAG
PUH TO 60' CIRC CMT TO SURFACE

**THE OIL CONSERVATION DIVISION MUST
BE NOTIFIED 24 HOURS PRIOR TO THE
BEGINNING OF PLUGGING OPERATIONS.**

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative NMOCD-approved ☐.

SIGNATURE Marla Davis TITLE _____ AGENT _____ DATE 6/7/06

Type or print name MARLA DAVIS

E-mail address: mdavis@moncriefoil.com Telephone No. 827-336-7232

For State Use Only

APPROVED BY: Chris Williams TITLE DISTRICT SUPERVISOR/GENERAL MANAGER DATE JUN 13 2006
Conditions of Approval (if any):

WELL INFORMATION 07/07/2006						
Well Name: Yates State #2			Field: NE Lovington Penn			
Property: Proposed P&A			API #: 30-025-30554			
County: Lea			State: NM			
Spud Date: 04/02/1989			Completion Date: 05/20/1989			
Kelly Bushing (ft): 3830.0			Elevation Reference: Ground Level			
Wellhead (ft): 0.0			Elevation (ft): 3817.0			
Max. Deviation (Degree): 0.0						
Hole			Reference from Kelly Bushing			
ID	MD	TVD	Comment			
17.500	450.0	450.0	Hole segment number one			
11.000	4220.0	4220.0	Hole segment number two			
7.875	11300.0	11300.0	Hole segment number three			
Hole Plug			Reference from Kelly Bushing			
Top	Bottom	Comment				
5650.0	5750.0					
Hole Plug			Reference from Kelly Bushing			
Top	Bottom	Comment				
4170.0	4270.0					
Casing String #1			Reference from Wellhead			
OD	ID	Top	Bottom	Weight	Grade	Comment
13.375	12.715	0.0	450.0	48.00	H-40	
8.625	7.921	0.0	4220.0	32.00	K-55	
5.500	4.892	5700.0	11300.0	17.00	N-80	
Casing Plug			Reference from Kelly Bushing			
Top	Bottom	Type	Comment			
11080.0	11100.0	Cement				
6550.0	6650.0	Cement				
Casing Plug Back			Reference from Kelly Bushing			
Top	Bottom	Type	Comment			
1900.0	2000.0	Cement				
350.0	450.0	Cement				
0.0	60.0	Cement				
Packer			Reference from Wellhead			
MD	Type	Comment				
11100.0	Retrievable					
Cement/Gravel			Reference from Kelly Bushing			
Top	Bottom	Type	Comment			
0.0	450.0	Cement	Circulated			
0.0	4220.0	Cement				
8650.0	11300.0	Cement				

0.0

2825.0

5650.0

8475.0

11300.0