District I 1625 N. French Dr., Hobbs, NM 88240

District II
1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

office

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes No Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank

| Operator Ch as I Engage Tolombon | . 416 020 0201 | Saal |
|--|--|--|
| Operator: Chaparral Energy Telephone: 405 830-8381 e-mail address: Herman Sechaparralenergy, Co. Address: 701 Ceaar Lake Blud, Oklahoma City, UK 731/4 Facility or well name: West Dollarhide Green Sand API #730 -025-30002 U/L or Qtr/Qtr J Sec 30 T 245 R 38E | | |
| Facility or well name: West Dollachide Green Sand API #79 | 50 -025 - 30002 U/L or Otr/Otr | - Sec 30 T 245 P 39F |
| County: Lea Latitude | Longitude | NAD: 1027 🗆 1082 🗆 |
| Surface Owner: Federal State Private Indian | Eoriginate | NAD. 1927 🔲 1965 🛄 |
| Pit | Below-grade tank | |
| Type: Drilling Production Disposal | Volume:bbl Type of fluid: | • |
| Workover ☑ Emergency ☐ | Construction material: | |
| Lined Unlined | Double-walled, with leak detection? Yes If not, explain why not. | |
| Liner type: Synthetic Thickness 12 mil Clay | | |
| Pit Volume <u>50</u> bbl | | 1819202123 |
| Double to several material Marie Control of the Con | Less than 50 feet | (20 points) |
| Depth to ground water (vertical distance from bottom of pit to seasonal | 50 feet or more, but less than 100 feet | (20 points) |
| high water elevation of ground water.) | 100 feet or more | (20 points) |
| 2 01.70 | Yes | <u> </u> |
| Wellhead protection area: (Less than 200 feet from a private domestic | | (20 points) (25 27 28 27 28 27 28 27 28 27 28 28 28 28 28 28 28 28 28 28 28 28 28 |
| water source, or less than 1000 feet from all other water sources.) | No | F0 points) |
| Distance to surface water: (horizontal distance to all wetlands, playas, | Less than 200 feet | (20 points) |
| irrigation canals, ditches, and perennial and ephemeral watercourses.) | 200 feet or more, but less than 1000 feet | (10 points) 3 to E |
| | 1000 feet or more | (0 points) |
| | Ranking Score (Total Points) | 10 |
| If this is a pit closure: (1) Attach a diagram of the facility showing the pit's your are burying in place) onsite offsite. If offsite, name of facility remediation start date and end date. (4) Groundwater encountered: No 19 (5) Attach soil sample results and a diagram of sample locations and excavated different Gromoster. | . (3) Attach a gener res [If yes, show depth below ground surface_ions. | al description of remedial action taken including ft. and attach sample results. |
| Additional Comments: Will Close according to NMOCD Pit and Below Grade Tank Guidelines | | |
| I hereby certify that the information above is true and complete to the best has been will be constructed or closed according to NMOCD guideline Date: 6-12-0 C | s (25), a general permit [], or an (attached) alter | at the above-described pit or below-grade tank mative OCD-approved plan . |
| Printed Name/Title Herman Steen - Production For Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the regulations. | -4111 | nts of the pit or tank contaminate ground water or h any other federal, state, or local laws and/or |
| Approval: Printed Name/Title Chica Williams Signature Chica Welliams Date: | | |