

DISTRICT I  
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

## OIL CONSERVATION DIVISION

2040 Pacheco St.  
Santa Fe, NM 87505

|                                                                                                  |
|--------------------------------------------------------------------------------------------------|
| WELL API NO.<br>30-025-12726                                                                     |
| Indicate Type of Lease<br>STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> |
| State Oil & Gas Lease No.                                                                        |

|                                                                                                                                                                                                                      |                                      |                                                              |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|--------------------------------------------------------------|
| <b>SUNDRY NOTICES AND REPORTS ON WELLS</b><br>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)        |                                      | Lease Name or Unit Agreement Name<br>South Hobbs (G/SA) Unit |
| Type of Well:<br>OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER TA'D Injector                                                                                                             |                                      |                                                              |
| Name of Operator<br>Occidental Permian LTD                                                                                                                                                                           | Well No.<br>95                       |                                                              |
| Address of Operator<br>1017 W. Stanolind Rd. Hobbs, New Mexico                                                                                                                                                       | Pool name or Wildcat<br>Hobbs (G/SA) |                                                              |
| Well Location<br>Unit Letter <u>O</u> : <u>990</u> Feet From The <u>South</u> Line and <u>2310</u> Feet From The <u>East</u> Line<br>Section <u>10</u> Township <u>19-S</u> Range <u>38-E</u> NMPM <u>Lea</u> County |                                      |                                                              |
| Elevation (Show whether DF, RKB, RT, GR, etc.)<br>3590' GL                                                                                                                                                           |                                      |                                                              |

11

Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

### NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐  
OTHER: ☐

### SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING  
COMMENCE DRILLING OPNS. ☐ PLUG AND ANBANDONMENT  
CASING TEST AND CEMENT JOB ☐  
OTHER: ☐

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Well TA'D CIBP Set @ 4079'

Tag existing CIBP @ 4079'

Circ. well w/ M.L.F.

Spot 25 sks of cement @ 4079'-3979'


Spot 35 sks of cement 2600'-2500'

Spot 45 sks of cement 1707'-1500' WOC & Tag

Spot 30 sks of cement 161'-surface

THE COMMISSION MUST BE NOTIFIED 24  
HOURS PRIOR TO THE BEGINNING OF  
PLUGGING OPERATIONS FOR THE C-103

Cut off wellhead and anchors 4' BGL Cap well Install dry hole marker



I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jack Shelton TITLE Agent DATE 07-28-03

TYPE OR PRINT NAME Jack Shelton

TELEPHONE NO. 915-523-5155

(This space for State Use)

OC FIELD REPRESENTATIVE II/STAFF MANAGER

APPROVED BY Harry W. Wink TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY

JUL 31 2003



Amoco Production Company

ENGINEERING CHART

SUBJECT

SOUTH HOBBS UNIT #95

HOBBS (G-SA)

990 FSL X 2310 FEL SEC. 10-T195-R386  
LEA COUNTY, NM

FILE

APPN

DATE

12-30-21

BY

AC

u.L. "0"

ELEV 3590 GL

FLAC # 952782019

15 1/2" - 70# CSA 111  
CMT 150 SX

10 1/4" - 45# CSA 1657  
CMT w/ 75 SX

Perf 1665 CMT 475 SX  
CIRC. 20 SX OUT

PERF @ 500 w/ 25 PF  
CMT w/ 450 SX

2 3/8 Seating Nipple  
X 2 3/8 TBS. LA 4220

7" - 23# CSA 4075  
CMT w/ 60 SX

Top liner @ 3603'

4 1/2" liner set at 4250'  
CMT w/ 100 SX classic neat.  
Top liner at 3603'.

Perf 4170 - 4180, 4183 - 4202  
4216 - 4225 w/ 25 PF.

PSTD 4241

TD 4250

# South Hobbs #95

