District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 June 1, 2004 Iling and production facilities, submit to

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

## Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes No

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank		
Operator: Range Operating New Mexico, Inc. Telephone: (505) 631-0926 e-mail address: _salmager@rangeresources.com		
Operator: Range Operating New Mexico, Inc. Telephone: (505) 631-0926 e-mail address: salmager@rangeresources.com  Address: P.O. Box 2510, Hobbs, New Mexico 88241		
Facility or well name: Grizzell "A" #2 API #: 30-025-37600 U/L or Qtr/Qtr UL - H Sec T 22S R 37E		
County: Lea Latitude N 32 deg 25.307' Longitude W 103 deg 11.686' NAD: 1927   1983     1983   1983   1985		
Surface Owner: Federal  State Private  Indian		
Pit	Below-grade tank  Volume:bbl Type of fluid:	
Type: Drilling \( \text{Production} \) Production \( \text{Disposal} \)	Construction material:	
Workover Emergency	Double-walled, with leak detection? Yes  If not, explain why not.	
Lined Mullined This language 20 mills Clay This language 2	Double-waited, with leak detection? Yes I if not, explain why not.	
Liner type: Synthetic ☑ Thickness 20 mil Clay ☐		
Pit Volumebbl	T 4 50 C 4	Loo
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water.) 52.79'	50 feet or more, but less than 100 feet	(10 points) X
	100 feet or more	( 0 points)
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No	( 0 points) X
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	( 0 points) X
	Ranking Score (Total Points)	10
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
your are burying in place) onsite 🗌 offsite 🔯 If offsite, name of facility Sundance . (3) Attach a general description of remedial action taken including remediation start		
date and end date. (4) Groundwater encountered: No 🗌 Yes 🔲 If yes, show depth below ground surfaceft. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments: All fluids will be removed from the pit. The liner and any excavated soil will be disposed of at an NMOCD approved facility.		
29 <sup>29 30 37</sup> 72		
·		(62) A
		STATE SAGE STATE S
		18 - m m
		Hobbs 3
		\ <del>2</del> 000 2
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative of approved plan permit , or an (attached) alternative of approved plan app		
as been will be coust acted of closed according to twice b guidennes \( \infty, a general permit \( \infty, of all (attached) after hadve occasapproved plan \( \infty \)		
Date: June 28, 2006		
Printed Name/Title Steve Almager, Foreman Signature		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval:		
Printed Name/Title (W. Johnson Edvice Ener Signature W. Johnson Date: 6.30.06		

## Range Operating New Mexico, Inc

Grizzell A #2
2310' FNL & 320' FEL
Unit H. Sec 2, T22S, R37E
API #30-025-37600
N 32Deg 25.307'
W 103 Deg 11.686'

125'

Dig and Haul Only Ground Water @ 58.70'