Submit To Appropriate District Office State of New Mexico Form C-105 State Lease - 6 copies Fee Lease - 5 copies Energy, Minerals and Natural Resources Revised June 10, 2003 District I WELL API NO. 1625 N. French Dr., Hobbs, NM 88240 30-025-37086 District II Oil Conservation Division 1301 W. Grand Avenue, Artesia, NM 88210 5. Indicate Type of Lease 1220 South St. Francis Dr. District III STATE X **FEE** 1000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe, NM 87505 District IV State Oil & Gas Lease No. 1220 S. St. Francis Dr., Santa Fe, NM 87505 VO-5459 WELL COMPLETION OR RECOMPLETION REPORT AND LOG 1a. Type of Well: 7. Lease Name or Unit Agreement Name OIL WELL GAS WELL X DRY OTHER RECOMPLETION b. Type of Completion: Indigo BHC State Com NEW WORK PLUG X DEEPEN DIFF. WELL OVER Ceived 2. Name of Operator Yates Petroleum Corporation 3. Address of Operator 9. Pool fame or Wildcat 105 South Fourth Street, Artesia, NM 88210 (505) 748-1471 Four Lakes; Morrow (Gas) 4. Well Location Unit Letter D: 660 Feet From The North 660 Line and West Feet From The Line Section Township 12S 35E Lea County 11. Date T.D. Reached 10. Date Spudded 12. Date Compl. (Ready to Prod.) 13. Elevations (DF& RKB, RT, GR, etc.) 14. Elev. Casinghead 9-22-05 RC 4-20-05 6-20-06 4162'GR 4184'KB 15. Total Depth 16. Plug Back T.D. 17. If Multiple Compl. How Many 18. Intervals Rotary Tools Cable Tools 12772' Zones? Drilled By 12856 40'-12856' 9. Producing Interval(s), of this completion - Top, Bottom, Name 20. Was Directional Survey Made 12232-12236' Morrow No 21. Type Electric and Other Logs Run 22. Was Well Cored No 23. **CASING RECORD** (Report all strings set in well) CASING SIZE WEIGHT LB./FT. DEPTH SET HOLE SIZE CEMENTING RECORD AMOUNT PULLED 20" Conductor 40' 13-3/8" 48# 421' 17-1/2" 420 sx (circ) 9-5/8" 36# & 40# 4353 12-1/4" 1620 sx (circ) 2819 sx (TOC 3852' calc) 5-1/2" 17# 12856' 8-3/4" 24. LINER RECORD 25. TUBING RECORD SIZE TOP BOTTOM SACKS CEMENT | SCREEN SIZE DEPTH SET PACKER SET 2-7/8" 11670' 11670' Perforation record (interval, size, and number) 27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 12232-36' w/24 .42" holes 12232-36' 500g 7-1/2% Morrow acid w/30 balls 12036-44 and 12046-49' w/66 .42" holes 12036-49" 2000 gal 7-1/2% Morrow acid w/75 balls 11893-11930' w/222 .42" holes 12232-36' 1000 gal 7-1/2% Morrow type acid 3000 gal 7-1/2% Morrow acid w/200 balls 11893-930 11893-930' Frac w/70000 gal 40# Med. 40Q foam w/70000# 18/40 28 **PRODUCTION** Date First Production Production Method (Flowing, gas lift, pumping - Size and type pump) Well Status (Prod. or Shut-in) 6-22-06 **Flowing** Producing Date of Test Hours Tested Choke Size Prod'n For Oil - Bbl Gas - MCF Water - Bbl. Gas - Oil Ratio 6-24-06 24 20/64" Test Period 57 n 0 Flow Tubing Press. Casing Pressure Calculated 24-Oil - Bbl. Gas - MCF Water - Bbl. Oil Gravity - API - (Corr.) 300# 100# Hour Rate 57 N/A 29. Disposition of Gas (Sold, used for fuel, vented, etc.) Test Witnessed By Sold Noel Gomez 30. List Attachments 31 I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief Printed Signature Name Stormi Davis Title Regulatory Compliance Technician Date 7-5-06 E-mail Address: stormid@ypcnm.com

## **INSTRUCTIONS**

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

## INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico				Northwestern New Mexico		
T. Anhy		T. Canyon		T. Ojo Alamo	T. Penn. "B	
T. Salt		T. Strawn	11167'	T. Kirtland-Fruitland	T. Penn. "C	
B. Salt		T. Atoka	11702'	T. Pictured Cliffs	T. Penn. "D	
T. Yates	2940'	T. Miss		T. Cliff House	T. Leadville	
T. 7 Rivers		T. Devonian		T. Menefee	T. Madison	
T. Queen		T. Silurian		T. Point Lookout	T. Elbert	
T. Grayburg		T. Montoya		T. Mancos	T. McCracken	
T. San Andres	4282'	T. Simpson		T. Gallup	T. Ignacio Otzte	
T. Glorieta	5720'	T. McKee		Base Greenhorn	T. Granite	
T. Paddock		T. Ellenburger		T. Dakota		
T. Blinebry		T. Gr. Wash		T. Morrison		
T.Tubb	7155'	T. Delaware Sand		T.Todilto		
T. Drinkard		T. Rustler	2198'	T. Entrada		
T. Abo	7909'	T. Morrow	12148'	T. Wingate	·	
T. Wolfcamp	9362'	T. Austin	12328'	T. Chinle		
T. Penn		T. Chester	12524'	T. Permian		
T. Cisco (Bough C)		L. Mississippian	12632'	T. Penn "A	OH OP CLAS	

			SANDS	OR GAS OR ZONES
No. 1, from	to	No. 3, from	to	
No. 2, from	to	No. 4, from	to	
	IMPORTA	ANT WATER SANDS		
Include data on rate of water	inflow and elevation to which	h water rose in hole.		
No. 1, from	to	feet	• • • • • • • • • • • • • • • • • • • •	
No. 2, from	to	feet	• • • • • • • • • • • • • • • • • • • •	
No. 3, from	to	feet	• • • • • • • • • • • • • • • • • • • •	
L	ITHOLOGY RECO	RD (Attach additional sheet if	necessary)	

From	То	Thickness In Feet	Lithology		From	То	Thickness In Feet	Lithology
				i				