

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.	30-025-04418
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name Ida White	
8. Well Number	2
9. OGRID Number	012024
10. Pool name or Wildcat Eumont Yates 7 Rrvs Queen	

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	
2. Name of Operator John H. Hendrix Corporation	
3. Address of Operator P. O. Box 3040 Midland, TX 79702-3040	
4. Well Location Unit Letter J : 2310 feet from the East line and 1650 feet from the South line Section 35 Township 20S Range 36E NMPM County Lea	
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/>	
Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____	
Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☒
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. See Attached Sheet

Approved as to plugging of the Well Bore.
Liability under bond is retained until
surface restoration is completed.



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Ronnie H. Westbrook TITLE Vice President DATE 07/19/2006

Type or print name Ronnie H. Westbrook

E-mail address:

Telephone No. (432) 684-6631

For State Use Only

APPROVED BY: Gary W. Wink TITLE OC FIELD REPRESENTATIVE II/STAFF MANAGER DATE _____

Conditions of Approval (if any):

JUL 25 2006

IDA WHITE NO. 2

- 5/17/06 MI, Clear location – Attempted to breakdown WHE – Froze up – RU PU & SDFN.
- 5/18/06 Cont. to work on WHE – RU rotary WL & wrapped tbg. head w/ 1000 grain charge – Shoot head & loosen cap on head – NU BOP – MI & unloaded 130 jts. 2-3/8" WS – PU on tbg. – String Wt = 10,000# - SLMOH w/ 59 jts. 2-3/8" tbg. – LD all pipe – Tbg. had scale w/ max. OD of 4" – FL @ 15 jts. Below GL – All tbg. is junk – SLM = 1835' – Had rotted off jt. on bottom – SD WO fish tools.
- 5/19/06 RU Rev. Unit & Tools – RIH w/ 6-1/8" bit, bits sub & 65 jts. 2-3/8" tbg. Tagged fish @ 2003' – RU & break circ. conventional – Would not circ. going reverse – Circ. hole clean – Attempted to work down hole w/ bit – No progress – POH w/ tbg. & bit – SD – WO shoe & wash pipe.
- 5/22/06 PU & ran 6" OD shoe, 6 jts. 5-1/2" wash pipe, top bushing, 4 – 4-3/4" DC's & jars – RIH w/ shoe - Tag fish or scale @ 2003' – RU & washed over fish fr. 2003 down to 2066' – Circ. hole clean – PUH to 1850' – SDFN – Talked w/ Mr. Gonzales w/ NMOCD @ 5:30 PM.
- 5/23/06 RIH w/ shoe – Break circ. – Cont. to wash over fish fr. 2060' to 2071' – Stopped making hole – Circ. hole clean – POH w/ tbg., & tools – Recvd. Approx. 40' to 60' of wadded up tbg. inside of wash pipe & shoe – shoe wore out – Secured well & SION.
- 5/24/06 RIH w/ new 6" OD shoe, wash pipe & tbg. – Break circ. w/ 50 bbls. FW – Washed down to fish @ 2077' – Cut over fish fr. 2077' to 2078' – Circ. hole clean – POH w/ tbg., LD tools, WP & shoe – RIH w/ 7" pkr. To 2003' – Test csg. & look for good pipe – 7" csg. tested good fr. 450' to surface – Csg. would not test fr. 450' to 2003' – POH w/ tbg. & pkr. – SDFN.
- 5/25/06 RIH w/ tbg. – POH LD tbg. – RU Apollo WL & ran csg. insp. log – Ran 40 Arm Caliper Magnetic Pipe Insp. Log fr. 2000' to surface – RD WL Co. – ND BOP, NU WHE RD MOPU to Britt B-18 #2.
- 6/3/06 MI & RU Nabors Well Service – Unloaded & racked 132 jts. 2-3/8" work string – SDFWE.

- 6/5/06 NE BOPE – PU & ran 7" RBP & 64 jts. 2-3/8" tbg. – Set RBP @ 2000' – POH, RIH w/ 7" pkr. – Attempted to test 7" csg. fr. 2000' up to 1000' – Would not test – Have pin holes & larger holes thru out – POH w/ pkr., RIH & retrieved RBP – POH – SDON.
- 6/6/06 MI – Unloaded, racked 100 jts. 3-1/2" work string – RIH w/ 5-3/4" OD keyloug socket overshot & 3-1/2" tbg. – Try to work over top of fish @ 2077' – POH w/ tbg. & tools – No recovery – RIH w/ 6" OD shoe #2, extension, top sub & 3-1/2" tbg. Tagged TOF @ 2077' – RU swivel & cut over fish fro. 2077' to 2079' – PUH to 2050' – Secured well & SION.
- 6/7/06 Cont. to cut over fish @ 2080' – Lost circ. – Went on strong vacuum – Talked to NMOCD – Permission to pump cmt. @ that depth – RD rev. unit & swivel – POH LD 3-1/2" tbg. & tools – Recvd. Tbg. inside shoe – RIH w/ 2-3/8" tbg. to 2014' – Secured well & SION.
- 6/8/06 WO Key Cmtg. 8 hrs. – SDON.
- 6/9/06 RU Key Cmtg. – Mixed & pumped 400 sx. Class "C" Neat cmt. fr. 2014' – Well on vacuum thru out – Displ. Cmt. w/ 2 bbls. FW – POH w/ tbg. – WOC 3-1/2" hrs. – RIH w/ tbg. – Tagged cmt. @ 1642' – Talked w/ Gary Wink w/ NMOCD & cont. to mix & pump 400 sx. Class "C" Neat cmt. fr. 1638' up 7" csg. to surface – Closed in 7" csg. & opened 10-3/4" x 7" ann. & cont. pumping cmt. thru hole in 7" csg. @ 432' up 7" x 10-3/4" – Cmt. to surface – RD Key Cmtg. – POH LD 2-3/8" tbg. – NDBOP – NU WHE – SDFN.
- 6/10/06 RD Nabors Well Serv. – Moved to State Land 15 #4 – Well P&A'd.

J.H.B.C WELL DATA SHEET

LEASE Ida White WELL NO. 2 FIELD Eminent 7-R, Queen DATE 6-10-06
Unit J
LOCATION 2310 FEET FROM East LINE AND 1650 FEET FROM South LINE
SECTION 35 TOWNSHIP 20-S RANGE 36E COUNTY Lea STATE NM
API# 30-025-04418

WH CONN:

N/A

GE: _____
KDB to GE _____
DF to GE _____

Date Completed _____
Initial Formation _____
FROM: _____ **TO:** _____
Initial Production _____ **BOFD** _____ **BWPD** _____
MCFPD _____ **GOR** _____

Completion Data:

[illegible]

Subsequent Workover or Reconditioning:

[illegible]

Present Prod. _____ BOPD _____ BWPD _____
 _____ MCFPD _____ GOR _____
 _____ Date _____

Remarks or Additional Data:

[illegible]

TOC = 2510

-BOL@1642,
 -TOC@1642,
 -TOF@2080

7 "OD
Gr _____
#Cag set @
3899' w/ _____ sx
Cmt. Circ? ND
TOC @ 2510 by TS -CBL

PBD _____
TD _____