OCD-HOBBS



30.025-37860

Devon Energy Corporation 20 North Broadway Oklahoma City, Oklahoma 73102-8260

Hydrogen Sulfide (H₂S) Contingency Plan

For

Rio Blanco 33 Federal #3

1980' FSL & 1830' FWL, Sec-33, T-22S R-34E

Lea County NM



Devon Energy Corp. Cont Plan. Page 1

Rio Blanco 33 Federal #3

This is an open drilling site. H_2S monitoring equipment and emergency response equipment will be used within 500' of zones known to contain H_2S , including warning signs, wind indicators and H_2S monitor.



100 ppm H2S concentration shall trigger activation of this plan.

Escape

Crews shall escape upwind of escaping gas in the event of an emergency release of gas. Escape can be facilitated South on lease road to Deleware Basin road. Drivers in both directions of the lease road must be flagged and stopped so as to prevent traversing into a hazardous area. <u>There are no homes or other buildings in or near the ROE</u>. Ν

Emergency Procedures

In the case of a release of gas containing H_2S , the first responder(s) must isolate the area and prevent entry by other persons into the 100 ppm ROE. Additionally the first responder(s) must evacuate any public places encompassed by the 100 ppm ROE. First responder(s) must take care not to injure themselves during this operation. Company and/or local officials must be contacted to aid in this operation. Evacuation of the public should be beyond the 100 ppm ROE.

All responders must have training in the detection of H_2S , measures for protection against the gas, equipment used for protection and emergency response. Additionally, responders must be equipped with H_2S monitors and air packs in order to control the release. Use the "buddy system" to ensure no injuries during the response.

Ignition of Gas Source

Should control of the well be considered lost and ignition considered, take care to protect against exposure to Sulfur Dioxide (SO₂). Intentional ignition must be coordinated with the NMOCD and local officials. Additionally the NM State Police may become involved. NM State Police shall be the Incident Command on scene of any major release. Take care to protect downwind whenever there is an ignition of the gas

Common Name	Chemical Formula	Specific Gravity	Threshold Limit	Hazardous Limit	Lethal Concentr- ation
Hydrogen Sulfide	H ₂ S	1.189 Air = 1	10 ppm	100 ppm/hr	600 ppm
Sulfur Dioxide	SO ₂	2.21 Air = 1	2 ppm	N/A	1000 ppm

Characteristics of H₂S and SO₂

Contacting Authorities

Devon Energy Corp. personnel must liaison with local and state agencies to ensure a proper response to a major release. Additionally, the OCD must be notified of the release as soon as possible but no later than 4 hours. Agencies will ask for information such as type and volume of release, wind direction, location of release, etc. Be prepared with all information available. The following call list of essential and potential responders has been prepared for use during a release. Devon Energy Corp. Company response must be in coordination with the State of New Mexico's 'Hazardous Materials Emergency Response Plan' (HMER)

Devon Energy Corp. Company Call List

Artesia (505)	Cellular	Office	Home
Foreman – Roger Hernandez	748-5238	748-0169	396-7169
Joe Johnston			
Mike Myers	513-0782	748-0177	395-3020
Engineer – Bill Greenlees	(405) 203-7778	(405) 552-81	94(405) 324-9994

Agency Call List

Lea County (505)

Hobbs

State Police	. 392-5588
City Police	. 397-9265
Sheriff's Office	
Ambulance	. 911
Fire Department	. 397-9308
LEPC (Local Emergency Planning Committee)	
NMOCD.	. 393-6161
US Bureau of Land Management	. 393-3612

Eddy County (505)

Carlsbad

State Police	885-3137
City Police	885-2111
Sheriff's Office	887-7551
Ambulance	911
Fire Department	885-2111
LEPC (Local Emergency Planning Committee)	887-3798
US Bureau of Land Management	887-6544
New Mexico Emergency Response Commission (Santa Fe)	(505)476-9600
24 HR	(505) 827-9126
National Emergency Response Center (Washington, DC)	(800) 424-8802

Other

Boots & Coots IWC 1-800-256-9688 or (281) 931-8884 Cudd Pressure Control...... (915) 699-0139 or (915) 563-3356 Halliburton (505) 746-2757 B. J. Services...... (505) 746-3569

Prepared in conjunction with Wade Rohloff of;

