

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

PC
08/02/06


Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>Range Operating New Mexico, Inc</u> Telephone: <u>(505) 631-0926</u> e-mail address: <u>salmager@rangeresources.com</u>		
Address: <u>P.O. Box 2510 Hobbs, NM 88241</u>		
Facility or well name: <u>New Mexico "M" State 56</u> #: <u>30-025-37666</u> U/L or Qtr/Qtr <u>D</u> Sec <u>17</u> T <u>22S</u> R <u>37E</u>		
County: <u>Lea</u> Latitude <u>N 32° 23.885'</u> Longitude <u>W 103°, 11.421'</u> NAD: 1927 <input type="checkbox"/> 1983 <input checked="" type="checkbox"/>		
Surface Owner: Federal <input type="checkbox"/> State <input type="checkbox"/> Private <input checked="" type="checkbox"/> Indian <input type="checkbox"/>		
Pit Type: Drilling <input checked="" type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input checked="" type="checkbox"/> Thickness <u>20</u> mil Clay <input type="checkbox"/> Pit Volume <u>N/A</u> bbl	Below-grade tank Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not: _____	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 65 feet 100 feet or more (0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points)	
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points)	
Ranking Score (Total Points) 10		

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility Sundance. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface N/A ft. and attach sample results.

(5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: All fluids were removed from the pit. The burial pit was constructed adjacent to the drilling pit. The burial pit was lined with a 12 ml liner. Impacted material was placed in the burial pit, completely encapsulated and capped with a 20 ml liner, and covered with 3 feet of topsoil to grade. Impacted soil was transferred to an NMOCD approved disposal facility.
Attached you will find a drawing indicating where samples were collected below the liner.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 8-2-06

Printed Name/Title: Steve Almager, Production Supervisor

Signature 

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title: L. JOHNSON - ENGRS ENGR

Signature 

Date: 08-02-06

Approximate Excavation Boundary




FIGURE # 1

LEA COUNTY, NEW MEXICO

Range Resources

New Mexico "M" State #56
U.L.D, Sec.17, T22S, R37E

Site Drawing

(Not to Scale)

Ocotillo
ENVIRONMENTAL

LEGEND

752
SS-1

Soil sample location taken at a depth of 7.5' bgs.
with chloride concentration (mg/kg).



Wellhead location

N32°33.647' W103°05.464' GPS Coordinates



DATE: 07-20-06

NAME: CHH

PROJECT NO.: 6-0122



PHONE (325) 673-7001 • 2111 BEECHWOOD • ABILENE, TX 79603

PHONE (505) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR
OCOTILLO ENVIRONMENTAL
ATTN: BUTCH EDWARDS
P.O. BOX 1816
HOBBS, NM 88241
FAX TO: (505) 393-6374

Receiving Date: 06/05/06

Reporting Date: 06/06/06

Project Owner: NOT GIVEN

Project Name: RANGE

Project Location: STATE "M" 56

API# 3002537666

Analysis Date: 06/06/06

Sampling Date: 06/05/06

Sample Type: SOIL

Sample Condition: COOL & INTACT

Sample Received By: NF

Analyzed By: HM


LAB NO. SAMPLE ID Cl^-
(mg/kg)

H11185-1	SAMPLE 1	752
H11185-2	SAMPLE 2	480
H11185-3	SAMPLE 3	512
H11185-4	SAMPLE 4	< 16
Quality Control		980
True Value QC		1000
% Recovery		98
Relative Percent Difference		2.0

METHOD: Standard Methods

4500- Cl^- B

NOTE: Analyses performed on 1:4 w:v aqueous extracts.


Chemist

06-06-06
Date

H11185

PLEASE NOTE: **Liability and Damages.** Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise.

† Cardinal cannot accept verbal changes. Please fax written changes to 915-673-7020.