

Submit 3 Copies To Appropriate District Office  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
May 27, 2004

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-005-20423
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. L-725
7. Lease Name or Unit Agreement Name STATE COM.
8. Well Number 1
9. OGRID Number
10. Pool name or Wildcat Chaves QN Gas Area SE Ass.

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Cameron Oil and Gas, Inc.

3. Address of Operator

P.O. Box 1455 Roswell, NM 88201

4. Well Location

Unit Letter I : 1980 feet from the south line and 660 feet from the east line  
Section 19 Township 12S Range 31E NMPM County Chaves

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3777 gr

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type steel Depth to Groundwater Distance from nearest surface water

Pit Liner Thickness: mil Below-Grade Tank Construction Material

12. Check Appropriate Box (Indicate Nature of Notice, Report or Other Data)

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐ OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Operator seeks approval of following.

1. Set CIBP @ 2,500'.
2. Place 10sx class c cement plug above CIBP.
3. Spot mud from 2,357' to 1,690'.
4. Place 25 sx class c cement plug @ 1690' to 1590'.
5. Tag plug @ or above 1590'.
6. Spot mud from 1590' to 1056'.
7. Place 25sx class c cement plug @ 1056' to 956'.
8. Tag plug @ 956'.
9. Spot mud from 956' to 354'.
10. Perforate 4 1/2 casing @ 354'.
11. Squeeze 25 sx class c cement plug from 354' to 254'.
12. Spot mud from 254' to 60'.
13. Place 10 sx class c cement plug from 60' to surface.
14. Remove casing stub and install marker.
15. Clean and restore location.

hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOC guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE *David Sweeney*

TITLE *Operation Manager* DATE *8-3-06*

Type or print name *G. DAVID Sweeney*  
For State Use Only

E-mail address: *dsweeney@pwrnetworks.net* Telephone No. *505-420-1108*  
*505-627-3284*

APPROVED BY: *Larry W. Wink*

TITLE *OC FIELD REPRESENTATIVE II/STAFF MANAGER*

Conditions of Approval (if any):

NOTIFIED 24 HOURS PRIOR TO THE  
OIL CONSERVATION DIVISION MUST

Camelton Oil & Gas, Inc.

State Com. 1.

30003-20423

1-19-12s-31e

1020 E - 660 E

Charles M. M.

10 ft

20 sack @ 60'

To Surface

25.5 ft

194' Mud

Tag @ 254'

8 5/8 SNOE 304'

Perk J Squeeze 25 sk @ 354'

7 7/8

602' Mud

Top of Cement = 299'

4 1/2 9.5"

TAG @ 956'

Top of Solids 1006'

25 sk plug @ 1,056'

534' Mud

TAG @ 1590.00

Base of Salt 1670'

Set 25 sack Plug @ 1690'

300 sk → 150 Lit. x 150 CL-C

667' Mud

Tag @ 2357'

CIRP @ 2500'

30003-20423

TD

2111'