

1900

Substitit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-36932
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. E-1774
7. Lease Name or Unit Agreement Name Miller BW State
8. Well Number 3
9. OGRID Number 013837
10. Pool name or Wildcat Vacuum Grayburg San Andres

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Mack Energy Corporation

3. Address of Operator

P. O. Box 960 Artesia, NM 88211-0960

4. Well Location

Unit Letter K 1840 feet from the South line and 2120 feet from the West line
Section 3 Township 17S Range 34E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
4064' GR

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type Depth Groundwater Distance from nearest fresh water well Distance from nearest surface water

Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Notify OCD 24 hours prior to starting plugging operations.

2. Set CIBP at 4593' w/ 35' cement cap.

3. Circ hole with mud gel.

4. Set 100' plug from 3175-3075', 50' below and above 9 5/8" shoe.

5. Set 100' plug from 533-433', 50' below and above 13 3/8" shoe.

6. Set 10 sx surface plug.

7. Install dry hole marker.

3 POT 100' PLUG F/1950'-1850'
- WOC+TAG
- WOC+TAG

**THE OIL CONSERVATION DIVISION MUST
BE NOTIFIED 24 HOURS PRIOR TO THE
BEGINNING OF PLUGGING OPERATIONS.**

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE

Jerry W. Sherrell

TITLE Production Clerk

DATE 8/9/2006

Type or print name Jerry W. Sherrell

E-mail address: jerrys@mackenergycorp.com

Telephone No. (505)748-1288

For State Use Only

APPROVED BY:

Larry W. Wink

TITLE

OCD FIELD REPRESENTATIVE II/STAFF MANAGER

DATE


AUG 11 2006

Conditions of Approval (if any):

MACK ENERGY CORPORATION
MILLER BW State # 3
Sec 3 T17s R34e 1840FSL 2120FWL

- 1 Notify OCD 24hrs
- 2 Set CIBP @ 4593' w/35'cmt cap circ hole mud
- 3 Set 100' cmt plug 3175-3075' 50' above below 9 5/8" shoe
- 4 Set 100' cmt plug 533-433' 50' above below 13 3/8" shoe
- 5 Set 10sks plug surface
- 6 Install Dry hole marker

BEFORE




13 3/8" 483 @ 307' 400sks

9 5/8" 36# @ 3125' 1100sks

Perfs 4693-4918'

5 1/2" 17# @ 5270' 1965sks

AFTER



13 3/8" 483 @ 307' 400sks

Set 100' cmt plug 533-433' 50' above below 13 3/8" shoe

9 5/8" 36# @ 3125' 1100sks

Set 100' cmt plug 3175-3075' 50' above below 9 5/8" shoe

Set CIBP @ 4593' w/35'cmt cap
Perfs 4693-4918'

5 1/2" 17# @ 5270' 1965sks