

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
May 27, 2004

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-07806
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator OXY USA WTP Limited Partnership		6. State Oil & Gas Lease No.
3. Address of Operator P.O. Box 50250 Midland, TX 79710-0250		7. Lease Name or Unit Agreement Name: Warren McKee Unit
4. Well Location Unit Letter <u>B</u> : <u>990</u> feet from the <u>north</u> line and <u>1650</u> feet from the <u>east</u> line Section <u>18</u> Township <u>20S</u> Range <u>38E</u> NMPM County <u>Lea</u>		8. Well Number 101
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3561'		9. OGRID Number 192463
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/> Pit type <u>Steel</u> Depth to Groundwater <u>60'</u> Distance from nearest fresh water well <u><100'</u> Distance from nearest surface water <u><1000'</u> Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____		10. Pool name or Wildcat Warren McKee

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input checked="" type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPLETION <input type="checkbox"/> OTHER: <input type="checkbox"/>	SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> PLUG AND ABANDONMENT <input type="checkbox"/> CASING TEST AND CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

SEE ATTACHMENT FOR CHANGES
See Attachment

**THE OIL CONSERVATION DIVISION MUST
BE NOTIFIED 24 HOURS PRIOR TO THE
BEGINNING OF PLUGGING OPERATIONS.**

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE David Stewart TITLE Sr. Regulatory Analyst DATE 8/15/06

Type or print name David Stewart

E-mail address:

Telephone No. 432-685-5717
OCD FIELD REPRESENTATIVE W/STAFF MANAGER

For State Use Only

APPROVED BY Thayne W. Wink TITLE _____ DATE _____

Conditions of Approval, if any:

AUG 17 2006

Warren McKee Unit #101

TD-9400' PBTD-4402' Perfs-9070-9160'

13-3/8" 36# csg @ 295' w/ 325sx, 17-1/2" hole, TOC-Surf-Circ
8-5/8" 24-32# csg @ 3799' w/ 2000sx, 11" hole, TOC-1810'-TS
5-1/2" 15.5-17# csg @ 9390' w/ 400sx, 7-7/8" hole, TOC-6680'-TS

CIBP @ 9017' CR @ 4402' Sqz Csg Lk @ 4483-5405' w/ 200sx cmt

1. DO CR @ 4402' & Cmt, RIH & Tag CIBP @ 9017'
2. M&P 25sx cmt @ 9017-8917'
3. M&P 25sx cmt @ 6820-6720'
4. Perf 5-1/2" csg @ 6350' sqz 50sx cmt to 6250' WOC-Tag
5. M&P 25sx cmt @ 5405-5305'
6. M&P 25sx cmt @ 4483-4383'
7. Perf 5-1/2" csg @ 3849' sqz 50sx cmt to 3749' - **WOC+TAG**
8. Perf 5-1/2" & 8-5/8" csg @ 1800' sqz 75sx cmt to 1700' **WOC+TAG**
9. Perf 5-1/2" & 8-5/8" csg @ 345' sqz 75sx cmt to 245' WOC-Tag
10. 10sx cmt Surface Plug
 10# MLF between plugs

OXY USA WTP LP - Proposed
Warren McKee Unit #101
API No. 30-025-07806

10sx Surface

75sx @ 345-245' WOC-Tag

75sx @ 1800-1700'

50sx @ 3849-3749'

25sx @ 4483-4383'


25sx @ 5405-5305'

50sx @ 6350-6250' WOC-Tag


25sx @ 6820-6720'

25sx 9017-8917'

6/92-CIBP @ 9017'




17-1/2" hole @ 295'
13-3/8" csg @ 295'
w/325sx-TOC-Surf-Circ
Perf 5-1/2 & 8-5/8" @ 345'




Perf 5-1/2 & 8-5/8" @ 1800'

11" hole @ 3799'
8-5/8" csg @ 3799'
w/2000sx-TOC-1810'-TS
Perf 5-1/2" @ 3849'



6/92-Csg Lk @ 4483-5405' sqz w/ 200sx



Perf 5-1/2" @ 6350'

7-7/8" hole @ 9400'
5-1/2" csg @ 9399'
w/400sx-TOC-6680'-TS

Perfs @ 9070-9160'

TD-9400'

OXY USA WTP LP - Current
Warren McKee Unit #101
API No. 30-025-07806

