District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division

June 1, 2004 For drilling and production facilities, submit to appropriate NMOCD District Office.


For downstream facilities, submit to Santa Fe

Form C-144

1220 South St. Francis Dr. Santa Fe, NM 87505 office

Die ou Dalam C	and Tank Degistration or Classes	
Is pit or below-grade tanl	rade Tank Registration or Closure k covered by a "general plan"? Yes 🏻	No 🗌
Type of action: Registration of a pit	or below-grade tank Closure of a pit or below-	grade tank 🛛
Operator: Yates Petroleum Corporation Telephone: 505-748-4500 Coddress: 105 South 4 th Street, Artesia, NM 88210 Facility or well name: Coolade BJJ State #1 API #: 30-025-23379 U/L or Qt County: Lea Latitude 33,3493 Longitude 103.448 Surface Owner: Federal State Private Indian		
Pit Type: Drilling □ Production □ Disposal □ Work over ☒ Emergency □ Lined ☒ Unlined □ Liner type: Synthetic ☒ Thickness 12 mil Clay □ Pit Volume 24000 bbl	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) XXXX (10 points) (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (2) 91 SI TI ELEV
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points) XXXX
	Ranking Score (Total Points)	. 20 Points
f this is a pit closure: (1) Attach a diagram of the facility showing the pit's relar in place) onsite ☐ offsite ☒ If offsite, name of facility: N/A (3) At Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surfacts of Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: Closure work plan for workover pit. The workover pit countries the excavated area will be backfilled to grade using a minimum of 3' of clean soil Pit Closure start date: N/A. Final closure date: N/A.	tach a general description of remedial action taken i aceft. and attach sample results. ontents will be excavated and hauled to an OCD app	ncluding remediation start date and end date. (4)
I hereby certify that the information above is true and complete to the best of my been/will be constructed or closed according to NMOCD guidelines	general permit 🖾, or an (attached) alternative (OCD-approved plan [],
Printed Name/TitleMike Stubblefield / Regulatory Agent Your certification and NMOCD approval of this application/closure does not re endanger public health or the environment. Nor does it relieve the operator of it	lieve the operator of liability should the contents of	the pit or tank contaminate ground water or otherwise al, state, or local laws and/or regulations.

Approval:
Printed Name/Title GARY W. WINKSTAFFMER Signature Lay W. Wink Date: 9/5/06



New Mexico Office of the State Engineer POD Reports and Downloads	COOLAGE BUT STAT
Township: 11S Range: 35E Sections:	
NAD27 X: Y: Zone: Sea	urch Radius:
County: Basin: N	umber: Suffix:
Owner Name: (First) (Last) ON	Non-Domestic O Domestic
POD / Surface Data Report Avg Depth to W Water Column Report Clear Form iWATERS Menu Hel	
AVERAGE DEPTH OF WATER REPORT 08/29/2006 (Depth Water 08/2006) (Depth Wa	ter in Feet) Max Avg 35 35