

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to
appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe
office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: Range Operating New Mexico, Inc Telephone: (505) 631-0926 e-mail address: salmager@rangeresources.com
Address: P.O. Box 2510 Hobbs, NM 88241
Facility or well name: Elliott "B" Federal Well #10 #: 30-025-37486 U/L or Qtr/Qtr SE/SE Sec 6 T 22S R 37E
County: Lea Latitude N 32° 25.193' Longitude W 103° 11.691' NAD: 1927 ☐ 1983 ☒
Surface Owner: Federal ☐ State ☐ Private ☒ Indian ☐

Pit	Below-grade tank	
Type: Drilling <input checked="" type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input checked="" type="checkbox"/> Thickness <u>20</u> mil Clay <input type="checkbox"/> Pit Volume <u> </u> bbl	Volume: <u> </u> bbl Type of fluid: <u> </u> Construction material: <u> </u> Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. <u> </u>	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	(0 points) 104.33
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)
	No	(0 points) X
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points) X
Ranking Score (Total Points)		0

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility Sundance. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface ft. and attach sample results.
(5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: All fluids were removed from the pit. The burial pit was constructed adjacent to the drilling pit. The burial pit was lined with a 12 ml liner. Impacted material was placed in the burial pit, completely encapsulated and capped with a 20 ml liner, and covered with 3 feet of topsoil to grade. Hydrocarbon impacted soil was disposed at an NMOCD approved facility.
Attached you will find a drawing indicating where samples were collected below the liner.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 8-29-04

Printed Name/Title: Steve Almager, Production Supervisor

Signature [Signature]


Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:


Printed Name/Title [Signature]

Signature [Signature]

Date: 9.5.04



LEGEND	
	Soil sample location taken at a depth of 8 feet, with chloride concentration (mg/kg).
	Wellhead location
	GPS Coordinates



DATE: 08-08-06
NAME: CHH
PROJECT NO.: 6-0125


FIGURE # 1
LEA COUNTY, NEW MEXICO

Range Resources

Elliott "B" Federal Well #10
Sec.6, T22S, R37E

Site Drawing
(Not to Scale)

Ocotillo
ENVIRONMENTAL



12600 West I-20 East - Odessa, Texas 79765

Analytical Report

Prepared for:

Cindy Crain

Ocotillo Environmental

2125 French Dr.

Hobbs, NM 88201

Project: Elloit B Fed #10

Project Number: None Given

Location: Eunice, NM

Lab Order Number: 6H03004

Report Date: 08/07/06

Ocotillo Environmental
2125 French Dr.
Hobbs NM, 88201

Project: Elloit B Fed #10
Project Number: None Given
Project Manager: Cindy Crain

Fax: (432) 367-6747

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
SS-1	6H03004-01	Soil	2006-08-03 08:15	2006-08-03 12:56
SS-2	6H03004-02	Soil	2006-08-03 08:18	2006-08-03 12:56
SS-3	6H03004-03	Soil	2006-08-03 08:21	2006-08-03 12:56
SS-4	6H03004-04	Soil	2006-08-03 08:24	2006-08-03 12:56
SS-5	6H03004-05	Soil	2006-08-03 08:27	2006-08-03 12:56

Ocotillo Environmental
2125 French Dr.
Hobbs NM, 88201

Project: Elloit B Fed #10
Project Number: None Given
Project Manager: Cindy Crain

Fax: (432) 367-6747

General Chemistry Parameters by EPA / Standard Methods
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
SS-1 (6H03004-01) Soil									
Chloride	J [3.60]	5.00	mg/kg	10	EH60501	08/04/06	08/04/06	EPA 300.0	J
SS-2 (6H03004-02) Soil									
Chloride	812	10.0	mg/kg	20	EH60501	08/04/06	08/04/06	EPA 300.0	
SS-3 (6H03004-03) Soil									
Chloride	J [3.77]	5.00	mg/kg	10	EH60501	08/04/06	08/04/06	EPA 300.0	J
SS-4 (6H03004-04) Soil									
Chloride	475	10.0	mg/kg	20	EH60501	08/04/06	08/04/06	EPA 300.0	
SS-5 (6H03004-05) Soil									
Chloride	135	10.0	mg/kg	20	EH60501	08/04/06	08/04/06	EPA 300.0	

Ocotillo Environmental
2125 French Dr.
Hobbs NM, 88201

Project: Elloit B Fed #10
Project Number: None Given
Project Manager: Cindy Crain

Fax: (432) 367-6747

General Chemistry Parameters by EPA / Standard Methods - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch EH60501 - Water Extraction										
Blank (EH60501-BLK1)				Prepared & Analyzed: 08/04/06						
Chloride	ND	0.500	mg/kg							
LCS (EH60501-BS1)				Prepared & Analyzed: 08/04/06						
Chloride	9.64	0.500	mg/kg	10.0		96.4	80-120			
Calibration Check (EH60501-CCV1)				Prepared & Analyzed: 08/05/06						
Chloride	9.97		mg/L	10.0		99.7	80-120			
Duplicate (EH60501-DUP1)		Source: 6H03003-01		Prepared & Analyzed: 08/04/06						
Chloride	211	10.0	mg/kg		209			0.952	20	
Duplicate (EH60501-DUP2)		Source: 6H03004-03		Prepared & Analyzed: 08/04/06						
Chloride	3.06	5.00	mg/kg		3.77			20.8	20	R3, J
Matrix Spike (EH60501-MS1)		Source: 6H03003-01		Prepared & Analyzed: 08/04/06						
Chloride	426	10.0	mg/kg	200	209	108	80-120			
Matrix Spike (EH60501-MS2)		Source: 6H03004-03		Prepared & Analyzed: 08/04/06						
Chloride	99.2	5.00	mg/kg	100	3.77	95.4	80-120			

Ocotillo Environmental
2125 French Dr.
Hobbs NM, 88201

Project: Elloit B Fed #10
Project Number: None Given
Project Manager: Cindy Crain

Fax: (432) 367-6747

Notes and Definitions

R3 The RPD exceeded the acceptance limit due to sample matrix effects.

J Detected but below the Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).

DET Analyte DETECTED

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

dry Sample results reported on a dry weight basis


RPD Relative Percent Difference

LCS Laboratory Control Spike

MS Matrix Spike

Dup Duplicate

Report Approved By:



Date:

8/7/2006

Raland K. Tuttle, Lab Manager
Celey D. Keene, Lab Director, Org. Tech Director
Peggy Allen, QA Officer

Jeanne Mc Murrey, Inorg. Tech Director
LaTasha Cornish, Chemist
Sandra Sanchez, Lab Tech.

This material is intended only for the use of the individual (s) or entity to whom it is addressed, and may contain information that is privileged and confidential.

If you have received this material in error, please notify us immediately at 432-563-1800.

Environmental Lab of Texas

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

12800 West I-20 East
Odessa, Texas 79766

Phone: 432-563-1800
Fax: 432-563-1713

Project Manager: Cindy Crain

Project Name: Elliott "B" Fed #10

Company Name Ocotillo Environmental

Project #:

Company Address 2125 French Drive, P.O. Box 1816

Project Loc: Funice, NM

City/State/Zip: Hobbs, NM 88241

PO #:

Telephone No: (505) 441-7244

Fax No: (432) 367-6747

Report Format: ☒ Standard ☐ TRRP ☐ NPDES

Sampler Signature: Cassie Hobbs

e-mail: cindy.crain@gmail.com

(lab use only)

ORDER #: 66W3004

LAB # (lab use only)	FIELD CODE	Beginning Depth	Ending Depth	Date Sampled	Time Sampled	No. of Containers	Ice	HNO ₃	HCl	H ₂ SO ₄	NaOH	Na ₂ S ₂ O ₈	None	Other (Specify)	DW-Drinking Water SL-Stage GW= Groundwater S=soil/Solid NP=Non-Petroleum Specify Other	TPH: 418.1 80184 1005 1006	Cations (Ca, Mg, Na, K)	Anions (Cl, SO ₄ , CO ₃ , HCO ₃)	SAR / ESP / CEC	Metals: As Ag Ba Cd Cr Pb Hg S	Volatiles	Semivolatiles	BTEX 802/18/50/30 or BTEX 8060	PCI	NORM	RUSH TAT (pre-shipment, 24)	Standard TAT	
01	SS-1	8'	8'	8/3/06	8:15	1							✓		S			✓	✓	✓							✓	✓
02	SS-2	"	"	"	8:18	1							✓		S			✓	✓	✓							✓	✓
03	SS-3	"	"	"	8:21	1							✓		S			✓	✓	✓							✓	✓
04	SS-4	"	"	"	8:24	1							✓		S			✓	✓	✓							✓	✓
05	SS-5	"	"	"	8:27	1							✓		S			✓	✓	✓							✓	✓

Special Instructions:

Relinquished by:	Date	Time	Received by:	Date	Time
<u>Cassie Hobbs</u>	<u>8/3/06</u>	<u>12:56</u>			
Relinquished by:	Date	Time	Received by:	Date	Time
Relinquished by:	Date	Time	Received by ELOT:	Date	Time
			<u>Cassie Hobbs</u>	<u>8/3/06</u>	<u>12:56</u>

Laboratory Comments:

Sample Containers Intact? Y N
VOCs Free of Headspace? Y N
Custody seals on container(s) Y N
Custody seals on cooler(s) Y N
Sample Hand-Delivered Y N
by Sampler/Client Rep.? Y N
by Courier? Y UPS DHL FedEx Lone Star
Temperature Upon Receipt 23.0 °C

Environmental Lab of Texas
Variance/ Corrective Action Report- Sample Log-In

Client: Ortilla Env.
 Date/ Time: 8/3/06 12:50
 Lab ID #: 6H03004
 Initials: CK

Sample Receipt Checklist

				Client Initials
#1 Temperature of container/ cooler?	Yes	No	23.0 °C	
#2 Shipping container in good condition?	Yes	No		
#3 Custody Seals intact on shipping container/ cooler?	Yes	No	Not Present	
#4 Custody Seals intact on sample bottles/ container?	Yes	No	Not Present	
#5 Chain of Custody present?	Yes	No		
#6 Sample instructions complete of Chain of Custody?	Yes	No		
#7 Chain of Custody signed when relinquished/ received?	Yes	No		
#8 Chain of Custody agrees with sample label(s)?	Yes	No	ID written on Container	
#9 Container label(s) legible and intact?	Yes	No	Not Applicable	
#10 Sample matrix/ properties agree with Chain of Custody?	Yes	No		
#11 Containers supplied by ELOT?	Yes	No		
#12 Samples in proper container/ bottle?	Yes	No	See Below	
#13 Samples properly preserved?	Yes	No	See Below	
#14 Sample bottles intact?	Yes	No		
#15 Preservations documented on Chain of Custody?	Yes	No		
#16 Containers documented on Chain of Custody?	Yes	No		
#17 Sufficient sample amount for indicated test(s)?	Yes	No	See Below	
#18 All samples received within sufficient hold time?	Yes	No	See Below	
#19 VOC samples have zero headspace?	Yes	No	Not Applicable	

Variance Documentation

Contact: _____ Contacted by: _____ Date/ Time: _____

Regarding: _____

Corrective Action Taken: _____

- Check all that Apply:
- ☐ See attached e-mail/ fax
 - ☐ Client understands and would like to proceed with analysis
 - ☐ Cooling process had begun shortly after sampling event