

DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

000-Hobbs

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: September 30, 1990

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
LANEXCO, INC.

3. Address and Telephone No.
1105 WEST KANSAS, JAL, NM 88252

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
UL: F, 2310' FNL, 1650' FWL
Sec. 33, T25S, R 37E

5. Lease Designation and Serial No.

LC-054667

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

EL PASO TOM FED #

9. API Well No.

30-025-26918

10. Field and Pool, or Exploratory Area

LANGLIE MATTIX

11. County or Parish, State

LEA, NM

12. CHECK APPROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection

Temporarily Abandon

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

*Temporarily Abandon due to uneconomical to produce.

8-17-06: RUPU. Lay down rods and pump.

8-18-06: NDWH. Install BOP. POOH w/ 2 3/8" tbgs. RIN w/ 4 3/4" bit, csg scraper on 2 3/8" tbgs. POOH w/ tbgs and bit. RIH w/ 5 1/2" CIBP on tbgs and set at 2466'. Circulate 65 bbls packer fluid.

8-21-06: POOH w/ tbgs and lay down. RIH w/ dump bailer on sandline and dump 10' cmt on top plug. Remove BOP. Try to test csg for BLM. Wellhead packing leaked. Reschedule test and replace seal gasket.

8-22-06: RU pump truck. Test csg and plug to 540 PSI for 30 minutes. Held ok. Well TA'D

APPROVED FOR 9 MONTH PERIOD

ENDING June 6, 2007

14. I hereby certify that the foregoing is true and correct

Signed Robert L. Munn

Title Production Supt.

Date 8-22-06

(This space for Federal or State office use)

Approved by Wesley M. Guyton
Conditions of approval, if any:

Title Pete Engle

Date 9/5/06

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make in any department or agency of the United States any false, fictitious or fraudulent statement or representations as to any matter within its jurisdiction.

*See instruction on Reverse Side

SEE ATTACHED FOR
CONDITIONS OF APPROVAL

GWW

El Paso Tom Fed #3

11' RB

8/22/06

← 8 $\frac{5}{8}$ " @ 446' cmt w/ 300 SX cmt

85 its 2 $\frac{3}{8}$ " tbs

108 - $\frac{3}{4}$ rods

← CIBP @ 2466' cap'd w/ 10' cmt

← Perfs: 2498-2945'

Top of fish @ 2705'

← Perfs: 3053'-3156'

← PRTO @ 3217'

← 5 $\frac{1}{2}$ " @ 3300' cmt w/ 600 SXS

