Submit 3 Copies To Appropriate District	State of New Mexico		Form C-103		
Office District I	Energy, Minerals and Natural Resources		Revised June 10, 2003		
1625 N. French Dr., Hobbs, NM 88240			WELL API NO.		
District II 1301 W. Grand Ave. Attacks NIM 88210 OIL CONSERVATION DIVISION		DIVISION	30-025-03735		
1301 W. Gialia Ave., Atasia, Misi 60210		ł.	5. Indicate Type of Lease		
District III 1220 South St. Francis Dr. 1000 Rio Brazos Rd., Aztec, NM 87410		STATE X FEE			
District IV Santa Fe, NM 87505			6. State Oil & Gas Lease No.		
1220 S. St. Francis Dr., Santa Fe, NM					1
87505	OPE AND REPORTS ON WELLS		7 I coso Nomo es	I Init Agramont No	
	CES AND REPORTS ON WELLS	· · · · · · · · · · · · · · · · · · ·	/. Lease Name of	Unit Agreement Na	ime
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH			NI NA! C4-	4 - ((T <sup>2</sup> )	
PROPOSALS.)			New Mexico State "T"  8. Well Number		
1. Type of Well:			8. Well Number		
Oil Well Gas Well Other X			2		
2 1			9. OGRID Numb		
2. Name of Operator  Proportion Management Corporation			122811		
Pronghorn Management Corporation			10. Pool name or Wildcat		
3. Address of Operator  P.O. Poy 1773 Hebbs NIM 98241			San Andres / Glorieta		
P.O. Box 1772 Hobbs, NM 88241 San Andres / Glorieta 4. Well Location					
4. Well Location					
Unit Letter I . 43	90 feet from the South	line and 500	feet from the	West line	
Olit Loudi			KOOL HOM the		
Section 6	Township 16S I	Range 36E	NMPM	County Lea	
	11. Elevation (Show whether DR				
3976' DR					
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data					
NOTICE OF IN	SEQUENT RE	PORT OF:			
PERFORM REMEDIAL WORK X PLUG AND ABANDON REMEDIAL WOR				ALTERING CASING	3 🔲
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DRIL	LING OPNS.	PLUG AND	
D		ABANDONMENT			
PULL OR ALTER CASING	MULTIPLE	CASING TEST AN	D 🗌		
	COMPLETION	CEMENT JOB			
OTHER:		OTHER:	,		
13 Describe proposed or comp	leted operations (Clearly state all	nertinent details, and	give pertinent date	es including estimate	ed date
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion					
or recompletion.					
or recompletion.					
See Attachment					
Administrative Order No.	SWD-836				
I hereby certify that the information above is true and complete to the best of my knowledge and belief.					
SIGNATURE COMP	AAA TITI E	A	T) A TYP	0 10 02	,
SIGNATURE CONSTRUCTION	TITLE	Agent	DATE	_8-19-03	
Type or print name Devin Garner	E-mail address:	Garneroil@yahoo.co	om Tele	ephone No.(505) 631	-4770
(This space for State use)	_				
11.	111:	10/1	•		/
APPPROVED BY Mrs. / Selliens TITLE Nest Supervisor DATE 8/19/03					
Conditions of approval, if any:				770	

- 1.
- Set CIBP @ 10288'. Dump 25' of cement on top. Set CIBP @ 7722'. Dump 25'. Dump 25' cement on top. 2.
- 3. GIH w/ packer and find hole @ 7700'+-.
- Pump 150 sxs cement through packer and WOC. 4.
- GIH and tag up @ 7690'. Calculate TOC @ 6700'+-. 5.
- GIH w/ packer and find hole in 5 1/2 casing @ 4750'-4800'+-. 6.
- 7. Pump 150 sxs of cement through packer and WOC.
- 8. GIH w/ tubing and tag up @ 4700'+-. Calculate TOC @ 4750'+-.
- 9. GIH w/ wire line and shot 4 holes @ 4320'. Establish circulation down 5 ½ and up 8 5/8.
- GIH w/ cement retainer. Establish circulation down 5 ½ and up 8 5/8. 10.
- Rig up BJ and pump 140 sxs of Poz cement and 360 Class C cement. Circulate up 8 5/8. 11.
- WOC. 12.
- 13. GIH w/ drill collar and bit and drill out cement and dement retainer.
- 14. Spot acid.
- GIH w/ wire line and shoot 2 JSPF @ 4810'-4850'. 15.

5290'-5300' 6210'-6260' 6300'-6360' 6440'-6455' 6610'-6630' 6770'-6880'

- 16. GIH w/ Model D production packer and 3 1/2" plastic coated tubing. Set packer @ 4740'.
- 17. Nipple up wellhead.



