		· · · ·	
District 1 1625 N. French Dr., Hobbs, NM 88240	State of New Mexico	$\begin{cases} \begin{array}{c} & & \\ & &$	
District II Energy 1301 W. Grand Avenue, Artesia, NM 88210	y Minerals and Natural Resources	•	
District III	Oil Conservation Division	For drilling and production facilities, submit to appropriate NMOCD District Office.	
1000 Rio Brazos Road, Aztec, NM 87410 District IV	1220 South St. Francis Dr.	For downstream facilities, submit to Santa Fe	
1220 S. St. Francis Dr., Santa Fe, NM 87505	Santa Fe, NM 87505	office	
Pit or Below-Grade Tank Registration or Closure			
Is pit or below-grade tank covered by a "general plan"? Yes 🚺 No			
	a pit or below-grade tank [] Closure of a pit or be		
Operator: BTA Oil Producent Telephone: 482.692.37530-mail address: pinakap @6ta oil.com Address: 194 S. Recos Midland, Tx 79701			
Facility or well name: EK-B-9701 JVP #2 API #: 30.015.37908 U/L or Qtr/Qtr Scc 30 T 18 R 34			
	itude 32 43 26 Longitude	103 36 19 NAD: 1927 1983	
Surface Owner: Federal 🕰 State 🗌 Private 🗌 Indian 🗋			
Pit	Below-grade tank		
Type: Drilling A Production Disposal		Volume:bbl Type of fluid:	
Workover Emergency	Construction material:		
	Double-walled, with leak detection? Yes I If not, explain why not.		
	Double-walled, with leak detection? I es [in nor, explain why nor.	
Liner type: Synthetic Thickness 2 mil Clay	· · · · · · · · · · · · · · · · · · ·		
Pit Volume			
Depth to ground water (vertical distance from bottom of pit to seaso	Less than 50 feet	(20 points)	
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)	
	100 feet or more	(0 points) <u>328-25-252</u>	
Wellhead protection area: (Less than 200 feet from a private domes	tic Yes	(20 points)	
water source, or less than 1000 feet from all other water sources.)	No	(0 points)	
water source, or less than 1000 reet from an other water sources.)		SEP 20013 Mar	
Distance to surface water: (horizontal distance to all wetlands, playa	Less than 200 feet	(20 points)) Received	
irrigation canals, ditches, and perennial and ephemeral watercourses	.)	(10 points) Hobbs	
	1000 feet or more	(0 points)	
	Ranking Score (Total Points)	50 * 22 2000	
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if			
your are burying in place) onsite 🗋 offsite 💢 If offsite, name of facility (3) Attach a general description of remedial action taken including			
remediation start date and end date. (4) Groundwater encountered: No 🗌 Yes 🗌 If yes, show depth below ground surfaceft. and attach sample results.			
(5) Attach soil sample results and a diagram of sample locations and excavations.			
Additional Comments: Plan to excavity and have contents of drilling at			
to a OLD approved formatily. Sample bettens of excavation			
and backful and level only offin OCO approvis,			
Notify OCD before starting and file sandy native after closing			
Well begin soon afles approved.			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank			
has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan			
Date: 925/06			
Printed Name/Title Edica a Same Agnet Signature Solar let Anna			
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or			
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, on local laws and/or regulations.			
Approval:			
Printed Name/Title L JOHNSON - ENVIRO ENG	· · · · · · · · · · · · · · · · · · ·	No r na	
Printed Name/Title L JOHDSON - ENVIRO ENGR Signature Johnson Date: 9125.06			

. 1



