District 1 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 Energy	State of New Mexico Minerals and Natural Resources	Form C- 144 June 1, 2004							
District III 1000 Rio Brazos Road Aztec: NM 87410	il Conservation Division 220 South St. Francis Dr. Santa Fe, NM 87505	For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office							
Pit or Below-Grade Tank Registration or Closure									
Is pit or below-grade	Is pit or below-grade tank covered by a "general plan"? Yes \square No \boxtimes Type of action: Registration of a pit or below-grade tank \square Closure of a pit or below-grade tank \boxtimes								
Address: P.O. Box 848 Wink, Texas 79789	<u>30-025-37336</u> U/L or Qtr/Qtr <u>N</u> S	<u>Harold.Swain@usa.apachecorp.com</u> ec <u>2</u> T <u>22S</u> R <u>37E</u> 08.1177' NAD: 1927 ⊠ 1983 □							
<u>Pit</u>	Below-grade tank								
Type: Drilling Z Production Disposal	Volume:bbl Type of fluid:								
Workover 🔲 Emergency 🗌	Construction material:								
Lined 🖾 Unlined 🗔	Double-walled, with leak detection? Yes	If not, explain why not.							
Liner type: Synthetic 🛛 Thickness <u>12</u> mil Clay 🛄									
Pit Volume <u>7000</u> bbl									
Depth to ground water (vertical distance from bottom of pit to seasona	Less than 50 feet	(20 points) 43 feet							
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)							
	100 feet or more	(0 points)							
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)							
water source, or less than 1000 feet from all other water sources.)	No	(0 points)							
· · · · · · · · · · · · · · · · · · ·	Less than 200 feet	(20 points)							
Distance to surface water: (horizontal distance to all wetlands, playas,		(10 points)							
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)							
	Ranking Score (Total Points)	20							
If this is a pit closure: (1) Attach a diagram of the facility showing the	nit's relationship to other equipment and tanks	(2) Indicate disposal location: (about the angles hav if							
your are burying in place) onsite i offsite i If offsite, name of facilidate and end date. (4) Groundwater encountered: No Yes i If yes (5) Attach soil sample results and a diagram of sample locations and exceeded Additional Comments: All fluids were removed from the pit. The pit	ity <u>Sundance</u> . (3) Attach a general descr s, show depth below ground surface cavations.	ription of remedial action taken including remediation startft. and attach sample results.							
Samples were collected below the liner and results are attached with the	te final C144 form.								
		1 shu							
I hereby certify that the information above is true and complete to the	hast of my knowledge and holisf. I fauth								
has been/will be constructed or closed according to NMOCD guide	elines 🖾, a general permit 🗌, or an (attached	d) alternative OCD-approved plan [].							
Date: <u>October 4, 2006</u>									
Printed Name/Title: <u>Cindy Crain/Geologist – As Agent for Apache Corp.</u> Signature <u>Signature</u> Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.									
Approval: Printed Name/Title GARY W. WANK STAFFMER Signature Hary Wink Date: 10/5/06									





Analytical Report

Prepared for:

Cindy Crain Ocotillo Environmental 2125 French Dr. Hobbs, NM 88201

Project: Apache- NM State S #45 Project Number: None Given Location: Eunice, NM

Lab Order Number: 6126007

Report Date: 09/29/06

Ocotillo Environmental 2125 French Dr. Hobbs NM, 88201 Project: Apache- NM State S #45 Project Number: None Given Project Manager: Cindy Crain Fax: (432) 367-6747

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
SS-8	6I26007-01	Soil	09/26/06 09:04	09-26-2006 12:20
SS-2	6126007-02	Soil	09/26/06 08:03	09-26-2006 12:20
SS-3	6126007-03	Soil	09/26/06 08:05	09-26-2006 12:20
SS-4	6126007-04	Soil	09/26/06 08:00	09-26-2006 12:20
SS-5	6126007-05	Soil	09/26/06 08:08	09-26-2006 12:20

Project Manager: Cindy Crain

General Chemistry Parameters by EPA / Standard Methods

Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
SS-8 (6126007-01) Soil									
Chloride	42.5	20.0	mg/kg Wet	2	EI62706	09/26/06	09/27/06	SW 846 9253	
SS-2 (6126007-02) Soil									
Chloride	53.2	20.0	mg/kg Wet	2	EI62706	09/26/06	09/27/06	SW 846 9253	
SS-3 (6126007-03) Soil									
Chloride	42.5	20.0	mg/kg Wet	2	EI62706	09/26/06	09/27/06	SW 846 9253	
SS-4 (6126007-04) Soil									
Chloride	ND	20.0	mg/kg Wet	2	E162706	09/26/06	09/27/06	SW 846 9253	
SS-5 (6126007-05) Soil									
Chloride	213	20.0	mg/kg Wet	2	EI62706	09/26/06	09/27/06	SW 846 9253	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Ocotillo Environmental	Project: Apache- NM State S #45	Fax: (432) 367-6747
2125 French Dr.	Project Number: None Given	
Hobbs NM, 88201	Project Manager: Cindy Crain	

General Chemistry Parameters by EPA / Standard Methods - Quality Control

Environmental Lab of Texas

		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch EI62706 - Water Extraction										
Blank (EI62706-BLK1)				Prepared 8	2 Analyzed	: 09/27/06				
Chloride	ND	20.0	mg/kg Wet							
LCS (EI62706-BS1)				Prepared &	2 Analyzed	09/27/06				
Chloride	91.5	5.00	mg/kg Wet	100		91.5	80-120			
Matrix Spike (EI62706-MS1)	Sour	ce: 6I25011	-01	Prepared: (09/26/06 A	nalyzed: 09	0/27/06			
Chloride	9680	20.0	mg/kg Wet	500	9150	106	80-120			
Matrix Spike Dup (EI62706-MSD1)	Sou	re: 6I25011	-01	Prepared: (09/26/06 A	nalyzed: 09	/27/06			
Chloride	9680	20.0	mg/kg Wet	500	9150	106	80-120	0.00	20	
Reference (EI62706-SRM1)				Prepared &	k Analyzed:	: 09/27/06				
Chloride	50.0		mg/kg	50.0		100	80-120			

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Notes and Definitions

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
đry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
LCS	Laboratory Control Spike
MS	Matrix Spike
Dup	Duplicate
dry RPD LCS MS	Sample results reported on a dry weight basis Relative Percent Difference Laboratory Control Spike Matrix Spike

Report Approved By:

Raland K Junts

9/29/2006

Raland K. Tuttle, Lab Manager Celey D. Keene, Lab Director, Org. Tech Director Peggy Allen, QA Officer

Jeanne Mc Murrey, Inorg. Tech Director LaTasha Cornish, Chemist Sandra Sanchez, Lab Tech.

Date:

This material is intended only for the use of the individual (s) or entity to whom it is addressed, and may contain information that is privileged and confidential.

If you have received this material in error, please notify us immediately at 432-563-1800.

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 4 of 4

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Environmental Lab of Texas

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

											20 Es 6 797									Fax:	43	32-5	63-18 63-17	713			
Project Manager: <u>Cin</u>	dy Crain				<u></u>										Proj	ject N	lame	A	<u>p</u> a	el	Ŀ	-	<u>Nr</u>	L.	sta	He.	S.#
Company Name Occ	tillo Environm	ental															ect #		•								<u> </u>
Company Address 212	5 French Drive	, P.O.	Box	1816											P	rojeci	Loc	;	Fi	nì	ie.	. /	JN	1			
	bs, NM 88241																PO #										
	5) 441-7244					ax No: (4	32)	367	-67	47				Ren	iort F	Form	at:	d	r Star	ndard	1					NPDES	
Sampler Signature:	mosici	Ha.	6-10	2	-	-mail: <u>ci</u>					aile	m						ىت				<u> </u>					
	- used of	(u)	10	<i>a</i>	· ·		nuy.	01 61	111100	<u>gann</u>	411.0	<u></u>								Ana	lyze	For:					
use only) DER #: UTUO	<u>1</u>																	TCLP:								2 42	
		1			r		╞	Prese	ervatio	on & f	# of Co	ntainei	ГВ	Matri	×	1005	6		₽ Fa Se		808					*	
			ļ											owner of the second sec	Specify Other	1005	Catalities (Cat, Ing., Nat, N) Antonis (Cil SO4, CO3, HCO3)		Motals: As Ag Ba Cd Cr Pb Hg Se		Semivolatiles BTEX AD218/5030 or BTEX					edute)	
		epth	s	8									5	5 5 5 5 5	Spoci	8015M		2	8 8		030 or					RUSH TAT (Pre-Schedule)	
		D Bul	D D	Sempled	Jomes		3						Specify	dirwiber.	- 21	8 3		P/C	67 S		ntiles P1865					IAT	ΨTΡ
		Beginning Depth	Ending Depth		lime Sampled			-FINO3	豆	H ₂ SO ₄	HORN	None	Other (Specify)		NP=Non-Po	TPH: 418.1	canons (ca, mg, na, Antons (C) S04, CO	SAR / ESP / CEC	stats: 1	Votatilas	Semivolatiles RTEX RD21R		N.O.R.M.			5	Standard TAT
	<u>B</u>	19	ш Ю	9:04	9/210		2 2	T	Ξ	Ť	ZZ			ار	ž	= (71	Ś	<u>×</u>	oð læ	<u>P</u>	Z	-+-	┼┼	- <u> </u>	5 V
	2	5'	5'	8:03	- I - E			╀╴		$\left\{ -\right\}$		1	\mathbb{H}				V			+	╈				++		N
5 55.	3	5	5'	8:05				T				V					V			1	1	T					7
55-4	Į	51	5'	8:00								V					V	1									Ľ
দ্র 5 ১-	5	5'	5'	8:08		<u>v </u>						\mathbf{V}	\square	V				4_		_		1			\downarrow		V
									+				┼╌╂╴		_		_	+		-	_	-	$\left \right $	+	++		
		+	┟──┤				+	+				+				+	+	+-		+	_				+		
	÷~,·	+						+	+	\vdash	+	+	┝╼╂╴			┉╊	+	-							++		
	·	1										\top						1		1		1					
cial Instructions:	i,		have a second of		H		-			A					4						imen Irs:ini				R	N A	
quished by:	Date	1	me	Received by:								- 	Date			ime	V	ÓCs.f	ree	of He	adsp cont	ace	,	ا میں دیر ا المیں المیں	ې ۲	Nº	۲ <i>i</i> s
MARI Hopes	alzuta	1	20	IVECEIARCI DA:									Jade	5			- ICi	ustod	VISEE	als or	i cool	er(s)	e		Y ₩	N .	2004 - C
iquished by;	Date		me	Received by:								-	Date	•	۲	'ime		by a	Sam	aler/C	lient	Rep S	? DHI	F	edEx	N Lone St	ar
quished by:	Date		me	Received by FI	<u>OT:</u>		_						Date		. 7	lime	_ ``	400	0	03	2						
		1		Received by EL		InO	O	_					[nn	1.1.	<u>، ا</u>		ीŤ€	mpe	ratur	e Up	on Re	ceip	t:	9.0		°C	

Environmental Lab of Texas Variance/ Corrective Action Report- Sample Log-In

lient:	Ocotillo Env.	
ate/ Time:	9/21/01/2:20	
ab ID # :	6F26007	
titials:	UK-	

Sample Receipt Checklist

			-	Cli	ient Initia
1	Temperature of container/ cooler?	Yes	No	3(.0 °C	
2	Shipping container in good condition?	Xes	No		
:3	Custody Seals intact on shipping container/ cooler?	Yes	No	Not Present	
4	Custody Seals intact on sample bottles/ container?	Yes	No	Not Present	
5	Chain of Custody present?	Yes	No		
6	Sample instructions complete of Chain of Custody?	1295	No		
7	Chain of Custody signed when relinquished/ received?	Yes,	No		
8	Chain of Custody agrees with sample label(s)?	Yes	No	ID written on Cont	· · · · · · · · · · · · · · · · · · ·
9	Container label(s) legible and intact?	Yes	No	Not Applicable	- 01.44m
10	Sample matrix/ properties agree with Chain of Custody?	Xes	No		V+
11	Containers supplied by ELOT?	Ves	No	1	
12	Samples in proper container/ bottle?	Yes	No	See Below	
13	Samples properly preserved?	Xes	No	See Below	
14	Sample bottles intact?	Yes	No		
15	Preservations documented on Chain of Custody?	Yes	No		
16	Containers documented on Chain of Custody?	Tes	No		
:17	Sufficient sample amount for indicated test(s)?	Tes	No	See Below	
18	All samples received within sufficient hold time?	Xes	No	See Below	
19	VOC samples have zero headspace?	Yes	No	Not Applicable	

Variance Documentation

.

Contact:		_ Contacted by:	Date/ Time:
Regarding:			·
Corrective Action Taker	1:		
Check all that Apply:		See attached e-mail/ fax Client understands and would like to proceed Cooling process had begun shortly after samp	with analysis pling event