District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 State of New Mexico Energy Minerals and Natural Resources

> Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

1220 S. St. 11400 Di., Sunta 10, 1141 07505	anta Fe, NM 87505					
Pit or Below-Gra	de Tank Registration or Closur	<u></u>				
Is pit or below-grade tan	k covered by a "general plan"? Yes ⊠ No					
Type of action: Registration of a pit of	or below-grade tank 🔲 Closure of a pit or below-grade	ie tank 🛛				
Operator: Range Operating New Mexico, Inc Telep	hone: (505) 631-0926 e-mail address: sa	mager@rangeresources.com				
Address: P.O. Box 2510 Hobbs, NM 88241	none (5057051-0520 e mun address. <u>su</u>	indertyrangeresources.com				
	U/L or Qtr/Qtr <u>SW/SE</u> So	ec 6 T 22S R 37E				
County: Lea Latitude N 32° 24.874		NAD: 1927 🗌 1983 🔯				
Surface Owner: Federal State Private Indian						
Pit	Below-grade tank					
Type: Drilling Production Disposal	Volume:bbl Type of fluid:					
Workover Emergency	Construction material:					
	Double-walled, with leak detection? Yes [] If not	explain why not				
Liner type: Synthetic \boxtimes Thickness 20 mil Clay						
Pit Volume bbl		······				
	Less than 50 feet	(20 points)				
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)				
high water elevation of ground water.)	100 feet or more	(0 points) 104.33				
		· · · ·				
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)				
water source, or less than 1000 feet from all other water sources.)	No	(0 points) X				
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)				
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)				
ingaton canais, anoies, and perennia and epicinicia watercourses.)	1000 feet or more	(0 points) X				
	Ranking Score (Total Points)	0				
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's	s relationship to other equipment and tanks. (2) Indica	te disposal location: (check the onsite box if				
your are burying in place) onsite 🖾 offsite 🗌 If offsite, name of facility_						
date and end date. (4) Groundwater encountered: No [] Yes [] If yes, she		-				
(5) Attach soil sample results and a diagram of sample locations and excaval						
Additional Comments: All fluids were removed from the pit. The burial	pit was constructed adjacent to the drilling pit. The bu	rial pit was lined with a 12 ml liner. Impacted				
material was placed in the burial pit, completely encapsulated and capped						
Hydrocarbon impacted soil was disposed at an NMOCD approved facility.						
		No and No and				
		a A A				

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan

Date: 10/5/06

Printed Name/Title: Steve Almager, Production Supervisor

Signature Ò.

1

SZGC

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: Printed Name/Title <u>GARYW.WINK STAFFMBR</u>	Signature Hary W. Wink	Date: 10/5/010





Analytical Report

Prepared for:

Cindy Crain Ocotillo Environmental 2125 French Dr. Hobbs, NM 88201

Project: Elliott B #12 Project Number: None Given Location: Eunice, NM

Lab Order Number: 6I25002

Report Date: 09/29/06

Ocotillo Environmental	Project:	Elliott B#12	Fax: (432) 367-6747
2125 French Dr.	Project Number:	None Given	
Hobbs NM, 88201	Project Manager:	Cindy Crain	

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
SS-6	6125002-01	Soil	09/21/06 09:15	09-25-2006 08:50
SS-7	6125002-02	Soil	09/21/06 09:20	09-25-2006 08:50
SS-8	6125002-03	Soil	09/21/06 09:24	09-25-2006 08:50
SS-10	6125002-04	Soil	09/21/06 09:31	09-25-2006 08:50
SS-17	6125002-05	Soil	09/23/06 08:58	09-25-2006 08:50

General Chemistry Parameters by EPA / Standard Methods

Environmental Lab of Texas

· · · · · · · · · · · · · · · · · · ·									
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
SS-6 (6125002-01) Soil									
Chloride	63.8	20.0	mg/kg Wet	2	EI62706	09/26/06	09/27/06	SW 846 9253	
SS-7 (6125002-02) Soil									
Chloride	ND	20.0	mg/kg Wet	2	EI62706	09/26/06	09/27/06	SW 846 9253	
SS-8 (6125002-03) Soil									
Chloride	74.4	20.0	mg/kg Wet	2	E162706	09/26/06	09/27/06	SW 846 9253	
SS-10 (6125002-04) Soil									
Chloride	808	20.0	mg/kg Wet	2	EI62706	09/26/06	09/27/06	SW 846 9253	
SS-17 (6125002-05) Soil									
Chloride	223	20.0	mg/kg Wet	2	EI62706	09/26/06	09/27/06	SW 846 9253	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Ocotillo Environmental
2125 French Dr.
Hobbs NM, 88201

General Chemistry Parameters by EPA / Standard Methods - Quality Control

Environmental Lab of Texas

		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch EI62706 - Water Extraction										
Blank (EI62706-BLK1)				Prepared &	& Analyzed	09/27/06				
Chloride	ND	20.0	mg/kg Wet							
LCS (EI62706-BS1)				Prepared &	è Analyzed	: 09/27/06				
Chloride	91.5	5.00	mg/kg Wet	100		91.5	80-120			
Matrix Spike (EI62706-MS1)	Sou	rce: 6125011	-01	Prepared:	09/26/06 A	nalyzed: 09	9/27/06			
Chloride	9680	20.0	mg/kg Wet	500	9150	106	80-120			
Matrix Spike Dup (EI62706-MSD1)	Sou	rce: 6125011	-01	Prepared:	09/26/06 A	nalyzed: 09	9/27/06			
Chloride	9680	20.0	mg/kg Wet	500	9150	106	80-120	0.00	20	
Reference (EI62706-SRM1)				Prepared &	& Analyzed	: 09/27/06				
Chloride	50.0		mg/kg	50.0		100	80-120	•		

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Notes and Definitions

DET	Analyte DETECTED

- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- LCS Laboratory Control Spike
- MS Matrix Spike
- Dup Duplicate

Report Approved By:

Raland K Just

9/29/2006

Raland K. Tuttle, Lab Manager Celey D. Keene, Lab Director, Org. Tech Director Peggy Allen, QA Officer

Jeanne Mc Murrey, Inorg. Tech Director LaTasha Cornish, Chemist Sandra Sanchez, Lab Tech.

Date:

This material is intended only for the use of the individual (s) or entity to whom it is addressed, and may contain information that is privileged and confidential.

If you have received this material in error, please notify us immediately at 432-563-1800.

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 4 of 4

Environmental Lab of Texas

.

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

													East 9765							_	F	ax:	432	2-56	3-180 3-171 日)	13			
	Project Manager: Cind	y Crain													-	P	rojec	t Na	me:	Ē	111	ot	+	<u> </u>		2.		<u></u>	<u></u>
(Company Name Ocot	illo Environm	ental														P	rojec	t#:										<u> </u>
	Company Address 2125	French Drive	, P.O.	Box	1816										_		Proj	ect L	.oc:	E	in	℃€	2	<u>N/</u>	<u>N</u>				
(City/State/Zip: Hobi	os, NM 88241	l															PC)#:				-						
-	Telephone No: (505)) 441-7244			<u>M</u> .	Fax No	: (43	2) :	367	-67	47				-	Repor	t Foi	mat		X:	Stand	ardi			TRRF	P	I NI	PDES	
:		assie	, h	ter	962-	e-mail							.con	<u>1</u>	_		.												
(lab.use o	niv) - second - second		- G														-		тс	LP:	Ť	Analy	ze F	or:				- _E	
	# 672500Z						lass l		Dream	e o ceti	00 8	ficti	Contai	inere	T I	Vlatrix		T	TOT			-	-					48, 72 hrs	
				1			020	╞╴	F TO GA	51 ¥ 211	Car G						- 18		Ê		\$ F		6260					Ŕ	h
AB#(lab use only)	FIELD COD	Æ	Beginning Depth	Ending Depth	Date Sampled	Time Sampled	No. of Containers γ_o	lce	HNO ₃	Ę	H ₂ SO4	NaOH	Na ₂ S ₂ O ₃	None Other (Soecify)	DW=Drinting Water SL=Sludge	GVV = Groundwater S=Soti/Sotid MD=Mon Decembro - Sneeder Other	. Ì Ś	Celions (Ca, Mg, Na, K)	Aniame (CL) 5:04, CO3, HCO3)	SAR / ESP / CEC	Metals: As Ag Ba Cd Cr Pb Hg	Semivotaties	BTEX 80218/5030 or BTEX 8260	RCI	N.O.R.M.			RUSH TAT (Pae-Schedule)	Standard TAT
-0	SS - 4	,	13'	13'	9/21/06	9:15	T	Γ	†	1	ſ			$\overline{\mathbf{A}}$		Ś	T	1	M					Π	\square			Π	V
-02	55-7		13'	13		9:20	1	Γ						~		Š	Τ		1						Π				\square
-03	55-B		13'	13		9:24	1							V	T	5			V		Τ	T	T	\square					V
-04	55-11		13'	18'	*	9:31	1	Ι						V/		S	Τ		1						\square				V
-\$5	55 - 1	7	3:5'	35	9/23/06	8:58	1	Γ						~	Τ	S	T		\mathbf{V}										\checkmark
in a star a star a star Na star a star a star a star Na star a										Γ																			
																					,								
									İ																Ц				
il en el constante de la const																		L							L				
	nstructions:		••••••••••••••							.							-		San VO	iorat iple Cs Fi	Contu ee o	iner: Hes	s inte idspa	ict?			ক্ত	N N	
Reinquish	Hed by: Horabs	9/25/cC	8:4	me 50 ma	Received by: Received by:								_	-	Date Date		Tim Tim		Cus Sàr	tody noie	seal Hand	on (Del	cole verec	er(8) d	N DHL	Fair			
Relinquish	ied by:	Date	 	me	Received by EL	от:	m	<u>nci</u>	- vi	<u>~</u>				1 09-2	Date 25-0	6	7im 295		ાં	d u)/iH iture	С́∩. Upor	o n Rec	17d ceipt.			i0		

Environmental Lab of Texas Variance/ Corrective Action Report- Sample Log-In

Client:	Ocotillo Environmental	
Date/ Time:	09-25-02 @ 0850	
Lab ID # :	(°I25002	
Initials:	JMM	

Sample Receipt Checklist

			,	Client Init	ials
#1	Temperature of container/ cooler?	(Yes)	No	14,0 °C	
#2	Shipping container in good condition?	Yes	No	NIA	
#3	Custody Seals intact on shipping container/ cooler?	Yes	No	Not Present MA	
#4	Custody Seals intact on sample bottles/ container?	Yes	No	Not Present	
#5	Chain of Custody present?	Ves/	No		
#6	Sample instructions complete of Chain of Custody?	(Yes>	No		
#7	Chain of Custody signed when relinquished/ received?	(es)	No		
#8	Chain of Custody agrees with sample label(s)?	Yes	No	(D written on Cont. (Lid)	
#9	Container label(s) legible and intact?	Yes	No	Not Applicable	
#10		(Yes/	No		
#11	Containers supplied by ELOT?	(Yes)	No		
#12	Samples in proper container/ bottle?	(Tes)	No	See Below	
#13	Samples properly preserved?	Res	No	See Below	
#14	Sample bottles intact?	(res)	No		
#15	Preservations documented on Chain of Custody?	(es)	No		
#16	Containers documented on Chain of Custody?	tes	No		
#17	Sufficient sample amount for indicated test(s)?	(es)	No	See Below	_
#18	All samples received within sufficient hold time?	(Yes)	No	See Below	
#19	VOC samples have zero headspace?	Yes	No	Not Applicable	

Variance Documentation

Contact:		Contacted by:	Date/ Time:					
Regarding:	<u></u>	-						
Corrective Action Taken	:		<u> </u>					
Check all that Apply:		See attached e-mail/ fax Client understands and would like to proceed with ana Cooling process had begun shortly after sampling ever		· •,				