

Submit 3 Copies To Appropriate District Office

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised March 25, 1999

WELL API NO.

30-015-03818

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

E5131

7. Lease Name or Unit Agreement Name:

West Henshaw Premier Unit

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator

Nordstrand Engineering Inc.

3. Address of Operator

3229 D'Amico St. # 200, Houston, TX 77019

8. Well No.

1

9. Pool name or Wildcat

Henshaw Grayburg

4. Well Location

Unit Letter **L** : **1980** feet from the **FNL** line and **660** feet from the **FWL** line

Section **2**

Township **16S**

Range **30E**

NMPM

County **Eddy, NM**

10. Elevation (Show whether DR, RKB, RT, GR, etc.)

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Request approval to plug and abandon well by procedure below. Existing Perfs @ 2919-2933

7 5/8 @ 500' TOC surface

2 7/8 @ 2955 150 sx. TOC 1765 calc.

1. MIRU PU and plugging equip. POH w/ rods, pump and 1 1/2 tbg.

2. RIH w/ tbg to 2900' Pump 5 sx cmt 2900 to 2697. WOC and Tag. Circulate well w/ mud laden fluid.

3. Perf & sqz 20 sx. cmt @ 2200'. Cut and POH 2 7/8 csg. @ 1500'. Spot 50' in/out plug w/ 40 sx. (1550 to 1450).

4. Spot 40 sx plug @ 550 to 450. WOC & Tag. spot 10 sx surface plug. Cut off wellhead and Install Dry Hole Marker.

60'

**Notify OCD 24 hrs. prior
To any work done.**

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Ben Montgomery

TITLE **Agent**

DATE **9/27/06**

Type or print name **Ben Montgomery**

Telephone No. **432-580-7161**

(This space for State use)

APPROVED BY

Phil Henshaw

TITLE **TA**

DATE **10/6/06**

Conditions of approval, if any:

OPERATOR: Mondstrand Engineering

WELL : W Henshaw Premier Unit #1 API/LEASE NO: 30-015-03818

Location : Unit 1, 1980 FNL, 660' FNL, -2-165-30E Eddy Co.

Perfs 2919
2933



7 5/8 c 500' TOC surface

TOC 1765

2 7/8 c 2933 w/5005x TOC 1765 calc