District I State of New Mexico District II 1625N. French Dr., Hobbs, NM 88240 District II Istrict II 1301 W. Grand Avenue, Artesia, NM 88210 Oil Conservation Division District IV 0il Conservation Division 1000 Rio Brazos Road, Aztec, NM 87410 1220 South St. Francis Dr. District IV 1220 South St. Francis Dr. 1220S. St. Francis Dr., Santa Fe, NM 87505 Santa Fe, NM 87505 Pit or Below-Grade Tank Registration or Closure OCD - ARTIESIA Is pit or below-grade tank covered by a "general plan"? Yes IN No X OCD - ARTIESIA Operator: BEPCO, L.P. Telephone: (432)683-2277 e-mail address: cdgoodman@basspet.com Address: P.O. BOX 2760 MIDLAND, TX 79702-2760 Facility or well name: BIG EDDY UNIT #151 Facility or well name: BIG EDDY UNIT #151 API#; 30-015-33157 U/lor Qtr/Qtr H Sec 30 T 21S R28E County: EDDY Latitude 32.453972 Longitude 104.120750 NAD: 1927 1983 Surface Owner Federal X State I Private I Indian				
Pit Type: Drilling X Production □ Disposal □ Workover □ Emergency □ Lined X Unlined □ Liner type: Synthetic X Thickness 12 mil Pit Volume 7300 bbl		Below-gradetank Volume: bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes If not, explain why not.		
Pit Volume 1500 bbl				
Depth to ground water (vertical distance from bottom of pit to seaso water elevation of ground water.)	onal high	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(10 points) (10 points) (0 points)	
Wellhead protection area: (Less than 200 feet from a private domes water source, or less than 1000 feet from all other water sources.)	stic	Yes No	(20 points) (0 points)	
Distance to surface water: (horizontal distance to all wetlands, play irrigation canals, ditches, and perennial and ephemeral watercourse		Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points)	
		Ranking Score (Total Points)	20	
If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite If offsite, name of facility				
Excess water will be removed from the pit. A burial pit will be constructed and lined with 12 mil impervious liner. The drilling pit contents				
will be mixed with Elke Envionmental Solidification Product at a 20 mud to 1 product ratio to solidify the contents after being placed in the				
burial pit. After all contents are placed in the burial pit, the contents will be covered with a 20 mil impervious liner with a minimum of 3 ft.				
overlap on all sides and a minimum of 3 ft below ground level. The burial pit will then be covered with clean native soil and domed to				
prevent pooling. A final report will be given at the end of the job. Notice will be given 48 hrs before start of job.				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-gradetank has been/will be constructed or closed according to NMOCD guidelines], a general permit], or an (attached) alternative OCD-approved plan [A]. Date: 10/02/2006 Printed Name/Title CINDI GOODMAN PRODUCTION CLERKsignature Your certificationand NMOCD approval of this application/closuredoes not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public healther the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. Approval: Printed Name/Title Date: U15/86				
As a condition of approval if during pit				

As a condition of approval if during pit construction water is encountered or if water seeps in pits after construction the <u>OCD MUST BE CONTACTED</u> <u>IMMEDIATELY!</u>

29